

# Virginia Commonwealth University VCU Scholars Compass

CyanoNews

1987

## CyanoNews (Vol. 3, No. 1, April 1987)

Jeff Elhai

Virginia Commonwealth University, elhaij@vcu.edu

Follow this and additional works at: http://scholarscompass.vcu.edu/cyanonews
Part of the Bacteriology Commons

© The Author(s)

#### Downloaded from

http://scholarscompass.vcu.edu/cyanonews/27

This Bulletin is brought to you for free and open access by VCU Scholars Compass. It has been accepted for inclusion in CyanoNews by an authorized administrator of VCU Scholars Compass. For more information, please contact libcompass@vcu.edu.

Volume 3 Number 1

April 1987

CYANONEWS is intended to provide cyanobacteriologists with a forum for rapid informal communication, unavailable through journals. Everything you read in this newsletter is contributed by readers like yourself. If you have a new result, if you know of an interesting meeting, if you have a post-doctoral opening, if you want strains, if you've published/submitted an article,... why not tell us about it? It's news to us. Please send all contributions to the address listed on the last page. DEADLINE for the next issue is JULY 1, 1987.

The name of the CORRESPONDENT for each item in this newsletter is capitalized, so you know who to write to for more information. The CORRESPONDENT'S ADDRESS appears at the end of the newsletter.

The 1987 DIRECTORY OF CYANOBACTERIOLOGISTS will be distributed with the next issue. If your address, telephone number, or research interests have changed, please let me know by JULY 1, 1987.

#### MEETINGS\*MEET

Meetings this summer:

- June 8-10 MOLECULAR BIOLOGY OF PHOTOSYNTHETIC PROCARYOTES. Madison, Wisconsin, U.S.A. Contact: Photosynthetic Procaryote Symposium, Department of Biochemistry, University of Wisconsin at Madison, 420 Henry Mall, Madison, WI 53706 U.S.A.
- July 17-19 WORKSHOP ON THE MOLECULÁR BIOLOGY OF CYÁNOBACTERÍA. St. Louis, Missouri, U.S.A. Contact: Lou Sherman, Div. of Biological Sciences, University of Missouri, Tucker Hall, Columbia, MO 65211 U.S.A.
- July 20 GENETIC AND MOLECULAR GENETIC STUDIES ON CYANOBACTERIA. St. Louis, Missouri, U.S.A. (Part of the annual meeting of the American Society of Plant Physiologists).
- Sept 20-25 EMBO WORKSHOP ON OXYGENIC AND UNOXYGENIC ELECTRON TRANSPORT SYSTEMS IN CYANOBACTERIA (BLUE-GREEN ALGAE). Cape Sounion Beach Resort (near Athens), Greece. Contact: G.C. Papageorgiou, EMBO Workshop, NRC Demokritos, Dept. of Biology, Athens 153 10, Greece.

Here are details on the September EMBO WORKSHOP:

PROGRAM: I. Molecular biology and genetics

- Energy coupling and pigment organization.
- III. Photosynthetic and respiratory electron transport.
- IV. Localization of electron transport systems and their relation to C, H, and N metabolisms.
- V. Response of cyanobacteria to environmental stress.
- VI. Biotechnological prospects of cyanobacteria.
- SPEAKERS: D.S. Bendall G.A. Codd W. Lockau G.C. Papageorgiou H. Zuber
  - P. Böger A.R. Holzwarth L.R. Mur L.A. Sherman
    - H. Bothe F. Joset N. Murata E. Tel-Or N.G. Carr D.W. Krogmann L. Packer J.G.K. Williams
- FEES: A registration and accommodations fee of \$200 US in the form of a bank draft made to Dr. George C. Papageorgiou must accompany each application. The fee covers sleeping (2 per bungalow) breakfast and lunch for 5 days (20 through 24 September) and airport transportation. Accompanying persons pay the same fee. Fees will be returned if for any reason the applicant is not accepted (registration will be limited to 60 participants). Single rooms cost \$50 US extra. A limited number of fellowships covering partial costs is available. Application should include biographical and scientific documentation and the title of the poster presentation.

DEADLINES: Applications: May 31, 1987. Abstracts: June 30, 1987.

The 7th INTERNATIONAL CONGRESS ON NITROGEN FIXATION will take place March 13th to 20th, 1988 in Cologne, West Germany. The meeting will celebrate the 100th aniversary of the discovery of nitrogen fixation by Hellriegel and Wilfarth and the 600th anniversary of the University of Cologne. The total cost (including hotel room, meals, registration, and abstracts) is expected to be about US \$450, less for those willing to share a double room or stay at the Cologne youth residence.

DEADLINE: Applications and abstracts: November 30, 1987.

APPLY TO: H. BOTHE, Universität zu Köln, Botanisches Institut, Gyrhofstrasse 15, D-5000 Köln 41, West-Germany.

#### 

A volume of Methods in Enzymology on cyanobacteria is in preparation, co-edited by L.PACKER and A.N. Glazer.

WILLIAM DIETRICH is currently mapping the large plasmid of Phormidium luridum var. alivocecie.

#### CROSS-HYBRIDIZATION OF PLASMIDS FROM TOXIC MICROCYSTIS

TOM BÖRNER and coworkers have isolated two plasmids (pMal,pMa2) of 2.9 and 8.5 kb, respectively, from the toxic Microcystis strain HUB 5-2-4 (HUB stands for Humboldt-Univ. Berlin) and used them as probes in several hybridization studies. pMal shows a weak hybridization with pMa2, both hybridize weakly to the chromosomal DNA of this strain but not with the chromosomal DNA of a non-toxic strain (HUB 042) and not with chromosomal DNA of A. nidulans R2. They show strong hybridization with analogous plasmids of another toxic strain (HUB 63) which are also of the same size. Interestingly, there was no hybridization with the plasmids of PCC 7813 and PCC 7820 (also reported to be toxic) and no hybridization with the plasmids of R2. pMa2, but not pMa1, forms oligomers (results of A. Weihe, W.Schwabe, Th.Börner, J.G. Kohl).

#### REQUESTS FOR TOXIC MICROCYSTIS

TOM BÖRNER would be interested in getting more toxic Microcystis strains for further comparative analysis of the type described above. JÜRGEN WECKESSER also would like to find axenic, toxic Microcystis strains or cells, to study questions concerning toxins and lipopolysaccharide. Finally, GEOFFREY CODD made a similar request for strains in these pages several issues ago. If you have have any such strains, you obviously have a very valuable commodity that these people would like to know about.

#### FLUORESCENT STAIN FOR POLYPHOSPHATES

DAPI (4'-6-diamidino-2-phenylindol) at concentrations higher than used for DNA staining (5-10 ug/ml), gives a wonderful yellow fluorescence on binding to cellular structures that disappear if the cells (Microcystis, Oscillatoria) are starved for phosphate. The same structures are also stained by tolouidine blue. Therefore, DAPI may be useful as a sensitive indicator for the presence of polyphosphate. A.Mahr, M.Henning, and TH.BÖRNER found this by chance and thought it might interest blue-green people, if it isn't already known.

#### BLUE-GREEN CAROTENOID TO CURE CANCER?

SEBASTION THOMAS reports that extracts of Spirulina (phycotene) rich in carotenoids and chlorophyll is being studied by the Dept. of Oral Medicine and Oral Pathology of Harvard School of Dental Medicine, Boston, MA, looking at the inhibition and regression of cancer in animal models. The extract is manufactured by Microalgae International. Preliminary studies with oral cancer tumors in hamsters indicate that spirulina extracts are more effective (20-25 times) than synthetic beta carotene in killing cancer cells. Phycotene is being tested in an AIDS model system by NIH (Dept. of Allergy

and Infectious Diseases), and Memorial Sloan Kettering Cancer Hospital, New York is planning a large clinical trial of phycotene as a treatment for cancer of the colon.

#### REMARKABLE OSCILLATORIA

BEN DE WINDER sent in news about a special cyanobacterium. It is a flat cyanobacterium isolated from a sandcrust. This flat band-shaped cyanobacterium was isolated from a cyanobacterial crust on a dune-sand from the inner coast of The Netherlands. The organism is sheathless and non-motile. Its breadth is 8-10u and trichome extends up to 100u. The thickness of the organism is about 2u. According to the Rippka system it should belong to the Oscillatoria group (Section 3). He is studying the the physiological responses of the organism to conditions found in its natural habitat. If anyone knows anything more about such extraordinary cyanobacteria, please contact Ben.

#### NORSE MEETING ON TOXIC CYANOBACTERIA SUMMARIZED

Twenty-two scientists (one of which was correspondent OLAV SKULBERG) gathered on 24-25 September 1986 to present the results of research on toxic cyanobacteria. The meeting took place at Husö Biological Station, the field station on Aland belonging to Abo Akademi and was a follow-up to an Oikos sym-

posium on the same theme, held in Copenhagen in 1984.

During the workshop results from recent national surveys were presented. as well as papers dealing with toxin production of cyanobacteria, the toxicology of the toxins, and the ecological impact of toxic cyanobacteria. The national surveys demonstrated that toxic cyanobacteria are quite common in lakes in Norway, Sweden, and Finland. Forty to fifty percent of the samples from lakes with cyanobacterial blooms contained toxic strains. These have been found in the genera Microcystis, Anabaena, Oscillatoria, Nodularia, and Aphanizomenon. In Denmark, Norway, Sweden, and Finland, toxic cyanobacteria have been implicated in several cases of illness and death among domestic and wild animals. The toxins of several strains have been isolated and investigations have been started to clarify the mode of action of these toxins.

The following were appointed members of a Nordic committee for further cooperation in this research field: Hanne Kaas (Denmark), Per-Edvin Person (Finland), Olav Skulberg (Norway; coordinator),

and Torbjö Willén (Sweden).

The workshop was sponsored by Abo Akademi and Stiftelsen för Forsknings-institut. The abstracts of the papers read during the workshop can be ordered from John Eriksson (Dept. of Biology, Abo Akademi, SF-20500 Abo, Finland).

#### UPDATED DIRECTORY TO TOXIC CYANOPHYTE LITERATURE

OLAV M. SKULBERG has updated a directory to toxic cyanophyte literature from the Nordic countries (Denmark, Finland, Norway, and Sweden). Entries range from 1933 to 1986.

#### IMPROVED SHUTTLE VECTOR FOR FREMYELLA DIPLOSIPHON

JOHN COBLEY, Edward Zerweck, and Heidi Jaeger describe an improved shuttle vector designed for the chromatically adapting cyanobacterium Fremyella diplosiphon. The vector totally lacks sites for the known restriction enzymes of F. diplosiphon and is efficiently transferred by conjugation from E. coli. A fragment from Tn903 provides strong selection for neomycin- or geneticin-resistance. Selection for chloramphenicol-resistance (also determined by the vector) is only adequate, but expression of the gene can be easily quantitated in extracts of F. diplosiphon, thus may serve as a reporter of gene expression. The lab intends to use the vector to identify and characterize genes that complement mutations in F. diplosiphon defective in chromatic adaptation.

#### MUTANT OF PHOTOHETEROTROPH CONSTRUCTED THAT LACKS Q-B PROTEIN OF PHOTOSYSTEM II

CHRISTER JANSSON tells us that he along with Rick Debus, Heinz Osiewacz, Mickey Gurevitz, and Lee McIntosh have managed to construct a well-defined mutant of the cyanobacterium Synechocystis PCC6803 that lacks the Q-B-binding polypeptide encoded by psbA. This is a major step towards understanding the function of the polypeptide and its interaction with other photosystem II components. psbA appears in three copies in Synechocystis PCC6803. Each gene was inactivated by in vitro insertion of drug

resistence markers and each altered gene put back into the cyanobacterial chromosome by gene replacement. Inactivation of all three psbA genes gave a mutant that is an obligate photoheterotroph. This mutant lacks the ability to evolve oxygen but retains PSI activity. Room temperature measurements of chlorophyll-a fluorescence induction demonstrated that the mutant exhibits a high fluorescence yield with little or no variable fluorescence. Immunoblot analysis showed complete loss of the Q-B-binding polypeptide from thylakoid membranes of the mutant. However, the extrinsic 33-kDa polypeptide of the water-splitting system of PSII is still present.

#### \*PUBLICATIONS\*PUBLICATIONS\*PUBLICATIONS\*PUBLICATIONS\*PUBLICATIONS\*PUBLICATIONS\*PUBLICATIONS\*PUBLICATIONS

- van der Plas,J.; de Groot,R.P.; Woortman,M.R.; WEISBEEK,P.J.; van Arkel,G.A. (1986). Coding sequence of a ferredoxin gene from Anacystis nidulans R2 (Synechococcus PCC7942). Nucl.Acids Res. 14:7804.
- van der Plas, J.; de Groot, R.P.; WEISBEEK, P.J.; van Arkel, G.A. (1986). Coding sequence of a ferredoxin gene from Anabaena variabilis ATCC 29413. Nucl. Acids Res. 14:7803.
- Singh,D.T.; Modi,D.R.; SINGH,H.N. (1986). Evidence for glutamine synthetase and methylammonium (ammonium) transport system as two distinct primary targets of methionine sulfoximine inhibitory action in the cyanobacterium Anabaena doliolum. FEMS Microbiol.Lett. 37:95-98.
- Rao, V.V.; Ghosh, R.; SINGH, H.N. (1986). Diazotrophic regulation of akinete development in the cyanobacterium Anabaena doliolum. New Phytol. (in press).
- Kumar, A.; Perraju, B.T.V.V.; SINGH, H.N. (1986). Carbon nutrition and the regulation of uptake hydrogenase activity in free living and symbiotic Anabaena cycadeae. New Phytol. 104:115-120.
- Blumwald, E.; Mehlhorn, R.J.; PACKER, L. (1983). Salt adaptation mechanisms in the cyanobacterium Synechococcus 6311. Advances in Photosynthesis Research, pp.627-630.
- Blumwald, E.; Mehlhorn, R.J.; PACKER, L. (1983). Ionic osmoregulation during salt adaptation of the cyanobacterium Synechococcus 6311. Plant Physiol. 73:377-380.
- Mehlhorn,R.J.; Blumwald,E.; PACKER,L. (1984). ESR methods for studies of osmoregulation in the cyanobacterium Synechococcus 6311. Membrane Transport in Plants, pp.115-116.
- Fry, I.V.; Huflejt, M.; Erber, W.W.A.; Peschek, G.A.; PACKER, L. (1987). The role of respiration during the adaptation of the freshwater cyanobacterium Synechococcus 6311 to salinity. Arch. Biochem. Biophys. (in press).
- Blumwald, E.; Mehlhorn, R.J.; PACKER, L. (1983). Studies of osmoregulation in salt adaptation of cyanobacteria with ESR spin-probe technique. Proc.Natl.Acad.Sci.USA 80:2599-2602.
- PACKER, L.; Fry, I.V.; Spath, S.; Melhorn, R.J.; Peschek, G.A.; Tel-Or, E. (1985). Some insights into the interaction of water and ions with the bioenergetic system in cyanobacteria. Proc. Int. Workshop on Ion Interactions, pp.99-101.
- Fry, I.V.; Peschek, G.A.; Huflejt, M.; PACKER, L. (1985). EPR signals of redox active copper in EDTA washed membranes of the cyanobacterium Synechococcus 6311. Biochem. Biophys. Res. Commun. 129:109-116.
- Blumwald, E.; Wolosin, J.M.; PACKER, L. (1984). Sodium/hydrogen exchange in the cyanobacterium Synechococcus 6311. Biochem. Biophys. Res. Commun. 122:452-459.
- Tel-Or, E.; Spath, S.; Mehlhorn, R.J.; PACKER, L. (1986). C-13 NMR studies of salt shock induced carbohydrates in the marine cyanobacterium Agmenellum quadruplicatum. Plant Physiol. 82:646-652.
- Mehlhorn, R.J.; PACKER, L. (1983). Bioenergetic studies of cells with spin probes. Annals New York Acad. Sci. 180-189.
- Belkin, S.; Mehlhorn, R.J.; PACKER, L. (1986). Determination of dissolved oxygen in photosynthetic systems by nitroxide spin-probe broadening. Arch. Biochem. Biophys. (in press).
- Cammack, R.; Luijk, L.J.; Maguire, J.J.; Fry, I.V.; PACKER, L. (1979). EPR spectra of photosystem I and other iron protein components in intact cells of cyanobacteria. Biochem. Biophys. Acta 548:267-275.
- Fry, I.V.; Robinson, A.E.; Spath, S.; PACKER, L. (1984). The role of Na2S in anoxygenic photosynthesis and H2 producction in the cyanobacterium Nostoc muscorum. Biochm. Biophys. Res. Comm. 123:1138-1143.
- Tel-Or, E.; Huflejt, M.; PACKER, L. (1985). The role of glutathione and ascorbate in hydroperoxide removal in cyanobacteria. Biochem. Biophys. Res. Commun 132:533-539.
- Tel-Or, E.; Huflejt, M.; PACKER, L. (1986). Hydroperoxide metabolism in cyanobacteria. Arch. Biochem. Biophys. 246:396-402.

Belkin, S.; Mehlhorn, R.J.; PACKER, L. (1987). Photo-oxidative damage in cyanobacteria studies by ESR oximetry. Arch. Biochem. Biophys. (in press).

Belkin, S.; Mehlhorn, R.J.; PACKER, L. (1987). Proton gradients in intact cyanobacteria. Plant Physiol.

(in press).

Vakeria, D.; CODD, G.A.; Bell, S.G.; Beattie, K.A.; Priestly, I.M. (1985). Toxicity and extrachromosomal DNA in strains of the cyanobacterium Microcystis aeruginosa. FEMS Microbiol.Lett. 29:69-72.

MITSUI, A.; KUMAZAWA, S.; Takahashi, A.; Ikemoto, H.; Cao, S.; Arai, T. (1986). Strategy by which nitrogen-fixing unicellular cyanobacteria grow phooautotrophically. Nature 323:720-722.

Golden, S.S.; Brusslan, J.; HASELKORN, R. (1986). Expression of a family of psbA genes encoding a photosystem II polypeptide in the cyanobacterium Anacystis nidulans R2. EMBO J. 5:2789-2798.

HASELKORN, R. (1986). Organization of the genes for nitrogen fixation in photosynthetic bacteria and cyanobacteria. Ann. Rev. Microbiol. 40:525-547.

Barroin,G.; FEUILLADE,M. (1986). Hydrogen peroxide as a potential algicide for Oscillatoria rubescens D.C. Water Research 20:619-623.

FEUILLADE, M.; Krupka, H. (1986). Assimilation of amino acids by Oscillatoria rubescens D.C. (Cyanophycee) [French]. Arch. Hydrobiol. 107:441-463.

FEUILLADE, M.; Dufour, Ph.; FEUILLADE, J.; Pelletier, J. (1986). Excretion of carbon by Leman phytoplankton [French]. Schwiez. Z. Hydrol. 48:18-33.

KOHL, J.-G.; Börner, Th.; Henning, M.; Schwabe, W.; Weihe, A. (1987). Plasmid content and differences in ecologically important characteristics of different strains of Microcystis aeruginosa. Archiv Hydrobiologie, Suppl. Algological Studies (in press).

KOMÁREK, J.; Ludvik, J. (1982). Cell structure and reporduction process in the blue-green alga

Chamaesiphon. Pl.Syst.Evol. 139:267-277.

Zehnder, A. (contact: KOMÁREK, J.) (1982). Proceedings of the 8th Symposium for Cyanophyte Taxonomy, Kastanienbaum (Switzerland). August 1979. [German with English abstract]. Schweiz. Z. Hydrol. 45:268-271.

Anagnostidis, K.; KOMÁREK, J. (1985). The cell structure of two Chamaesiphonaceae, Cyanophanon minus and Stichosiphon sansibaricus. Arch. Hydrobiol. Suppl. 71,1/2:75-90.

Anagnostidis, K.; KOMÁREK, J. (1985). Modern approach to the classification system of cyanophytes: I. Introduction. Arch. Hydrobiol. Suppl. 71,1/2:291-302.

KOMÁREK, J. (1985). Do all cyanophytes have a cosmopolitan distribution? Survey of the freshwater cyanophyte flora of Cuba. Arch. Hydrobiol. Suppl. 71,1/2:359-386.

KOMÁREK, J. (1986). Modern approach to the classification system of cyanophytes: II. Chroococcales. Arch. Hydrobiol. Suppl. 73,2:157-226.

Jürgens, U.J.; Golecki, J.R.; WECKESSER, J. (1985). Characterization of the cell wall of the unicellular cyanobacterium Synechocystis PCC6714. Arch.Microbiol. 142:168-174.

Jürgens, U.J.; WECKESSER, J. (1986). Carotenoid-containing outer membrane of Synechocystis sp. strain PCC6714. J.Bacteriol. 164:384-389.

Adhikary, S.P.; WECKESSER.J.; Jürgens, U.J.; Golecki, J.R.; Borowiak, D. (1986). Isolation and chemical characterization of the sheath from the cyanoacterium Chroococcus minutus SAG B.41.79. J.Gen.Microbiol. 132:2595-2599.

Jürgens, U.J.; WECKESSER, J. (1986). Polysaccharide covalently linked to the peptidoglycan of the cyanobacterium Synechocystis sp. strain PCC6714. J.Bacteriol. 168:568-573.

### \*ADDRESSES\*ADDRESSES\*ADDRESSES\*ADDRESSES\*ADDRESSES\*ADDRESSES\*ADDRESSES\*ADDRESSES\*ADDRESSES\*ADDRESSES\*ADDRESSES

#### CONTRIBUTERS:

BÖRNER, Thomas Sektion Biologie, Humboldt Universität, Invalidenstr.43, DDR-1040, Berlin DDR-

GERMANY

COBLEY, J. Dept. of Chemistry, University of San Francisco, 2130 Fulton Street, San Francisco, CA 94117, U.S.A.

CODD, Geoffrey	Dept. of Biol. Sciences, Dundee University, Dundee, SCOTLAND DD1 4HN, U.K.	
DIETRICH Jr.,W.E.	Biology Department, 114 Weyandt Hall, Indiana University of Penn., Indiana, Pennsylvania 15705, U.S.A.	
FEUILLADE, J.B. & Mauricette	Station d'Hydrobiologie, Lacustre, I.N.R.A. Institut de Limnologie, F 74203 Thonon, FRANCE	
HASELKORN, Robert	Dept. of Molecular Genetics and Cell Biology, 313 Cummings Life Science Center,	
	University of Chicago, Chicago, IL 60637 U.S.A.	
JANSSON,Christer	MSU/DOE Plant Research Laboratory, Michigan State University, East Lansing,	
VOII 1 0	MI 48824 U.S.A.	
KOHL,JG.	Section Biology at Humboldt University, Department Ecology, Invalidenstraße 43, Berlin 1040, DDR-GERMANY	
KOMÁREK,Jiri	Institute of Botany, CAS Dept. of Hydrobotany, Dukelskê 145, CS-37982 Trebon,	
IM PALICION I	CZECHOSLOVAKIA	
KUMAZAWA, Shuzo	Division of Biology and Living Resources, School of Marine and Atmos. Sci.,	
	University of Miami, 4600 Rickenbacker Causeway, Miami, Florida 33149, U.S.A.	
MITSUI,Akira	Division of Biology and Living Resources School of Marine and Atmos. Sci.,	
	University of Miami, 4600 Rickenbacker Causeway, Miami, Florida 33149, U.S.A.	
PACKER, Lester	Dept. of Physiology/Anatomy, 2544 Life Sciences Bldg., University of California, Berkeley, CA 94720, U.S.A.	
SINGH, H.N.	School of Life Sciences, University of Hyderabad, Hyderabad-500134, INDIA	
SKULBERG, Olav M.	Norwegian Institute for Water Research, P.B. 333, Blindern, N-0314 Oslo 3, NORWAY	
THOMAS, Sebastian	Microalgae International, Div: Agriculture Res. Co., 69100 20th Ave., Desert Hot	
	Springs, CA 92240, U.S.A.	
WECKESSER,J.	Institut für Biologie II/Mikrobiologie, Schänzlestraße 1, D-7800 Freiburg I. BR. FRG-W.GERMANY	
WEISBEEK, Peter J.	Dept. of Molecular Cell Biol., University of Utrecht, Padualaan 8, 3584 CH Utrecht,	
incrobed the cool of	NETHERLANDS	
de WINDER, Ben	Laboratorium voor Microbiologie, Nieuwe Achtergracht 127, 1018 WS Amsterdam, THE	
•	NETHERLANDS	

Send CONTRIBUTIONS to one of the addresses listed below. If you wish to be included in the mailing list, send your name, address, telephone number, and a brief description of your research interests.

AUSTRALIA/NEW Steve Delaney		Department of Biotechnology, The University of New South Wales,
ZEAL./SE.ASIA		P.O. Box 1, Kensington, New South Wales, AUSTRALIA 2033
'CANADA	Neil Strauss	Dept. of Botany, University of Toronto, Toronto, Ontario CANADA
		M5S 1A1
P.R.CHINA	Shang-Hao Li	Laboratory of Phycology, Institute of Hydrobiology,
	_	Academia Sinica, Wuhan, P.R.CHINA
FRANCE	Nicole Tandeau de Marsac	Physiologie Microbienne, Institut Pasteur, 29 rue du Dr. Roux,
		75724 Paris Cedex 15, FRANCE
FRG-W.GERMANY	Wolfgang Lockau	Institut für Allgemeine Biochemie, Universitätsstr. 31, 8400
	•	Regensburg, FRG-W.GERMANY
GDR-E.GERMANY	JG. Kohl	Section Biology at Humboldt University, Department Ecology,
/CZECH.		Invalidenstraße 43, Berlin 1040, DDR-GERMANY
INDIA	Joe Thomas	Biology and Agriculture Div., Modular Labs, Bhabha Atomic
1.01.	1110111111	Research Centre, Trombay, Bombay 400 085 INDIA
NETHERLANDS	Luuc Mur	Laboratorium voor Microbiologie, Universiteit voor Amsterdam,
THE IT ILL TO	Edde FMI	Nieuwe Achtergracht 127, 1018 WS Amsterdam, THE NETHERLANDS
NORWAY	Olav Skulberg	Norwegian Institute for Water Research, P.B. 333, Blindern,
HOWN	Olav Skalberg	N-0314, Oslo 3 NORWAY
U.K.	Tony Walsby	Dept. of Botany, University of Bristol, Bristol BS8 1UG, U.K.
ANYWHERE ELSE		MSU/DOE Plant Research Laboratory, Michigan State University,
HITWHERE ELSE	Oeli Linai	East Lansing, MI 48824, U.S.A.
		Last Laising, rit 40024, 0.3.7.