



VCU

Virginia Commonwealth University
VCU Scholars Compass

CyanoNews

1996

CyanoNews (Vol. 12, No. 2, July 1996)

Jeff Elhai

Virginia Commonwealth University, elhaij@vcu.edu

Follow this and additional works at: <http://scholarscompass.vcu.edu/cyanonews>

 Part of the [Bacteriology Commons](#)

© The Author(s)

Downloaded from

<http://scholarscompass.vcu.edu/cyanonews/6>

This Bulletin is brought to you for free and open access by VCU Scholars Compass. It has been accepted for inclusion in CyanoNews by an authorized administrator of VCU Scholars Compass. For more information, please contact libcompass@vcu.edu.

CYANONEWS

Volume 12 Number 2

July 1996

CYANONEWS - a newsletter intended to provide cyanobacteriologists with a forum for rapid informal communication, unavailable through journals. Everything you read in this newsletter is contributed by readers like yourself. Published occasionally, about three times per year.

SUBSCRIPTIONS - \$10/year. (See address label for expiration date). No charge for electronic version. See last page for details.

CONTRIBUTIONS - Expected every couple of years: a new result, an upcoming meeting or a summary of a past meeting, a post-doctoral opening, a new publication, a request for strains, a change of life... something. See last page for addresses you can send news to.

HOW TO FIND OUT MORE ABOUT SOMETHING YOU READ Each news item contains, prominently displayed, the name of a contact person. A Directory of Cyanobacteriologists is distributed every two years or on request.

INSTRUCTIONS TO AUTHORS - Send news.

COPYRIGHT - This newsletter is not copyrighted and no rights are reserved. You are encouraged to reproduce or to transmit any part of this publication by whatever means at your disposal, no permission required.

BULLETIN BOARD

- * Compendium of cyanobacterial Web sites
- * Spotlight on the Culture Collection of Algae and Protozoa
- * Meetings
- * Positions offered

NEWS

- * *Synechocystis* PCC 6803 genome sequenced and analyzed
- * Microcystin implicated in human fatalities
- * How to freeze cyanobacteria

LATEST REFERENCES

BULLETIN BOARD*BULLETIN BOARD*BULLETIN BOARD*BULLETIN BOARD*BULLETIN BOARD*BULLETIN BOARD

More Electronic Resources for the Cyanobacteriologist

The number of world wide web sites having some relation to cyanobacteria, more than 1700 at last count, has grown far beyond the abilities of anyone to comprehend them all. Most sites, however, merely mention cyanobacteria, either as part of a description of a person's research interests, as part of a class syllabus, etc. Some sites, of more general interest, are given below. The list must be considered only a sampling of what is available.

CCAP SITE: Homepage of the Culture Collection of Algae and Protozoa, centered at the Windermere Laboratory, U.K. Provides a searchable on line description of strains held by the collection [see below]. Also contains recipes for growth media and instructions on how to order strains.

<http://wiua.nwi.ac.uk/ccap/ccaphome.html>

CDAC SITE: Homepage of the Czechoslovak Database of Algae and Cyanobacteria.

<http://www.bdt.org.br/bdt/msdn/ccala/>

UCMP BACTERIA SITE: The University of California Museum of Paleontology has an online collection of articles and pictures of bacteria, including many entries on cyanobacterially related subjects.

<http://www.ucmp.berkeley.edu/bacteria>

PHOTOSYNTHESIS SITE: Arizona State University, Departments of Botany and Chemistry and Biochemistry run a site devoted to photosynthesis. It includes an extensive directory of e-mail addresses and list of upcoming meetings.

<http://Photoscience.La.Asu.Edu/Photosyn>

CYANOSITE: provides useful protocols and other matters cyanobacterial, including directories of cyanobacteriologists and back issues of this newsletter.

<http://WWW-Cyanosite.Bio.Purdue.Edu>

CYANOBASE SITE: Information regarding the *Synechocystis* PCC 6803 genome [see NEWS] and much else. Reports analysis of the currently available sequence and permits similarity search with sequences provided by visitors. Includes access to many if not all known cyanobacterial sequences and a search engine to help you find what you want. Displays a circular map of the genome and phylogenetic trees based on several gene sequences. Provides links to many other databases with prokaryotic sequences.

<http://www.kazusa.or.jp/cyano/cyano.html>

TOXIC CYANOBACTERIA SITE: Houses a bulletin boards for announcements, informational entries (including graphics) on microcystins, anatoxin, nodularin, protein phosphatases, and *Microcystis aeruginosa*, and a debate on the merits/risks of ingesting Super Blue Green Algae (*Aphanizomenon flos-aquae*). Provides links to two related discussion groups: Phycotoxin and Cyano-tox.

<http://Luff.Latrobe.Edu.Au/~BotBML/Cyanotox.Html>

RRNA SITE: A compilation of ribosomal RNA sequences, including 38 of cyanobacterial origin. Makes available a program to facilitate construction of trees, to align multiple sequences, and to draw secondary structures.

<http://www-rrna.uia.ac.be/>

CYANOBACTERIA INTERNATIONAL SITE: I haven't figured this one out yet, except to realize that it hasn't anything to do with cyanobacteria as we know them. The site collects literature from Cyanobacteria Publications which, by its own description, conducts "a gyrovague experiment operating upon the chromosomes of beauty and information."

<http://www.thing.net/~grist/homecyan.htm>

Matters Arising

Peter Wolk wants to find strains that both (i) form akinetes specifically adjacent to heterocysts, and (ii) grow to visible colonies within five days.

CONTACT: Peter Wolk, MSU-PRL Plant Research Laboratory,
Michigan State University, East Lansing, MI 48824 U.S.A.
TEL: 1-517-353-2049, FAX: 517-353-9168,
E-MAIL: 22333CPW@Msu.Edu

.....
Biophysical Techniques in Photosynthesis (ISBN: 0-7923-3642-9), edited by Jan Ames and Arnold Hoff has just been released by Kluwer Academic Publishers (1996) as Volume 3 in the series "Advances in Photosynthesis". Its 24 chapters encompass spectroscopic and magnetic resonance techniques as well as those aimed at elucidating structure or measuring oxygen evolution.

CONTACT: Kluwer Academic Publishers, P.O. Box 17, 3300 AA Dordrecht, NETHERLANDS
E-MAIL: Services@Wkap.NL
or Kluwer Academic Publishers, 101 Philip Drive, Norwell, MA 02061, U.S.A. TEL: 1-617-871-6600, FAX: 1-617-871-6528,
E-MAIL: Kluwer@World.Std.Com

.....
The Proceedings are now available from a workshop entitled TOXIC CYANOBACTERIA: CURRENT STATUS OF RESEARCH AND MANAGEMENT. The workshop, held March, 1994 in Adelaide, Australia, covered various aspects of concern to the researcher and manager of water quality, including monitoring and analysis, health effects and risk assessment, control and removal of toxins, and management issues. The proceedings include contributions from Wayne Carmichael, Geoff Codd, Ian Falconer, Ken-ichi Harada, Gary Jones, Mick Pearson, and Shun-Zhang Yu. The cost of the proceedings is AU\$50 (check should be payable to "Workshop Proceedings").

CONTACT: Australian Water Quality Centre, Private Mail Bag 3, Salisbury, SA, 51 08, Australia; or Brenton Nicholson
Tel: 61-8-259-0246, FAX: 61-8-259-0228,
E-MAIL: Brenton.Nicholson@Sawater.Sa.Gov.Au

Meetings

(Anyone wishing to contribute a report on any meeting of cyanobacterial relevance is cordially invited to do so!)

The 1st EUROPEAN PHYCOLOGICAL CONGRESS Cologne will meet 11-18 Aug 1996, Cologne, Germany.

CONTACT: Congress Secretariat, M. Melkonian, Botanical Institute, University of Cologne, Albertus Magnus Platz, D-50923 Cologne, GERMANY. TEL: 49-221-4702475, FAX: 49-221-4705181,
E-MAIL: MMelkon@Biolan.Uni-Koeln.De

.....
The 9th EUROPEAN BIOENERGETICS CONFERENCE (EBEC) is scheduled for 17-22 Aug 1996 in Louvain-la-Neuve, Belgium. This conference has not previously paid a great deal of attention to cyanobacteria, but this year it will have at least one session, entitled "Archaeobacteria, extremophiles and cyanobacteria"

CONTACT: Congress Secretariat, A.-M. Corbisier-Colson, Unite de Genetique, UCL (Universite catholique de Louvain), Place Croix du Sud 4-5, B-1348 Louvain-la-Neuve, BELGIUM.
TEL: 32-10-478261, FAX: 32-10-473742.

Culture Collection Grows with Strains

Culture collections, like the strains they collect, are a product of evolution. The Culture Collection of Algae and Protozoa (CCAP) now maintains about 2000 algae and protozoa, of which more than 200 are cyanobacteria. This collection originated from strains isolated by Ernst Georg Pringsheim and his collaborators, Victor Czurda and Felix Mainx. When Pringsheim moved to England, his collection went with him and was eventually taken over by E.A. George at Cambridge University in 1947. In 1986 the collection was divided, freshwater algae and all protozoa going to the Institute of Freshwater Ecology (IFE) Windermere Laboratory at Ambleside and marine algae going to Dunstaffnage Marine Laboratory (DML) at Oban.

Strains are available for a fee of £21 per 10 ml for academic institutions. The strain list can be searched at the CCAP web site (see above). Alternatively, hard copies of the Catalogue are available for £7.00. A list of freshwater cyanobacterial strains can be obtained by anonymous FTP at the site Cyanonew@Servax.Fiu.Edu (password: Bluegreen). Download CCAP-CB.Asc (pure text).

The CCAP also holds the Fritsch Collection of Illustrations of Freshwater Algae, some 500,000 published figures of taxonomic or floristic significance. They are taken from over 15,000 works and cover over 2,500 genera. A fiche edition has been published.

CONTACT: Culture Collection of Algae and Protozoa, Institute of Freshwater Ecology, Windermere Laboratory, Far Sawrey, Ambleside, Cumbria LA22 0LP, UK. TEL: 44-15394-42468, FAX: 44-15394-46914, E-MAIL: CCAP@ife.ac.uk,
WEB: <http://wiua.nwi.ac.uk/ccap/ccaphome.html>
or (for edition of Fritsch illustrations): Inter Documentation Company bv, PO Box 11205, 2301EE Leiden, NETHERLANDS

The 12th INTERNATIONAL CONGRESS ON PHOTOBIOLOGY will be held 1-6 Sept 1996 in Vienna, Austria. The congress will include two sessions, entitled "Antenna systems and Energy Transfer" and "Reaction Centers and Electron Transfer", in which cyanobacteria will be well represented.

CONTACT: Scientific and Administrative Secretariat, Vienna Academy of Postgraduate Medical Education and Research, Alser Strasse 4, A-1090 Vienna, AUSTRIA. TEL: 43-1-405138313,
FAX: 43-1-405138323, E-MAIL: Medacad@via.at

.....
SYMBIOSIS 96! will bring together investigators who apply modern techniques to the study of diverse symbiotic associations on 5-8 Sept 1996 in Bar Harbor, Maine.

CONTACT: Paul Baumann, Microbiology Section, University of California, Davis CA 95616-9665 TEL: 1-916-752-0272,
FAX: 1-916-752-9014, E-MAIL: PABaumann@UCDavis.Edu
WEB: <http://Wolbachia.Med.Yale.Edu>

An INTERNATIONAL SYMPOSIUM ON CYANOBACTERIAL BIOTECHNOLOGY will take place 18-21 Sept 1996 in Tiruchirapalli, India. The emphasis of the meeting will be on environmentally sustainable utilization of cyanobacteria for human welfare.

CONTACT: G. Subramanain, Director, NFMC, Bharathidasan University, Tiruchirapalli - 620 024, INDIA. TEL: 91-431-60352, FAX: 91-431-60245 or 91-431-60320, E-MAIL: bdsan@iitm.ernet.in

.....
A one day conference entitled ALGAL MODELING: PROCESSES AND MANAGEMENT will be held 19 Sept 1996, at the University of Reading, England. Registration is £40 or \$60 US. The conference includes talks on modeling algal behavior and the management of algal problems.

CONTACT: Alan Howard, Aquatic Environments Research Centre, Dept Geography, The University of Reading, Reading, RG6 6AB, England, U.K. E-MAIL: A.Howard@Reading.Ac.Uk
WEB: <http://www.rdg.ac.uk/geog/conference.html>

.....
The 11TH AUSTRALIAN NITROGEN FIXATION CONFERENCE will focus on N₂-fixing symbioses at its meeting in Perth, Australia, 22-27 September 1996. While the conference will stress the role of leguminous plants in sustainable agriculture, cyanobacterial symbioses may also find a place in the proceedings.

CONTACT: The Secretary, Australian Society for Nitrogen Fixation, Centre For Legumes in Mediterranean Agriculture, University of Western Australia, Nedlands, W.A. 6907, AUSTRALIA. FAX: 61-9-380-1140, E-MAIL: Asnf@Cyllene.Uwa.Edu.Au

Those who like their nitrogen meetings without competition from Rhizobia might check out the 7th INTERNATIONAL SYMPOSIUM ON BIOLOGICAL NITROGEN FIXATION WITH NON-LEGUMES 16-21 October 1996 in Pakistan.

CONTACT: National Institute for Biotechnology and Genetic Engineering (NIBGE) P.O. Box 577, Jhang Road Faisalabad, PAKISTAN, TEL: 41-65-1471 or 41-651475-79, FAX: 41-65-1472, E-MAIL: Kauser@Nibge.Lke.imran.Pk

.....
MYCOTOXINS AND PHYCOTOXINS will be the focus of a Gordon Conference to be held in North Plymouth, New Hampshire, U.S.A. 22-27 June 1997.

CONTACT: Wanda Haschek-Hock, Dept. of Veterinary Pathobiology, University of Illinois, 2001 S. Lincoln Avenue, Urbana, IL 61801 U.S.A. TEL: 1-217-333-2449, FAX: 1-217-333-7421, E-MAIL: WHaschek@Uiuc.Edu

.....
For those looking ahead, the IXth INTERNATIONAL SYMPOSIUM ON PHOTOTROPHIC PROKARYOTES is set for 6-12 September 1997, University of Vienna, Austria. The first circular will soon be sent out. You may also get a copy of it by FTP at the site Cyanonew@Servax.Fiu.Edu (password: Bluegreen). Download either ISPP.Doc (an MS-Word document) or ISPP.Asc (pure text). WARNING: Those who have already sent an E-mail request to receive the first circular should send another request, because a hardware error erased your names!

CONTACT: Symposium Secretariat, IXth ISPP Vienna 1997, Institute of Physical Chemistry, University of Vienna, UZA2, Althanstrasse 14, A-1090 Vienna, AUSTRIA. E-MAIL: Georg.Schmetterer@UniVic.Ac.At

Positions Offered

POSITION OFFERED: Post-Doc

CONTACT: Bridgette Barry, Gortner Laboratory, Department of Biochemistry, University of Minnesota, St. Paul, MN 55108 U.S.A. TEL: 1-612-624-6732, FAX: 1-612-625-5780, E-MAIL: Barry@Molbio.Cbs.Umn.Edu

RESEARCH: Study the structure and function of the photosynthetic water oxidizing complex. Techniques to be employed include infrared and EPR spectroscopy as well as site directed mutagenesis.

REQUIREMENTS: Background in chemistry, biochemistry, or biophysics.

AVAILABLE: Fall 1996.

SEND: CV and three reference letters.

.....
POSITION OFFERED: Post-Doc

CONTACT: Michael Schaefer, School of Biological Sciences, University of Missouri-Kansas City, 5007 Rockhill Road, Kansas City, MO 64110 U.S.A. TEL: 1-816-235-2573, E-MAIL: MSchaefer@Ctr.Umkc.Edu

RESEARCH: Molecular basis of photoperception and signal transduction involved in complementary chromatic adaptation by *Fremyella diplosiphon* (*Calothrix* PCC 7601)

REQUIREMENTS: Experience in molecular biology, biochemistry and microbial genetics

AVAILABLE: Immediately

SEND: CV and three letters of recommendation

.....
POSITION OFFERED: Post-Doc

CONTACT: Fevzi Daldal, University of Pennsylvania, Plant Science Institute, Dept. of Biology, 204 Mudd Building, Philadelphia PA 19104-6019.

TEL: 1-215-898-4394, FAX: 1-215-898-8780,

E-MAIL: FDaldal@Sas.UPenn.Edu

RESEARCH: Biochemical molecular genetics of cytochromes and cytochrome complexes of photosynthetic bacteria. [See J Bacteriol (1995) 177:608-613; Biochem (1995) 34:15979-16012; Biochem (1994) 33:3120-3127; Chapter 36 of *Anoxygenic Photosynthetic Bacteria*]

REQUIREMENTS: Solid background and experience in either molecular genetics and protein purification techniques or spectroscopy and computer modeling methods; a genuine interest in structure, function biogenesis and regulation of microbial energy transduction complexes.

SEND: CV, description of research accomplishments, and reference letters.

IGOR BROWN'S Fax number and E-mail address were given erroneously in the last newsletter. They should be:

FAX: 380-482-238320 or 380-482-232463,
E-MAIL: IBrown@Microalgae.Odessa.Ua

JEFF ELHAI, after several years in the southeastern part of the U.S., will be moving up the coast to the University of Richmond the end of this summer. Richmond is about two hours away from Washington, D.C., ideal for visitors.

Dept. of Biology, University of Richmond, Richmond, Virginia
23173, U.S.A. TEL: 1-804-289-8412, FAX: 804-289-8233,
E-MAIL: Cyano@URVax.URich.Edu

FRIEDERICKE KOENIG has moved from J.W. Goethe-Universität to Universität Bremen

Universität Bremen, Fachbereich 2 Biologie/Chemie, Molekulare
Pflanzenphysiologie, Leobener Str./NW 2, D-28359 Bremen

We must acknowledge the loss of one of our own, ORSOLA TIBONI, who died 30 March 1996 after a brief illness. Orsola will be remembered for her contribution to the understanding of the molecular biology of cyanobacteria, particularly *Spirulina platensis*.

Every Base of *Synechocystis* Genome Now Known

Starting in only 1994, Kazusa DNA Research Institute has completed sequencing the entire genome of *Synechocystis* PCC 6803, reports Satoshi Tabata. For the record, the strain has precisely 3,573,470 bp, with an average GC content of 48%. *Synechocystis* has about 3100 likely coding sequences, with two sets of ribosomal RNA gene clusters and 42 potential tRNA genes.

1 Mb of the sequence (from 64% to 92% of the circular map) has already been analyzed and made available electronically through the Kazusa CYANOBASE site (see BULLETIN BOARD). 818 likely coding sequences in this region have been identified based on their lengths or similarity to known genes.

The sequence was reexamined using the program GeneMark, designed to recursively evaluate the probability that an open reading frame (ORF) is indeed a coding sequence, in light of the aggregate of characteristics of other open reading frames in the sequence. The program identified 752 of the 818 previously assigned ORFs, of which 26 were predicted to start at more internal start codons. 50 ORFs not found in the original analysis were predicted by GeneMark to be coding sequences.

Of the 66 ORFs originally identified but not found by GeneMark, 14 showed significant degrees of similarity to known genes, and 10 were found within insertion-sequence-like elements. Perhaps these genes came to *Synechocystis* by horizontal gene transfer, and therefore possess foreign characteristics that would escape the detection algorithm of the program.

Some of this work has been published [Kotani H et al (1994) DNA Res 1:30-307; Kotani H et al (1995) DNA Res 2:133-142; Kaneko et al (1995) DNA Res 2:153-166. Hirose et al (1995) DNA Res 2:239-246], and much more can be found on the CYANOBASE web site.

CONTACT: Satoshi Tabata, Kazusa DNA Research Institute, Laboratory of Gene Structure 2, 1532-3 Yana, Kisarazu, Chiba 292, JAPAN.
TEL: 81-438-52-3934, FAX: 81-438-52-3933,
E-MAIL: Tabata@Kazusa.Or.Jp

Toxin Suspect in Mass Killing

Tragedy struck this past spring in a Brazilian hospital. 126 patients undergoing hemodialysis in Caruaru, a city in northeastern Brazil, became ill and, over the course of several weeks, 43 of them died of toxic hepatitis. Much evidence has implicated microcystin, a toxin produced by the cyanobacterium *Microcystis aeruginosa*, as a prime cause of the deaths. If this connection is borne out, it would constitute the first confirmed instances of human fatalities attributed to microcystin poisoning.

Microcystins, potent hepatotoxins that act on protein phosphatases, were found in the liver and serum of affected patients at levels associated with acute or lethal toxicities. Investigation as to the source of the toxin centered on the water source used to feed the hemodialysis unit. Owing to a drought, the hospital had water trucked in from reservoir and treated with chlorine. Chlorination, however, is not effective in destroying microcystin, except with long treatments or at low pH. Indeed, chlorination, by killing any *M. aeruginosa* present, would be expected to liberate microcystin into the water. Microcystin was detected by high performance liquid chromatography in the water source and in the carbon used to filter the water.

Jose Roberto C. Rocha, the physician who broke the story to the cyanobacterial community, voiced the concern that the case in Caruaru may not be unique. Patients on dialysis often show unexplained alterations in liver enzymes, he said, speculating that this might be caused by low levels of microcystin intoxication. A similar case was reported earlier by Filomena Araujo, Evora, Portugal, in which the deaths of dialysis patients may have been due to microcystin. The water supply was drawn from a river heavily contaminated with *Microcystis aeruginosa*.

It is important to note that the case against microcystin is not complete. The water may well have contained other toxins, including pesticides, that have not yet come to light. Wayne Carmichael is continuing a study to pin down the cause. The evidence in favor of some wrongdoing is already convincing enough to officials, however, to prompt action. Three physicians involved in the dialysis have been indicted for manslaughter.

Abstracted from material posted to the Toxic Cyanobacteria Web Site (See BULLETIN BOARD).

Cryopreservation of Cyanobacteria

Cryopreservation refers to the storage of a living organism at ultra-low-temperature such that it can be revived and restored to the same living state as before it was stored. Indefinitely long storage times require that the organism be maintained below the glass transformation temperature of aqueous solutions, approximately -130°C , the temperature at which frozen water no longer sublimates and recrystallizes. Although ultra-cold freezers may stabilize some living cells for weeks or even years, liquid nitrogen is required for longer storage times. Cyanobacteria, as is the case for all living cells, suffer severe osmotic stress and/or ice crystal damage during the freezing and thawing processes. The most effective known ways to minimize these potentially lethal effects are to add a cryoprotective compound to the culture prior to its freezing for storage, and to control the transient cooling and warming rates during preservation.

We have been able to cryopreserve virtually all of the approximately 200 strains of cyanobacteria in the UTEX collection of algae [R.C. Starr and J.A. Zeikus (1993) *J Phycol* 29 (supp)] located in the Department of Botany at the University of Texas at Austin. This includes unicells, branching and unbranching filamentous species, marine and freshwater species, and those with heterocysts and akinetes. We also have successfully stored several photosynthetic mutants of cyanobacterial species provided by Robert Tabita of Ohio State University and John Golbeck of the University of Nebraska. The required procedures are straightforward and inexpensive, but require attention to a few details. One-hundred percent viability is never expected but viabilities over 50% are typical. High viabilities (i.e. $>10\%$) are especially desirable for mutant strains. Here I will describe procedures that cryopreserve nearly all of cyanobacterial strains we have examined.

Sample preparation: Transfer cyanobacterial liquid culture into a cryovial¹ in preparation for cryopreservation. Alternatively the culture can be grown directly as a lawn on a tiny agar slant prepared within the cryovial [K. Bodas, K.R. Diller, and J.J. Brand (1995) *Cryo-Letters* 16:267-274]. If the cryovial contains liquid culture, pellet the cells by centrifugation in a clinical centrifuge and discard the supernatant.² Add cryoprotective solution containing 1.0 ml of half-strength growth medium (BG-11 works well for virtually all fresh-water cyanobacteria) containing 5% methanol or 8% DMSO to the pelleted cells.³ Alternatively, if the culture is growing on an agar slant, transfer 1 ml of cryoprotective solution above the slant.^{4,5}

¹Two-ml or 1.8-ml polyethylene or polypropylene cryovials are especially convenient for handling and storage efficiency, although 1-ml and 5-ml cryovials also work well.

²We have constructed acrylic sleeves that fit into the tube holders of the rotor, positioning the cryovials securely in place within a clinical centrifuge rotor, flush with the top of the tube holders. The cryovials can also be inserted into unmodified tube holders for centrifugation in a clinical centrifuge.

³Although glycerol is an effective cryoprotective agent for many bacteria, it is not effective for most cyanobacteria. Methanol at approximately 5% (v/v) is suitable for most strains. However, we have been successful with concentrations of methanol ranging from 2% to 12.5%, and DMSO ranging

from 4 to 15 %, depending on the culture. A small fraction of some cultures survive with no added cryoprotective agent.

⁴When the cryoprotective agent is added directly above the culture on an agar slant, the tube is shaken gently prior to freezing, to dislodge some of the cells and ensure that the liquid penetrates through the culture. Cells pelleted from liquid suspension are fully suspended in the cryoprotective solution.

⁵Cells are killed by exposure to bright light when in cryoprotective solution. Keep the culture in subdued room light while handling, and in complete darkness at other times.

Freezing: The cryovial containing the culture in cryoprotective agent at room temperature is inserted into a special "freezing container"⁶ which has been pre-chilled to refrigerator temperature. The freezing container is then placed into a -70°C freezer for 2 hours. Then the cryovial is quickly removed from the freezing container, placed into a storage container, and plunged into liquid nitrogen for indefinite storage.⁷

⁶The "Mr. Frosty" freezing container (Nalgene) is satisfactory for nearly all cyanobacteria. It is inexpensive to purchase and holds eighteen 2-ml cryovials simultaneously. Its contents cool at slightly less than 1°C per minute when it is placed into a -70°C freezer.

⁷Sterility is a problem when storing plastic cryovials in liquid nitrogen. Vials equipped with gaskets and those with inside threads seal most tightly, but liquid nitrogen always creeps into some cryovials. This provides a conduit for entry of bacteria, some of which remain viable in bulk liquid nitrogen. Several manufacturers sell heat-shrink tubing that serves as a tight-fitting sleeve around the entire cryovial and lid, thereby eliminating liquid nitrogen leakage. Bacterial contamination can be eliminated also by storage in sealed glass ampoules or by storing plastic cryovials in the nitrogen vapor just above the liquid, although these procedures introduce additional safety and convenience considerations.

Thawing and Recovery: Cultures to be revived are removed from liquid nitrogen storage and warmed rapidly to room temperature.⁸ Cells are immediately pelleted by centrifugation of the cryovial,^{9,10} and the supernatant is discarded. One ml of fresh growth medium is placed into the vial to suspend the pellet. The cryovial lid is slightly loosened to allow gas exchange, and the contents of the vial are kept in complete darkness for 1-2 days. The culture can then be placed on agar or in liquid growth media under normal growth conditions. The viable cells should begin normal growth within 1 - 2 days in light, although they are especially susceptible to damage by excessive light intensity for the first day or two of illumination.

⁸Warm rapidly by plunging the tightly sealed, still-frozen cryovials into a dish of water at 35°C . An appropriately selected volume of water will cool to approximately 25°C as the cryovial contents are warmed to that same temperature.

⁹Centrifugation of a thawed culture in a cryovial containing an agar slant is best done in an angle rotor that pellets the cells on the agar surface without appreciably altering the position of the agar in the tube.

¹⁰Cultures of eukaryotic algae especially, and cyanobacteria to some extent, are susceptible to mechanical damage during recovery from storage at low temperature. Cells should be pelleted at the minimum R.C.F. that facilitates pelleting. Excessive agitation should be avoided when suspending the pellet.

Comments welcome!

Jerry J. Brand, Botany Dept., Univ. of Texas at Austin
E-MAIL: JBrand@UTxsvs.Cc.UTexas.Edu

TAXONOMY and EVOLUTION

- Andersen RA, Bidigare RR, Keller MD, Latasa M (1996). A comparison of HPLC pigment signatures and electron-microscopic observations for oligotrophic waters of the North Atlantic and Pacific Oceans. *Deep Sea Res* 43:517-537
- Ferris MJ, Muyzer G, Ward DM (1996). Denaturing gradient gel electrophoresis profiles of 16S ribosomal RNA-defined populations inhabiting a hot spring microbial mat community. *Appl Environ Microbiol* 62:340-346
- Ferris MJ, Ruffroberts AL, Kocczynski ED, Bateson MM, Ward DM (1996). Enrichment culture and microscopy conceal diverse thermophilic *Synechococcus* populations in a single hot spring microbial mat habitat. *Appl Environ Microbiol* 62:1045-1050
- Frankel DS, Frankel SL, Binder BJ, Vogt RF (1996). Application of neural networks to flow cytometry data analysis and real time cell classification. *Cytometry* 23:290-302
- Palinska KA, Krumbein WE (1995). Electrophoretic separation of two unicyanobacterial strains leading to purification. *J Microbiol Meth* 24:41-48
- Raven JA (1996). The bigger the fewer size, taxonomic diversity and the range of chlorophyll(ide) pigments in oxygen-evolving marine photolithotrophs. *J Mar Biol Assoc UK* 76:211-217
- Scanlan DJ, Hess WR, Partensky F, Newman J, Vaulot D (1996). High degree of genetic variation in *Prochlorococcus* (prochlorophyta) revealed by RFLP analysis. *Eur J Phycol* 31:1-9
- Baum M, Cordier A, Schon A (1996). RNase P from a photosynthetic organelle contains an RNA homologous to the cyanobacterial counterpart. *J Mol Biol* 257:43-52
- Baum M, Schon A (1996). Localization and expression of the closely linked cyanelle genes for RNase P RNA and 2 transfer RNAs. *FEBS Lett* 382:60-64
- Lazcano A, Miller SL (1996). The origin and early evolution of life prebiotic chemistry, the pre-RNA world, and time. *Cell* 85:793-798
- Moens L, Vanfleteren J, Vandepuer Y, Peeters K, Kapp O, Czeluzniak J, Goodman M, Blaxter M, Vinogradov S (1996). Globins in nonvertebrate species dispersal by horizontal gene transfer and evolution of the structure-function relationships. *Mol Biol Evol* 13:324-333
- Nelissen B, Debaere R, Wilmotte A, Dewachter R (1996). Phylogenetic relationships of nonaxenic filamentous cyanobacterial strains based on 16S ribosomal RNA sequence analysis. *J Mol Evol* 42:194-200
- Ohyama K (1996). Chloroplast and mitochondrial genomes from a liverwort, *Marchantia polymorpha* gene organization and molecular evolution. *Biosci Biotechnol Biochem* 60:16-24

ECOLOGY

- Bargagli R, Broady PA, Walton DWH (1996). Preliminary investigation of the thermal biosystem of Mount Rittmann fumaroles (northern Victoria Land, Antarctica). *Antarctic Science* 8:121-126
- Baur B, Froberg L, Baur A (1995). Species diversity and grazing damage in a calcicolous lichen community on top of stone walls in Oland, Sweden. *Annales Botanici Fennici* 32:239-250
- Bianchi TS, Demetropoulos A, Hadjichristophoru M, Argyrou M, Baskaran M, Lambert C (1996). Plant pigments as biomarkers of organic matter sources in sediments and coastal waters of cyprus (eastern Mediterranean). *Estuar Coast Shelf Sci* 42:103-115
- Bryant R, Tyler A, Gilvear D, McDonald P, Teasdale I, Brown J, Ferrier G (1996). A preliminary investigation into the spectral characteristics of inter-tidal estuarine sediments. *Int J Remote Sensing* 17:405-412
- Callieri C, Amicucci E, Bertoni R, Voros L (1996). Fluorometric characterization of 2 picocyanobacteria strains from lakes of different underwater light quality. *Int Rev Gesamten Hydrobiol* 81:13-23
- Charpy L, Blanchot J (1996). *Prochlorococcus* contribution to phytoplankton biomass and production of Takapoto atoll (Tuamotu archipelago). *Compt Rend Acad Sci Ser III* 319:131-137
- Demora SJ, Lee PA, Grout A, Schall C, Heumann KG (1996). Aspects of the biogeochemistry of sulfur in glacial melt water ponds on the McMurdo ice shelf, Antarctica. *Antarctic Sci* 8:15-22
- Dubinin AV, Gerasimenko LM, Zavarzin GA (1995). Ecophysiology and species-diversity of cyanobacteria from Lake Magadi. *Mikrobiol-Engl Tr* 64:717-721
- Eguchi M, Oketa T, Miyamoto N, Maeda H, Kawai A (1996). Occurrence of viable photoautotrophic picoplankton in the aphotic zone of Lake Biwa, Japan. *J Plankton Res* 18:539-550
- Frenette JJ, Vincent WF, Legendre L, Nagata T (1996). Size-dependent phytoplankton responses to atmospheric forcing in Lake Biwa. *J Plankton Res* 18:371-391
- Fumanti B, Alfinito S, Cavacini P (1995). Floristic studies on fresh-water algae of Lake Gondwana, northern Victoria Land (Antarctica). *Hydrobiol* 316:81-90
- Galchenko VF, Bolshiyarov DY, Chernykh NA, Andersen D (1995). Bacterial processes of photosynthesis and dark carbon dioxide assimilation in the lakes of burger hills oasis in eastern Antarctica. *Mikrobiol-Engl Tr* 64:706-716
- Havens K, Aumen NG, James RT, Smith V (1996). Rapid ecological changes in a large subtropical lake undergoing cultural eutrophication. *Ambio* 25:150-155
- Heerkloss R, Hlawa S (1995). Feeding biology of 2 brachionid rotifers *Brachionus quadridentatus* and *Brachionus plicatilis*. *Hydrobiol* 313:219-221
- Hixon MA, Brostoff WN (1996). Succession and herbivory effects of differential fish grazing on Hawaiian coral reef algae. *Ecol Monogr* 66:67-90
- Jehl C, Barszczus HG (1996). Origin of rare-earth elements in cyanobacterial mats (kopara) from Tikehau atoll (Tuamotu, French Polynesia). *Compt Rend Acad Sci Ser II* 322:205-212
- Kaehler S, Williams GA (1996). Distribution of algae on tropical rocky shores spatial and temporal patterns of non-coraline encrusting algae in Hong Kong. *Marine Biol* 125:177-187
- Kennish R, Williams GA, Lee SY (1996). Algal seasonality on an exposed rocky shore in Hong Kong and the dietary implications for the herbivorous crab *Grapsus albolineatus*. *Marine Biol* 125:55-64
- Kido MH (1996). Diet and food selection in the endemic Hawaiian amphidromous goby, *Sicyopterus stimpsoni* (pisces, gobiidae). *Environ Biol Fishes* 45:199-209
- Knowlton MF, Jones JR (1996). Nutrient addition experiments in a nitrogen-limited high plains reservoir where nitrogen-fixing algae seldom bloom. *J Freshwater Ecol* 11:123-130
- Kononen K, Kuparinen J, Makela K, Laanemets J, Pavelson J, Nommann S (1996). Initiation of cyanobacterial blooms in a frontal region at the entrance to the Gulf of Finland, Baltic Sea. *Limnol Oceanogr* 41:98-112
- Laybournparry J, Bayliss P (1996). Seasonal dynamics of the planktonic community in Lake Druzby, Princess Elizabeth Land, eastern Antarctica. *Freshwater Biol* 35:57-67
- Letelier RM, Karl DM (1996). Role of *Trichodesmium* spp in the productivity of the subtropical north Pacific Ocean. *Marine Ecol Progr Ser* 133:263-273
- Lin HJ, Nixon SW, Taylor DI, Granger SL, Buckley BA (1996). Responses of epiphytes on eelgrass, *Zostera marina* L, to separate and combined nitrogen and phosphorus enrichment. *Aquatic Bot* 52:243-258

- Loth P, Herschel A, Schroter K, Liebert HP (1995). Algal blooms and duckweed covers in the Bleiloch Reservoir (Thuringia) actually situation, causal analysis and first results of its overcome. *Int Rev Gesamten Hydrobiol* 80:535-561
- Lucila M, Pomar CA, Giuffre G (1996). Picoplankton, nanoplankton and microplankton communities in hydrothermal marine coastal environments of the Eolian islands (Panarea and Vulcano) in the Mediterranean Sea. *J Plankton Res* 18:715-730
- Macintyre IG, Reid RP, Steneck RS (1996). Growth history of stromatolites in a holocene fringing reef, Stocking Island, Bahamas. *J Sediment Res A* 66:231-242
- Manguin S, Roberts DR, Andre RG, Rejmankova E, Hakre S (1996). Characterization of *Anopheles darlingi* (diptera, culicidae) larval habitats in Belize, Central America. *J Med Entomol* 33:205-211
- Michard M, Aleya L, Verneaux J (1996). Mass occurrence of the cyanobacteria *Microcystis aeruginosa* in the hypereutrophic villerest reservoir (Roanne, France) usefulness of the biyearly examination of N/P (nitrogen phosphorus) and P/C (protein carbohydrate) couplings. *Archiv Hydrobiol* 135:337-359
- Modigh M, Saggiomo V, Dalcata MR (1996). Conservative features of picoplankton in a Mediterranean eutrophic area, the Bay of Naples. *J Plankton Res* 18:87-95
- Mousseau L, Legendre L, Fortier L (1996). Dynamics of size-fractionated phytoplankton and trophic pathways on the Scotian shelf and at the shelf break, northwest Atlantic. *Aquatic Microb Ecol* 10:149-163
- Nalewajko C, Prepas EE (1996). Responses of phytoplankton photosynthesis and phosphorus kinetics to resuspended sediments in copper sulfate-treated ponds. *J Environ Qual* 25:80-86
- Nicholls KH, Michalski MFP, Gibson W (1996). An experimental demonstration of trophic interactions affecting water quality of Rice Lake, Ontario (Canada). *Hydrobiol* 319:73-85
- Nwankwo DI (1996). Phytoplankton diversity and succession in Lagos Lagoon, Nigeria. *Archiv Hydrobiol* 135:529-542
- O'Neil JM, Metzler PM, Glibert PM (1996). Ingestion of ¹⁵N₂-labeled *Trichodesmium* spp and ammonium regeneration by the harpacticoid copepod *Macrosetella gracilis*. *Marine Biol* 125:89-96
- Paerl HW (1996). Microscale physiological and ecological studies of aquatic cyanobacteria: Macroscale implications. *Microsc Res Technique* 33:47-72
- Paerl HW, Pinckney JL (1996). A minireview of microbial consortia their roles in aquatic production and biogeochemical cycling. *Microb Ecol* 31:225-247
- Perakis SS, Welch EB, Jacoby JM (1996). Sediment-to-water blue-green algal recruitment in response to alum and environmental factors. *Hydrobiol* 318:165-177
- Perez MT, Dolan JR, Rassoulzadegan F, Mostajir B (1996). Predation on marine picoplankton populations examined with an add-in approach. *J Plankton Res* 18:635-641
- Podhalanska T, Nolvak J (1995). Endolithic trace fossil assemblage in lower ordovician limestones from northern Estonia. *Gff* 19Pt 117:225-231
- Pringle CM (1996). Atyid shrimps (decapoda, atyidae) influence the spatial heterogeneity of algal communities over different scales in tropical montane streams, Puerto Rico. *Freshwater Biol* 35:125-140
- Sathyendranath S, Platt T, Stuart V, Irwin BD, Veldhuis MJW, Kraay GW, Harrison WG (1996). Some biooptical characteristics of phytoplankton in the NW Indian Ocean. *Marine Ecol Progr Ser* 132:299-311
- Schubert H, Matthijs HCP, Mur LR, Schiewer U (1995). Blooming of cyanobacteria in turbulent water with steep light gradients: The effect of intermittent light and dark periods on the oxygen evolution capacity of *Synechocystis* sp PCC 6803. *FEMS Microbiol Ecol* 18:237-245
- Schultzelam S, Ferris FG, Sherwood-Lollar B, Gerits JP (1996). Ultrastructure and seasonal growth patterns of microbial mats in a temperate climate saline alkaline lake Goodenough Lake, British Columbia, Canada. *Can J Microbiol* 42:147-161
- Sloth NP, Riemann B, Nielsen LP, Blackburn TH (1996). Resilience of pelagic and benthic microbial communities to sediment resuspension in a coastal ecosystem, Knebel Vig, Denmark. *Estuar Coast Shelf Sci* 42:405-415
- Sorokin YI, Sorokin PY, Gnes A (1996). Structure and functioning of the anthropogenically transformed Comacchio lagoonal ecosystem (Ferrara, Italy). *Marine Ecol Progr Ser* 133:57-71
- Thomas MLH (1996). Origin and community structure of the Harrington Sound notch, Bermuda. *Bull Mar Sci* 58:753-763
- Tokarskaya ZB, Smagin AI, Ryzhkov EG, Nikitina LV, Treshcheva TP, Smirnova MA (1995). Phytoplankton in the cooling pond of a nuclear fuel plant. 1. Spectral analysis. *Russ J Ecol* 26:263-267
- Trave A, Serrakiel J, Zamarreno I (1996). Paleocological interpretation of transitional environments in eocene carbonates (NE Spain). *Palaios* 11:141-160
- Vangool E, Ringelberg J (1996). Daphnids respond to algae-associated odors. *J Plankton Res* 18:197-202
- Villareal TA (1995). Abundance and photosynthetic characteristics of *Trichodesmium* spp along the Atlantic barrier reef at Carrie Bow Cay, Belize. *Marine Ecol - Pub Stazione Zool Napoli I* 16:259-271
- Visser PM, Massaut L, Huisman J, Mur LR (1996). Sedimentation losses of *Scenedesmus* in relation to mixing depth. *Archiv Hydrobiol* 136:289-308
- Vopel K, Arlt G (1995). The fauna of floating cyanobacterial mats in the oligohaline eulittoral zone off Hiddensee (southwest coast of the Baltic Sea). *Marine Ecol - Pub Stazione Zool Napoli I* 16:217-231
- Wasser SP, Nevo E, Vinogradova ON, Navrotskaya IL, Ellanskaya IA, Volz PA, Virchenko VM, Tsarenko PM, Kondratyuk SY (1995). Diversity of cryptogamic plants and fungi in Evolution Canyon, Nahal Oren, Mount Carmel Natural Preserve, Israel. *Isr J Plant Sci* 43:367-383
- Weithoff G, Walz N (1995). Influence of the filamentous cyanobacterium *Planktothrix agardhii* on population growth and reproductive pattern of the rotifer *Brachionus calyciflorus*. *Hydrobiol* 313:381-386
- Wynn-Williams DD (1996). Response of pioneer soil microalgal colonists to environmental change in Antarctica. *Microb Ecol* 31:177-188
- Ypma JE, Throndsen J (1996). Seasonal dynamics of bacteria, autotrophic picoplankton and small nanoplankton in the inner Oslofjord and the Skagerrak in 1993. *Sarsia* 81:57-66
- Zhan XM, Watanabe MM, Inouye I (1996). Light and electron microscopy of grazing by *Poterioochromonas malhamensis* (chrysophyceae) on a range of phytoplankton taxa. *J Phycol* 32:37-46
- Zhang Y, Prepas EE (1996). Short term effects of Ca(OH)₂ additions on phytoplankton biomass a comparison of laboratory and in situ experiments. *Water Res* 30:1285-1294

SYMBIOSIS

- Bergman B, Matveyev A, Rasmussen U (1996). Chemical signaling in cyanobacterial-plant symbioses. *Trends Plant Sci* 1:191-197
- Honegger R, Peter M, Scherrer S (1996). Drought-induced structural alterations at the mycobiont photobiont interface in a range of foliose macrolichens. *Protoclasma* 190:221-232
- Lambert G, Lambert CC, Waaland JR (1996). Algal symbionts in the tunics of 6 New Zealand ascidians (chordata, ascidiacea). *Invert Biol* 115:67-78
- Lange OL, Green TGA, Reichenberger H, Meyer A (1996). Photosynthetic depression at high thallus water contents in lichens concurrent use of gas exchange and fluorescence techniques with a cyanobacterial and a green algal peltigera species. *Bot Acta* 109:43-50
- Lange OL, Hahn SC, Muller G, Meyer A, Tenhunen JD (1996). Upland tundra in the foothills of the Brooks range, Alaska influence of light, water content and temperature on CO₂ exchange of characteristic lichen species. *Flora* 191:67-83

- Lotti F, Giovannetti L, Margheri MC, Ventura S, Materassi R (1996). Diversity of DNA methylation pattern and total DNA restriction pattern in symbiotic *Nostoc*. *World J Microbiol Biotechnol* 12:38-42
- Maguas C, Brugnoli E (1996). Spatial variation in carbon isotope discrimination across the thalli of several lichen species. *Plant Cell Environ* 19:437-446
- Schussler A, Bonfante P, Schnepf E, Mollenhauer D, Kluge M (1996). Characterization of the *Geosiphon pyriforme* symbiosome by affinity techniques confocal laser scanning microscopy (CLSM) and electron microscopy. *Protoplasma* 190:53-67
- Silvester WB, Parsons R, Watt PW (1996). Direct measurement of release and assimilation of ammonia in the *Gunnnera-Nostoc* symbiosis. *New Phytol* 132:617-625
- Smith EC, Griffiths H (1996). The occurrence of the chloroplast pyrenoid is correlated with the activity of a CO₂-concentrating mechanism and carbon isotope discrimination in lichens and bryophytes. *Planta* 198:6-16
- Wasthuber R, Loos E (1996). Differences between cultured and freshly isolated cyanobiont from *Peltigera*: Is there symbiosis-specific regulation of a glucose carrier? *Lichenol* 28:67-78

TOXINS and NATURAL SUBSTANCES

- Akaji K, Kuriyama N, Kiso Y (1996). Convergent synthesis of (-)-mirabazole C using a chloroimidazolium coupling reagent, CIP. *J Org Chem* 61:3350-3357
- Bonjouklian R, Smitka TA, Hunt AH, Ocolowit JL, Perun TJ, Doolin L, Stevenson S, Knauss L, Wijayarathne R, Szweczyk S, Patterson GML (1996). A90720A, a serine protease inhibitor isolated from a terrestrial blue-green alga *Microchaete lohtakensis*. *Tetrahedron* 52:395-404
- Careri M, Mangia A, Musci M (1996). Applications of liquid chromatography mass spectrometry interfacing systems in food analysis pesticide, drug and toxic substance residues. *J Chromatogr* 727:153-184
- Decicco CP, Grover P (1996). Total asymmetric synthesis of the potent immunosuppressive marine natural product microcolin A. *J Org Chem* 61:3534-3541
- Edwards C, Lawton LA, Coyle SM, Ross P (1996). Automated purification of microcystins. *J Chromatogr* 734:175-182
- Edwards C, Lawton LA, Coyle SM, Ross P (1996). Laboratory-scale purification of microcystins using flash chromatography and reversed phase high performance liquid chromatography. *J Chromatogr* 734:163-173
- Golakoti T, Ogino J, Heltzel CE, Lehusebo T, Jensen CM, Larsen LK, Patterson GML, Moore RE, Mooberry SL, Corbett TH, Valeriote FA (1995). Structure determination, conformational analysis, chemical stability studies, and antitumor evaluation of the cryptophycins. Isolation of 18 new analogs from *Nostoc* sp strain GSV 224. *J Am Chem Soc* 117:12030-12049
- Hai T, Schneider B, Schmidt J, Adam G (1996). Sterols and triterpenoids from the cyanobacterium *Anabaena hallensis*. *Phytochem* 41:1083-1084
- Herrmann D, Bisseret P, Connan J, Rohmer M (1996). Relative configurations of carbapseudopentose moieties of hopanoids of the bacterium *Zymomonas mobilis* and the cyanobacterium *Anacystis montana*. *Tetrahedron Lett* 37:1791-1794
- Lambert TW, Holmes CFB, Hruddy SE (1996). Adsorption of microcystin LR by activated carbon and removal in full scale water treatment. *Water Res* 30:1411-1422
- Li G, Warner PM, Jebaratnam DJ (1996). Synthesis of a directly connected thiazole-oxazole ring system present in microcin b17. *J Org Chem* 61:778-780
- Mattern RH, Gunasekera S, McConnell O (1996). Synthetic studies of microcolin B. *Tetrahedron* 52:425-434
- Meissner K, Dittmann E, Börner T (1996). Toxic and nontoxic strains of the cyanobacterium *Microcystis aeruginosa* contain sequences homologous to peptide synthetase genes. *FEMS Microbiol Lett* 135:295-303
- Moollan RW, Rae B, Verbeek A (1996). Some comments on the determination of microcystin toxins in waters by high performance liquid chromatography. *Analyst* 121:233-238
- Moore RE (1996). Cyclic peptides and depsipeptides from cyanobacteria: A review. *J Indust Microbiol* 16:134-143
- Pelander A, Ojanpera I, Sivonen K, Himberg K, Waris M, Niinivaara K, Vuori E (1996). Screening for cyanobacterial toxins in bloom and strain samples by thin layer chromatography. *Water Res* 30:1464-1470
- Schall C, Heumann KG, Demora S, Lee PA (1996). Biogenic brominated and iodinated organic compounds in ponds on the McMurdo ice shelf, Antarctica. *Antarctic Sci* 8:45-48
- Shin HJ, Murakami M, Matsuda H, Yamaguchi K (1996). Microviridins d-f, serine protease inhibitors from the cyanobacterium *Oscillatoria agardhii* (nies-204). *Tetrahedron* 52:8159-8168
- Todorova AK, Juttner F (1995). Nostocyclamide: A new macrocyclic, thiazole-containing allelochemical from *Nostoc* sp 31 (Cyanobacteria). *J Org Chem* 60:7891-7895
- Trogen GB, Annala A, Eriksson J, Kontteli M, Meriluoto J, Sethson I, Zdunek J, Edlund U (1996). Conformational studies of microcystin LR using NMR spectroscopy and molecular dynamics calculations. *Biochem* 35:3197-3205
- Yoo HD, Gerwick WH (1995). Curacin-b and curacin-c, new antimitotic natural products from the marine cyanobacterium *Lynghya majuscula*. *J Nat Prod* 58:1961-1965
- Zhao N, Berova N, Nakanishi K, Rohmer M, Mougnot P, Jurgens UJ (1996). Structures of 2 bacteriohopanoids with acyclic pentol side chains from the cyanobacterium *Nostoc* PCC 6720. *Tetrahedron* 52:2777-2788

TOXINS and NATURAL SUBSTANCES (Physiological Effects)

- Bhattacharya R, Rao PVL, Bhaskar ASB, Pant SC, Dube SN (1996). Liver slice culture for assessing hepatotoxicity of fresh water cyanobacteria. *Hum Exp Toxicol* 15:105-110
- Bury NR, Flik G, Eddy FB, Codd GA (1996). The effects of cyanobacteria and the cyanobacterial toxin microcystin LR on Ca²⁺ transport and Na⁺/K⁺-ATPase in Tilapia gills. *J Exp Biol* 199:1319-1326
- Colombo D, Scala A, Taino IM, Toma L, Ronchetti F, Tokuda H, Nishino H, Nagatsu A, Sakakibara J (1996). 1-o-beta-glycosyl-sn-glycerol, 2-o-beta-glycosyl-sn-glycerol and 3-o-beta-glycosyl-sn-glycerol structure-anti-tumor-promoting activity relationship. *Bioorg Med Chem Lett* 6:1187-1190
- Endo Y, Yamaguchi M, Hirano M, Shudo K (1996). Role of the hydrophobic moiety of tumor promoters synthesis and activity of 9-alkylated benzolactams. *Chem Pharm Bull* 44:1138-1140
- Gilbert JJ (1996). Effect of temperature on the response of planktonic rotifers to a toxic cyanobacterium. *Ecology* 77:1174-1180
- Hallingse ME, Philips EJ (1996). Effects of cutrine-plus and cide-kick-ii on the growth of algae and cyanobacteria. *J Aquatic Plant Management* 34:39-40
- Harding WR, Rowe N, Wessels JC, Beattie KA, Codd GA (1995). Death of a dog attributed to the cyanobacterial (blue-green algal) hepatotoxin nodularin in South Africa. *J S Afr Vet Assoc* 66:256-259
- Hietala J, Reinikainen M, Walls M (1995). Variation in life history responses of daphnia to toxic *Microcystis aeruginosa*. *J Plankton Res* 17:2307-2318
- Howard A, McDonald AT, Kneale PE, Whitehead PG (1996). Cyanobacterial (blue-green algal) blooms in the UK: A review of the current situation and potential management options. *Prog Phys Geogr* 20:53-61
- Kotak BG, Semalulu S, Fritz DL, Prepas EE, Hruddy SE, Coppock RW (1996). Hepatic and renal pathology of intraperitoneally administered

- microcystin LR in rainbow trout (*Oncorhynchus mykiss*). *Toxicol* 34:517-525
- Lerda DE, Prosperi CH (1996). Water mutagenicity and toxicology in Rio Tercero (Cordoba, Argentina). *Water Res* 30:819-824
- Sahin A, Tencalla FG, Dietrich DR, Naegeli H (1996). Biliary excretion of biochemically active cyanobacteria (blue-green algae) hepatotoxins in fish. *Toxicol* 106:123-130
- Sundararaman M, Subramanian G, Averal HI, Akbarsha MA (1996). Evaluation of the bioactivity of marine cyanobacteria on some biochemical parameters of rat serum. *Phytother Res* 10:9-12
- Tokuda H, Nishino H, Shirahashi H, Murakami N, Nagatsu A, Sakakibara J (1996). Inhibition of 12-o-tetradecanoylphorbol-13-acetate promoted mouse skin papilloma by digalactosyl diacylglycerols from the fresh water cyanobacterium *phormidium tenue*. *Cancer Lett* 104:91-95
- Vanhalderen A, Harding WR, Wessels JC, Schneider DJ, Heine EWP, Vandermerwe J, Fourie JM (1995). Cyanobacterial (blue-green algae) poisoning of livestock in the western cape province of South Africa. *J S Afr Vet Assoc* 66:260-264
- Wylie BL, Ernst NB, Jacobs RS, Gerwick WH (1996). The role of scytonemin, a compound isolated from the cyanobacterium *Lyngbya* sp, as a novel antiinflammatory agent. *FASEB J* 10:954
- Zambrano F, Canelo E (1996). Effects of microcystin LR on the partial reactions of the Na⁺-K⁺ pump or the gill of carp (*Cyprinus carpio* Linneo). *Toxicol* 34:451-458
- Zhang XQ, Smith CD (1996). Microtubule effects of welwistatin, a cyanobacterial indolinone that circumvents multiple drug resistance. *Mol Pharmacol* 49:288-294

PHYSIOLOGY

- Guerrero-Barrera AL, Garcia-Cuellar CM, Villalba JD, Segura-Nieto M, Gomez-Lojero C, Reyes ME, Hernandez JM, Garcia RM, Delagarza M (1996). Actin-related proteins in *Anabaena* spp and *Escherichia coli*. *Microbiol* 142:1133-1140
- Howell LD, Griffiths C, Slade LW, Potts M, Kennelly PJ (1996). Specificity of IphP, a cyanobacterial dual specificity protein phosphatase with MAP kinase phosphatase activity. *Biochem* 35:7566-7572
- Klemer AR, Cullen JJ, Mageau MT, Hanson KM, Sundell RA (1996). Cyanobacterial buoyancy regulation the paradoxical roles of carbon. *J Phycol* 32:47-53
- McMaster TJ, Miles MJ, Walsby AE (1996). Direct observation of protein secondary structure in gas vesicles by atomic force microscopy. *Biophys J* 70:2432-2436
- Pandey PK, Singh BB, Mishra R, Bisen PS (1996). Ca²⁺ uptake and its regulation in the cyanobacterium *Nostoc* MAC. *Curr Microbiol* 32:332-335
- Wagner KU, Masepohl B, Pistorius EK (1995). The cyanobacterium *Synechococcus* sp. strain PCC 7942 contains a second alkaline phosphatase encoded by *phoV*. *Microbiol* 141:3049-3058
- Costas E, Gonzalez-Gil S, Lopez-Rodas V, Aguilera A (1996). The influence of the slowing of earths rotation: A hypothesis to explain cell division synchrony under different day duration in earlier and later evolved unicellular algae. *Helgolander Meeresuntersuchungen* 50:117-130
- Liu Y, Tsinoremas NF, Golden SS, Kondo T, Johnson CH (1996). Circadian expression of genes involved in the purine biosynthetic pathway of the cyanobacterium *Synechococcus* sp strain PCC 7942. *Mol Microbiol* 20:1071-1081
- Tsinoremas NF, Ishiura M, Kondo T, Anderson CR, Tanaka K, Takahashi H, Johnson CH, Golden SS (1996). A sigma factor that modifies the circadian expression of a subset of genes in cyanobacteria. *EMBO J* 15:2488-2495
- Wyman M, Zehr JP, Capone DG (1996). Temporal variability in nitrogen gene expression in natural populations of the marine cyanobacterium *Trichodesmium thiebautii*. *Appl Environ Microbiol* 62:1073-1075
- Falch BS, Konig GM, Sticher O, Wright AD (1995). Studies on the glycolipid content of the cyanobacterium *Fischerella ambigua*. *Planta Med* 61:540-543
- Guler S, Seeliger A, Hartel H, Renger G, Benning C (1996). A null mutant of *Synechococcus* sp PCC7942 deficient in the sulfolipid sulfoquinovosyl diacylglycerol. *J Biol Chem* 271:7501-7507
- Lama L, Nicolaus B, Calandrelli V, Manca MC, Romano I, Gambacorta A (1996). Effect of growth conditions on endopolymer and exopolymer biosynthesis in *Anabaena cylindrica* 10-c. *Phytochem* 42:655-659

STRESS RESPONSES

- Caiola MG, Billi D, Friedmann EI (1996). Effect of desiccation on envelopes of the cyanobacterium *Chroococciopsis* sp (chroococcales). *Eur J Phycol* 31:97-105
- Diaz MR, Taylor BF (1996). Metabolism of methylated osmolytes by aerobic bacteria from Mono Lake, a moderately hypersaline, alkaline environment. *FEMS Microbiol Ecol* 19:239-247
- Hibino T, Lee BH, Rai AK, Ishikawa H, Kojima H, Tawada M, Shimoyama H, Takabe T (1996). Salt enhances photosystem I content and cyclic electron flow via NAD(P)H dehydrogenase in the halotolerant cyanobacterium *Aphanothece halophytica*. *Austral J Plant Physiol* 23:321-330
- Joset F, Jeanjean R, Hagemann M (1996). Dynamics of the response of cyanobacteria to salt stress: Deciphering the molecular events. *Physiol Plant* 96:738-744
- Pandey U, Singh SP (1995). Host-phage interactions under osmotic stress in *Nostoc muscorum*. *J Basic Microbiol* 35:421-426
- Singh AK, Chakravarthy D, Singh TPK, Singh HN (1996). Evidence for a role for L-proline as a salinity protectant in the cyanobacterium *Nostoc muscorum*. *Plant Cell Environ* 19:490-494
- Venkataraman S, Venkataraman GS (1995). Response of *Anabaena* to salt stress. 3. Effect of exogenous nitrogen. *Natl Acad Sci Lett (India)* 18:165-166
- Angadi SB, Hiremath S, Pujari S (1996). Toxicity of copper, nickel, manganese and cadmium on cyanobacterium *Hapalosiphon stuhlmannii*. *J Environ Biol* 17:107-113
- Calgan DT, Yenigun O (1996). Toxicity of arsenic, cadmium and nickel on the cyanobacterium *Anabaena cylindrica*. *Environ Technol* 17:533-540
- Chadd HE, Newman J, Mann NH, Carr NG (1996). Identification of iron superoxide dismutase and a copper/zinc superoxide dismutase enzyme activity within the marine cyanobacterium *Synechococcus* sp WH 7803. *FEMS Microbiol Lett* 138:161-165
- Fernandez-Piñas F, Mateo P, Bonilla I (1995). Ultrastructural changes induced by selected cadmium concentrations in the cyanobacterium *Nostoc* UAM208. *J Plant Physiol* 147:452-456
- Ghassemian M, Straus NA (1996). Fur regulates the expression of iron stress genes in the cyanobacterium *Synechococcus* sp strain PCC 7942. *Microbiol* 142:1469-1476

- Gross ED, Martin DF (1996). Iron dependence of *Lyngbya majuscula*. J Aquatic Plant Management 34:17-20
- Gupta A, Singhal GS (1996). Heavy metal induced changes in the spectral properties of *Anacystis nidulans*. Biol Plant 38:275-280
- Koelmans AA, Gillissen F, Lijklema L (1996). Influence of salinity and mineralization on trace metal sorption to cyanobacteria in natural waters. Water Res 30:853-864
- Mutsuda M, Ishikawa T, Takeda T, Shigeoka S (1996). The catalase peroxidase of *Synechococcus* PCC 7942 purification, nucleotide sequence analysis and expression in *Escherichia coli*. Biochem J 316:251-257
- Narang KK, Singh MK, Goyle MR, Bhuvaneshwari K, Singh V (1996). Synthesis, characterization and biological activity of some cobalt(II), nickel(II), zinc(II) and cadmium(II) benzoylhydrazine-azide complexes. Synth Reactivity Inorg Metal-org Chem 26:883-899
- Rai LC, Husaini Y, Mallick N (1996). Physiological and biochemical responses of *Nostoc linckia* to combined effects of aluminum, fluoride and acidification. Environ Exp Bot 36:1-12
- Wilhelm SW, Maxwell DP, Trick CG (1996). Growth, iron requirements, and siderophore production in iron-limited *Synechococcus* PCC 7002. Limnol Oceanogr 41:89-97

NITROGEN METABOLISM

- Brass S, Ernst A, Böger P (1996). An insertion element prevents phycobilisome synthesis in N₂-fixing *Synechocystis* sp strain BO-8402. Appl Environ Microbiol 62:1964-1968
- Montoya JP, Voss M, Kahler P, Capone DG (1996). A simple, high precision, high sensitivity tracer assay for N₂ fixation. Appl Environ Microbiol 62:986-993
- Sarma TA, Singh DP (1995). Temperature-sensitive photosynthesis-deficient mutants of the cyanobacterium *Anabaena variabilis* impaired in nitrogen assimilation. Folia Microbiol 40:511-515
- Sroga GE, Landegren U, Bergman B, Lagerstromfermer M (1996). Isolation of *nifH* and part of *nifD* by modified capture polymerase chain reaction from a natural population of the marine cyanobacterium *Trichodesmium* sp. FEMS Microbiol Lett 136:137-145
- Tapia MI, Llama MJ, Serra JL (1996). Regulation of nitrate assimilation in the cyanobacterium *Phormidium laminosum*. Planta 198:24-30
- Bockholt R, Scholtenbeck G, Pistorius EK (1996). Construction and partial characterization of an L-amino-acid oxidase-free *Synechococcus* PCC 7942 mutant and localization of the L-amino-acid oxidase in the corresponding wild-type. Biochim Biophys Acta 1307:111-121
- Liotenberg S, Campbell D, Rippka R, Houmar J, de Marsac NT (1996). Effect of the nitrogen source on phycobiliprotein synthesis and cell reserves in a chromatically adapting filamentous cyanobacterium. Microbiol 142:611-622
- Rubio LM, Herrero A, Flores E (1996). A cyanobacterial *narB* gene encodes a ferredoxin-dependent nitrate reductase. Plant Mol Biol 30:845-850
- Sallal AKJ (1996). The presence of glutamine synthetase in the thylakoids of nitrogen-fixing cyanobacterium *Nostoc muscorum*. J Basic Microbiol 36:113-119
- Singh DP, Verma K (1996). Differential regulation of nitrogen metabolism in the wild-type and the high-light-tolerant mutant cells of *Anacystis nidulans*. Curr Microbiol 32:272-278
- Singh S (1995). Partial purification and some properties of urease from the alkaliphilic cyanobacterium *Nostoc calcicola*. Folia Microbiol 40:529-533
- Tapia MI, Dealda JAGO, Llama MJ, Serra JL (1996). Changes in intracellular amino acids and organic acids induced by nitrogen starvation and nitrate or ammonium resupply in the cyanobacterium *Phormidium laminosum*. Planta 198:526-531
- Unthan M, Klipp W, Schmid GH (1996). Nucleotide sequence of the *narB* gene encoding assimilatory nitrate reductase from the cyanobacterium *Oscillatoria chalybea*. Biochim Biophys Acta 1305:19-24
- Yunes JS (1995). Effects of light and CO₂ on nitrite liberation by the heterocystous cyanobacterium *Anabaena variabilis*. J Plant Physiol 147:313-320

HETEROCYST and HYDROGEN METABOLISM

- Campbell EL, Hagen KD, Cohen MF, Summers ML, Meeks JC (1996). The *devR* gene product is characteristic of receivers of 2-component regulatory systems and is essential for heterocyst development in the filamentous cyanobacterium *Nostoc* sp strain ATCC 29133. J Bacteriol 178:2037-2043
- Khudyakov I, Wolk CP (1996). Evidence that the *hanA* gene coding for HU protein is essential for heterocyst differentiation in, and cyanophage A-4(l) sensitivity of, *Anabaena* sp strain PCC 7120. J Bacteriol 178:3572-3577
- Razquin P, Fillat MF, Schmitz S, Stricker O, Böhme H, Gomez-Moreno C, Peleato ML (1996). Expression of ferredoxin-NADP⁺ reductase in heterocysts from *Anabaena* sp. Biochem J 316:157-160
- Sinha RP, Singh N, Kumar A, Kumar HD, Hader M, Hader DP (1996). Effects of UV irradiation on certain physiological and biochemical processes in cyanobacteria. J Photochem Photobiol B-Biol 32:107-113
- Oxelfelt F, Tamagnini P, Salema R, Lindblad P (1995). Hydrogen uptake in *Nostoc* strain PCC 73102: Effects of nickel, hydrogen, carbon and nitrogen. Plant Physiol Biochem 33:617-623
- Reddy PM, Spiller H, Albrecht SL, Shanmugam KT (1996). Photodissimilation of fructose to H₂ and CO₂ by a dinitrogen-fixing cyanobacterium, *Anabaena variabilis*. Appl Environ Microbiol 62:1220-1226
- Serebryakova LT, Medina M, Zorin NA, Gogotov IN, Cammack R (1996). Reversible hydrogenase of *Anabaena variabilis* ATCC 29413 catalytic properties and characterization of redox centers. FEBS Lett 383:79-82
- Troshina OY, Serebryakova LT, Lindblad P (1996). Induction of H₂-uptake and nitrogenase activities in the cyanobacterium *Anabaena variabilis* ATCC 29413: Effects of hydrogen and organic substrate. Curr Microbiol 33:11-15

CARBON METABOLISM

- Bedu S, Pozuelos P, Cami B, Joset F (1995). Uptake of inorganic carbon in the cyanobacterium *Synechocystis* PCC 6803: Physiological and genetic evidence for a high affinity uptake system. Mol Microbiol 18:559-568
- Fujimori K, Konishi Y, Takabashi N, Muthuvelan B (1995). Characterization of photosynthetic glycogen and alpha-glucosidase from thermophilic cyanobacteria, *Lyngbya-Phormidium-Plectonema* group b. Fisheries Sci 61:951-955
- Hayashi NR, Ishida T, Peerapornpisal Y, Igarashi Y, Kodama T (1995). Effect of carbon dioxide concentration on the growth and RubisCO activity of a thermophilic cyanobacterium, *Chroococcidiopsis* sp strain TS-821. J Ferment Bioeng 80:507-509
- Kohler U, Cerff R, Brinkmann H (1996). Transaldolase genes from the cyanobacteria *Anabaena variabilis* and *Synechocystis* sp PCC 6803 comparison with other eubacterial and eukaryotic homologs. Plant Mol Biol 30:213-218

- Mir NA, Salon C, Canvin DT (1995). Inorganic carbon-stimulated O₂ photoreduction is suppressed by NO₂⁻ assimilation in air-grown cells of *Synechococcus* UTEX 625. *Plant Physiol* 109:1295-1300
- Nieva M, Valiente EF (1996). Inorganic carbon transport and fixation in cells of *Anabaena variabilis* adapted to mixotrophic conditions. *Plant Cell Physiol* 37:1-7
- Salon C, Mir NA, Canvin DT (1996). HCO₃⁻ and CO₂ leakage from *Synechococcus* UTEX 625. *Plant Cell Environ* 19:260-274
- Salon C, Mir NA, Canvin DT (1996). Influx and efflux of inorganic carbon in *Synechococcus* UTEX 625. *Plant Cell Environ* 19:247-259
- Sheng J, Charng YY, Preiss J (1996). Site-directed mutagenesis of lysine₃₈₂, the activator binding site, of ADP-glucose pyrophosphorylase from *Anabaena* PCC 7120. *Biochem* 35:3115-3121
- Sheng J, Preiss J (1996). Evidence for arginine residues involved in the allosteric site of cyanobacterial ADP-glucose pyrophosphorylase. *FASEB J* 10:592
- Sultemeyer D, Price GD, Yu JW, Badger MR (1995). Characterisation of carbon dioxide and bicarbonate transport during steady state photosynthesis in the marine cyanobacterium *Synechococcus* strain PCC 7002. *Planta* 197:597-607
- Xu HH, Tabita FR (1996). Ribulose-1,5-bisphosphate carboxylase/oxygenase gene expression and diversity of Lake Erie planktonic microorganisms. *Appl Environ Microbiol* 62:1913-1921

PHOTOSYNTHESIS and PHOTOSYSTEMS

- Barbato R, Polverino-de Laureto P, Rigoni F, Demartini E, Giacometti GM (1995). Pigment-protein complexes from the photosynthetic membrane of the cyanobacterium *Synechocystis* sp PCC 6803. *Eur J Biochem* 234:459-465
- Berges JA, Charlebois DO, Mauzerall DC, Falkowski PG (1996). Differential effects of nitrogen limitation on photosynthetic efficiency of Photosystem I and Photosystem II in microalgae. *Plant Physiol* 110:689-696
- Dealda JAGO, Llama MJ, Serra JL (1995). Effective detergent chlorophyll ratio and detergent concentration in the aqueous phase during solubilization of *Phormidium laminosum* membranes. *Biochim Biophys Acta* 1240:209-215
- Dealda JAGO, Tapia MI, Franck F, Llama MJ, Serra JL (1996). Changes in nitrogen source modify distribution of excitation energy in the cyanobacterium *Phormidium laminosum*. *Physiol Plant* 97:69-78
- Golitsin VM, Tetenkin VL, Gulyaev BA (1995). Structural and functional organization of photosynthetic membranes of *Anacystis nidulans* R2: Effect of moderate iron deficiency. *Biokhim (Engl Trans)* 60:611-616
- Kumar A, Sinha RP, Hader DP (1996). Effect of UV-B on enzymes of nitrogen metabolism in the cyanobacterium *Nostoc calcicola*. *J Plant Physiol* 148:86-91
- Miyachi S, Burger J, Kotzabasis K, Thielmann J, Senger H (1996). Photosynthetic characteristics of 3 strains of cyanobacteria grown under low CO₂ or high CO₂ conditions. *Z Naturforsch C* 51:40-46
- Nedunchezian N, Kulandaivelu G (1996). Effects of ultraviolet-B radiation in the CO₂ fixation, photosystem II activity and spectroscopic properties of the wild and mutant *Anacystis* cells. *Acta Physiol Plant* 18:39-45
- Nedunchezian N, Ravindran KC, Abadia A, Abadia J, Kulandaivelu G (1996). Damages of photosynthetic apparatus in *Anacystis nidulans* by ultraviolet-B radiation. *Biol Plant* 38:53-59
- Nugent JHA (1996). Oxygenic photosynthesis electron transfer in photosystem I and photosystem II. *Eur J Biochem* 237:519-531
- Pakrasi HB (1995). Genetic analysis of the form and function of photosystem I and photosystem II. *Annu Rev Genet* 29:755-776
- Rajagopal S, Murthy SDS (1996). Ultraviolet-B radiation-induced alterations in photosynthetic electron transport activities of the cyanobacterium *Synechococcus* 6301. *Photosynthetica* 32:281-284
- Hamacher E, Kruij J, Rogner M, Mantele W (1996). Characterization of the primary electron donor of photosystem I, P700, by electrochemistry and Fourier transform infrared (FTIR) difference spectroscopy. *Spectrochim Acta A* 52:107-121
- Hastings G, Hoshina S, Webber AN, Blankenship RE (1995). Universality of energy and electron transfer processes in photosystem I. *Biochem* 34:15512-15522
- Hastings G, Reed LJ, Lin S, Blankenship RE (1995). Excited state dynamics in Photosystem I effects of detergent and excitation wavelength. *Biophys J* 69:2044-2055
- Heathcote P, Moennelocoz P, Rigby SEJ, Evans MCW (1996). Photoaccumulation in photosystem I does produce a phylloquinone a₁^{•-} radical. *Biochem* 35:6644-6650
- Jekow P, Schubert WD, Fromme P, Kruij J, Chitnis PR, Rogner M, Saenger W (1996). Crystallization of intact and subunit L-deficient monomers from *Synechocystis* PCC 6803 photosystem I. *Z Naturforsch C* 51:195-199
- Mannan RM, He WZ, Metzger SU, Whitmarsh J, Malkin R, Pakrasi HB (1996). Active photosynthesis in cyanobacterial mutants with directed modifications in the ligands for 2 iron-sulfur clusters in the *psaC* protein of photosystem I. *EMBO J* 15:1826-1833
- Nakamoto H (1995). Targeted inactivation of the gene *psaI* encoding a subunit of photosystem I of the cyanobacterium *Synechocystis* sp PCC 6803. *Plant Cell Physiol* 36:1579-1587
- Rigby SEJ, Evans MCW, Heathcote P (1996). Endor and special triple resonance spectroscopy of a₁^{•-} of photosystem. *Biochem* 35:6651-6656
- Shubin VV, Bezsmertnaya IN, Karapetyan NV (1995). Efficient energy transfer from the long wavelength antenna chlorophylls to P700 in photosystem I complexes from *Spirulina platensis*. *J Photochem Photobiol B-Biol* 30:153-160
- Betts SD, Ross JR, Pichersky E, Yocum CF (1996). Cold-sensitive assembly of a mutant manganese-stabilizing protein caused by a val to ala replacement. *Biochem* 35:6302-6307
- Campbell D, Clarke AK, Gustafsson P, Oquist G (1996). D1 exchange and the photosystem II repair cycle in the cyanobacterium *Synechococcus*. *Plant Sci* 115:183-190
- Constant S, Perewoska I, Nedbal L, Miranda T, Etienne AL, Kirilovsky D (1996). A new phenotype for a herbicide-resistant mutant of *Synechocystis* 6714 with a high sensitivity to photoinhibition. *Plant Sci* 115:165-174
- Enami I, Murayama H, Ohta H, Kamo M, Nakazato K, Shen JR (1995). Isolation and characterization of a Photosystem II complex from the red alga *Cyanidium caldarium*: Association of cytochrome c-550 and a 12 kDa protein with the complex. *Biochim Biophys Acta* 1232:208-216
- Ermakova-Gerdes S, Shestakov S, Vermaas W (1996). Random chemical mutagenesis of a specific *psbDI* region coding for a luminal loop of the D2 protein of photosystem II in *Synechocystis* sp PCC 6803. *Plant Mol Biol* 30:243-254
- Kretschmann H, Schlodder E, Witt HT (1996). Net charge oscillation and proton release during water oxidation in photosynthesis an electrochromic band shift study at pH 5.5-7.0. *Biochim Biophys Acta* 1274:1-8
- Kulkarni RD, Golden SS (1995). Form II of D1 is important during transition from standard to high light intensity in *Synechococcus* sp strain PCC 7942. *Photosyn Res* 46:435-443
- Meunier PC, Burnap RL, Sherman LA (1996). Improved 5-step modeling of the photosystem II S-state mechanism in cyanobacteria. *Photosyn Res* 47:61-76
- Nicholson WV, Ford RC, Holzenburg A (1996). A current assessment of photosystem II structure. *Biosci Rep* 16:159-187
- Nonnengiesser K, Schuster A, Koenig F (1996). Carotenoids and reaction center II-D1 protein in light regulation of the photosynthetic apparatus in *Aphanocapsa*. *Bot Acta* 109:115-124

- Putnamevans C, Burnap R, Wu J, Whitmarsh J, Bricker TM (1996). Site-directed mutagenesis of the CP-47 protein of photosystem II alteration of conserved charged residues in the domain E₃₆₄-R₄₄₄. *Biochem* 35:4046-4053
- Rajagopal S, Murthy SDS (1996). Short term effect of ultraviolet-B radiation on photosystem 2 photochemistry in the cyanobacterium *Synechococcus* 6301. *Biol Plant* 38:129-132
- Rögner M, Boekema EJ, Barber J (1996). How does photosystem 2 split water: The structural basis of efficient energy conversion. *Trends Biochem Sci* 21:44-49
- Soitamo AJ, Zhou G, Clarke AK, Oquist G, Gustafsson P, Aro EM (1996). Over-production of the D1/2 protein makes *Synechococcus* cells more tolerant to photoinhibition of photosystem II. *Plant Mol Biol* 30:467-478
- Tang XS, Zheng M, Chisholm DA, Dismukes GC, Diner BA (1996). Investigation of the differences in the local protein environments surrounding tyrosine radicals Y-Z[•] and Y-D[•] in photosystem II using wild-type and the D2-tyr₁₆₀phe mutant of *Synechocystis* 6803. *Biochem* 35:1475-1484

PHYCOBILISOMES and OTHER PIGMENTS

- Becker M, Stubbs MT, Huber R (1996). Crystallization of phycobiliproteins of the cryptomonad algae using detergents and unusual additives. *Biophys J* 70:Mamg5
- Campbell D (1996). Complementary chromatic adaptation alters photosynthetic strategies in the cyanobacterium *Calothrix*. *Microbiol* 142:1255-1263
- Demidov AA, Andrews DL (1996). Determination of fluorescence polarization and absorption anisotropy in molecular complexes having threefold rotational symmetry. *Photochem Photobiol* 63:39-52
- Grossman AR, Bhaya D, Apt KE, Kehoe DM (1995). Light harvesting complexes in oxygenic photosynthesis: Diversity, control, and evolution. *Annu Rev Genet* 29:231-288
- Lao KQ, Glazer AN (1996). Ultraviolet-B photodestruction of a light harvesting complex. *Proc Natl Acad Sci USA* 93:5258-5263
- Padula M, Boiteux S, Felzenszwalb I, Menezes S (1996). Photodynamic action of phycocyanin damage and repair. *J Photochem Photobiol B-Biol* 32:19-26
- Schneider S, Prenzel CJ, Brehm G, Gottschalk L, Zhao KH, Scheer H (1996). Resonance-enhanced cars spectroscopy of biliproteins a comparison between phycoerythrocyanin and phycocyanin of *Mastigocladus laminosus*. *Photochem Photobiol* 63:197-206
- Albrecht M, Linden H, Sandmann G (1996). Biochemical characterization of purified zeta-carotene desaturase from *Anabaena* PCC 7120 after expression in *Escherichia coli*. *Eur J Biochem* 236:115-120
- Armstrong GA, Hearst JE (1996). Carotenoids. 2. Genetics and molecular biology of carotenoid pigment biosynthesis. *FASEB J* 10:228-237
- Brody S, Andersen JS, Kannangara CG, Meldgaard M, Roepstorff P, Vonwettstein D (1995). Characterization of the different spectral forms of glutamate 1-semialdehyde aminotransferase by mass spectrometry. *Biochem* 34:15918-15924
- Hardison RC (1996). A brief history of hemoglobins plant, animal, protist, and bacteria. *Proc Natl Acad Sci USA* 93:5675-5679
- Latasa M, Bidigare RR, Ondrusek ME, Kennicutt MC (1996). HPLC analysis of algal pigments a comparison exercise among laboratories and recommendations for improved analytical performance. *Marine Chem* 51:315-324
- Malakhov M, Wada H, Los D, Murata N (1996). The *coxD* gene for heme O synthase in *Synechocystis*. *Biochim Biophys Acta* 1273:84-86
- Merzlyak MN, Pogosyan SI, Lekhimena L, Zhigalova TV, Khozina IF, Cohen Z, Khrushchev SS (1996). Spectral characterization of photooxidation products formed in chlorophyll solutions and upon photodamage to the cyanobacterium *Anabaena variabilis*. *Russ J Plant Physiol* 43:160-168
- Vanlenning K, Garrido JL, Aristegui J, Zapata M (1995). Temperature-programmed high performance liquid chromatography separation of mono- and divinyl chlorophyll forms from marine phytoplankton. *Chromatogr* 41:539-543

ELECTRON TRANSPORT and BIOENERGETICS

- Hervas M, Navarro JA, Diaz A, Delarosa MA (1996). Comparative thermodynamic analysis by laser flash absorption spectroscopy of Photosystem I reduction by plastocyanin and cytochrome c₆ in *Anabaena* PCC 7119, *Synechocystis* PCC 6803, and spinach. *Biochem* 35:2693-2698
- Navarro JA, Hervas M, Gutierrezmerino C, Delarosa MA (1996). A comparative kinetic analysis of the flavin-photosensitized oxidation and reduction of plastocyanin and cytochrome c₆ from different organisms. *Photochem Photobiol* 63:86-91
- Badsberg U, Jorgensen AMM, Gesmar H, Led JJ, Hammerstad JM, Jespersen LL, Ulstrup J (1996). Solution structure of reduced plastocyanin from the blue-green alga *Anabaena variabilis*. *Biochem* 35:7021-7031
- Gallagher ME, Mayhew SG, Malthouse JPG, Fillat MF (1996). Cyanylation of the thiol of the cysteine of flavodoxin from *Anabaena* PCC 7119. *Biochem Soc Trans* 24:S40
- Gomez-Moreno C, Martinez-Julvez M, Fillat MF, Hurley JK, Tollin G (1996). Molecular recognition in protein complexes involved in electron transfer. *Biochem Soc Trans* 24:111-116
- Hurley JK, Fillat M, Gomez-Moreno C, Tollin G (1996). Electrostatic and hydrophobic interactions during complex formation and electron transfer in the ferredoxin ferredoxin-NADP reductase system from *Anabaena*. *Biophys J* 70:Tupm5
- Martinez-Julvez M, Fillat M, Gomez-Moreno C (1996). Kinetic characterization of *Anabaena* ferredoxin-NADP⁺ reductase mutants. *Biochem Soc Trans* 24:S33
- Martinez-Julvez M, Gomez-Moreno C, Fillat MF (1996). Characterization of 2 recombinant forms of ferredoxin-NADP⁺ reductase from *Anabaena* PCC 7119 (presentation reference 204). *Biochem Soc Trans* 24:S36
- Medina M, Cammack R (1996). Flavoproteins involved in photosynthetic electron transport in the cyanobacterium *Anabaena* sp PCC 7119 electron spin echo envelope modulation spectroscopic studies. *Journal of the Chemical Society-Perkin Transactions* 2:633-638
- Muhlenhoff U, Kruij J, Bryant DA, Rogner M, Setif P, Boekema E (1996). Characterization of a redox-active cross-linked complex between cyanobacterial photosystem I and its physiological acceptor flavodoxin. *EMBO J* 15:488-497
- Muhlenhoff U, Setif P (1996). Laser flash absorption spectroscopy study of flavodoxin reduction by photosystem I in *Synechococcus* sp PCC 7002. *Biochem* 35:1367-1374
- Pueyo JJ, Curley GP, Mayhew SG (1996). Kinetics and thermodynamics of the binding of riboflavin, riboflavin 5'-phosphate and riboflavin 3',5'-biphosphate by apoflavodoxins. *Biochem J* 313:855-861
- Serre L, Vellieux F, Medina M, Gomez-Moreno C, Fontecilla-Camps JC, Frey M (1996). Crystal structures of a ferredoxin-NADP⁺ reductase and of a complex with NADP⁺. *Biochem Soc Trans* 24:S10
- Gillen CM, Stirewalt VL, Bryant DA, Forbush B (1996). Cloning, sequencing, and initial characterization of a putative ion cotransport protein from cyanobacterium *Synechococcus* sp PCC 7002. *Biophys J* 70:293
- Krenn BE, Aardewijn P, Vanwalraven HS, Wernergrune S, Strotmann H, Kraayenhof R (1995). ATP synthase from a cyanobacterial *Synechocystis* 6803 mutant containing the regulatory segment of the chloroplast gamma subunit shows thiol modulation. *Biochem Soc Trans* 23:757-760
- Samuilov VD, Renger G, Paschenko VZ, Oleskin AV, Gusev MV, Gubanov ON, Vasilev SS, Barsky EL (1995). Inhibition of photosynthetic oxygen evolution by protonophoric uncouplers. *Photosyn Res* 46:455-465

- Singh S, Thakur IS, Singh A (1996). Regulation of pH homeostasis in the cyanobacterium *Hapalosiphon hybernicus* west. J Gen Appl Microbiol 42:71-79
- Vanwalraven HS, Bakels RHA (1996). Function, structure and regulation of cyanobacterial and chloroplast ATP synthase. Physiol Plant 96:526-532
- Vanwalraven HS, Strotmann H, Schwarz O, Rumberg B (1996). The H⁺/ATP coupling ratio of the ATP synthase from thiol-modulated chloroplasts and 2 cyanobacterial strains is 4. FEBS Lett 379:309-313
- Zinovieva M, Fresneau C, Arrio B (1996). Contribution of nitrate to H⁺ permeability of *Synechococcus* PCC 6311 plasmalemma vesicles. Biochim Biophys Acta 1273:71 (Correction, Vol 1230, p.91, 1995)

MOLECULAR GENETICS, EPISOMES, AND METABOLISM OF MACROMOLECULES

- Gupta A, Robinson NJ, Robinson PJ (1995). Tabulation of thirty one putative new genes from cyanobacteria. Plant Mol Biol 29:617-620
- Hirosawa M, Kaneko T, Tabata S, McIninch JD, Hayes WS, Borodovsky M, Isono K (1995). Computer survey for likely genes in the one megabase contiguous genomic sequence data of *Synechocystis* sp. strain PCC6803. DNA Res 2:239-246
- Kaneko T, Tanaka A, Sato S, Kotani H, Sazuka T, Miyajima N, Sugiura M, Tabata S (1995). Sequence analysis of the genome of the unicellular cyanobacterium *Synechocystis* sp. strain PCC 68033. I. sequence features in the 1 Mb region from map positions 64% to 92% of the genome. DNA Res 2:153-166
- Kotani H, Kaneko T, Matsubayashi T, Sato S, Sugiura M, Tabata S (1994). A physical map of the genome of a unicellular cyanobacterium *Synechocystis* sp. strain PCC6803. DNA Res 1:303-307
- Kotani H, Tanaka A, Kaneko T, Sato S, Sugiura M, Tabata S (1995). Assignment of 82 known genes and gene clusters on the genome of the unicellular cyanobacterium *Synechocystis* sp. strain PCC 6803. DNA Res 2:133-142
- Caslake LF, Bryant DA (1996). The *sigA* gene encoding the major sigma factor of RNA polymerase from the marine cyanobacterium *Synechococcus* sp strain PCC 7002: Cloning and characterization. Microbiol 142:347-357
- Golden BL, Cech TR (1996). Conformational switches involved in orchestrating the successive steps of group I RNA splicing. Biochem 35:3754-3763
- Asayama M, Kabasawa M, Takahashi I, Aida T, Shirai M (1996). Highly repetitive sequences and characteristics of genomic DNA in unicellular cyanobacterial strains. FEMS Microbiol Lett 137:175-181
- Kahn K, Schaefer MR (1995). Characterization of transposon Tn5469 from the cyanobacterium *Fremyella diplosiphon*. J Bacteriol 177:7026-7032
- Masepohl B, Gorlitz K, Bohme H (1996). Long tandemly repeated repetitive (LTRR) sequences in the filamentous cyanobacterium *Anabaena* sp PCC 7120. Biochim Biophys Acta 1307:26-30
- Soper BW, Hollister WR, Reddy KJ (1996). Characterization of additional host restriction-modification systems in the unicellular cyanobacterium *Cyanothece* sp. Biochem Biophys Res Commun 223:24-30
- Furuki M, Tanaka N, Hiyama T, Nakamoto H (1996). Cloning, characterization and functional analysis of *groEL*-like gene from thermophilic cyanobacterium *Synechococcus vulcanus*, which does not form an operon with *groES*. Biochim Biophys Acta 1294:106-110
- Hirokawa K, Nagaya M, Aiba H, Mizuno T (1996). A cyanobacterial gene that interferes with the phosphotransfer signal transduction involved in the osmoregulatory expression of *ompC* and *ompF* in *Escherichia coli*. Biosci Biotechnol Biochem 60:277-283
- Niven GW (1995). The characterization of two aminopeptidase activities from the cyanobacterium *Anabaena flos-aquae*. Biochim Biophys Acta 1253:193-198
- Packer JCL, Howe CJ (1996). The cyanobacterial genome contains a single copy of the *ffh* gene encoding a homolog of the 54 kda subunit of signal recognition particle. Plant Mol Biol 30:659-665
- Zhang CC (1996). Bacterial signaling involving eukaryotic-type protein kinases. Mol Microbiol 20:9-15

APPLIED CYANOBACTERIOLOGY

- Kane M, Fukunaga T, Maeda H, Nishi K (1996). The detection of picoplankton 16S rDNA in cases of drowning. Int J Legal Med 108:323-326
- Matsunaga T, Sudo H, Takemasa H, Wachi Y, Nakamura N (1996). Sulfated extracellular polysaccharide production by the halophilic cyanobacterium *Aphanocapsa halophytia* immobilized on light-diffusing optical fibers. Applied Microbiology and Biotechnology 45:24-27
- Parker DL, Schram BR, Plude JL, Moore RE (1996). Effect of metal cations on the viscosity of a pectin-like capsular polysaccharide from the cyanobacterium *Microcystis flos-aquae* C3-40. Appl Environ Microbiol 62:1208-1213
- Reddy AS, Thomas TL (1996). Expression of a cyanobacterial delta₆-desaturase gene results in gamma-linolenic acid production in transgenic plants. Nature Biotechnol 14:639-642
- Sangthongpitag K, Delaney SF, Rogers PL (1996). Evaluation of four fresh-water unicellular cyanobacteria as potential hosts for mosquitoicidal toxins. Biotechnol Lett 18:175-180
- Yano S, Spataru N, Kawata Y, Kojima H (1996). Extracellular release of a recombinant gene product by osmotic shock from immobilized microalga in electroconductive membrane. Bioelectrochem Bioenerg 39:89-93
- Hirst SM, Ibrahim AM (1996). Effects of flood protection on soil fertility in a riverine floodplain area in Bangladesh. Commun Soil Sci Plant Anal 27:119-156
- Manoharan C, Subramanian G (1996). Effect of ossein effluent on the biochemistry of *Oscillatoria pseudogeminata* var unigranulata biswas. J Environ Biol 17:157-161
- Quesada A, Fernandez-Valiente E (1996). Relationship between abundance of N₂-fixing cyanobacteria and environmental features of Spanish rice fields. Microb Ecol 32:59-71
- Sabater C, Carrasco JM (1996). Effects of thiobencarb on the growth of 3 species of phytoplankton. Bull Environ Contam Toxicol 56:977-984
- Britz PJ (1996). The suitability of selected protein sources for inclusion in formulated diets for the South African abalone, *Haliotis midae*. Aquacult 140:63-73
- Chamorro G, Salazar M, Pages N (1996). Dominant lethal study of *Spirulina maxima* in male and female rats after short-term feeding. Phytother Res 10:28-32
- Chen F, Zhang YM, Guo SY (1996). Growth and phycocyanin formation of *Spirulina platensis* in photoheterotrophic culture. Biotechnol Lett 18:603-608
- Gitelson A, Qiuang H, Richmond A (1996). Photic volume in photobioreactors supporting ultrahigh population densities of the photoautotroph *Spirulina platensis*. Appl Environ Microbiol 62:1570-1573
- Kobayashi K, Fujita K (1996). Cultivation of *Spirulina platensis* and its growth behavior controlling cultivation medium. Kagaku Kogaku Ronbunshu 22:56-59
- Palaniselvam V, Kathiresan K (1996). Culture of a marine cyanobacterium *Phormidium tenue* (myxophyceae/hormogonales). Indian J Mar Sc 25:165-167
- Quoc KP, Pascaud M (1996). Effects of dietary gamma-linolenic acid on the tissue phospholipid fatty acid composition and the synthesis of eicosanoids in rats. Annals Nutr Metab 40:99-108

- Robin JH (1995). Effect of diets containing gamma-linolenic acid on n-6 highly unsaturated fatty acid content of rotifer (*Brachionus plicatilis*). *Hydrobiol* 313:185-190
- Roger PA (1995). Biological N₂ fixation and its management in wetland rice cultivation. *Fertil Res* 42:261-276
- Salazar M, Chamorro GA, Salazar S, Steele CE (1996). Effect of *Spirulina maxima* consumption on reproduction and perinatal development and postnatal development in rats. *Food Chem Toxicol* 34:353-359
- Takano H, Arai T, Hirano M, Matsunaga T (1995). Effects of intensity and quality of light on phycocyanin production by a marine cyanobacterium *Synechococcus* sp NKBG 042902. *Appl Microbiol Biotechnol* 43:1014-1018
- Tsoglin LN, Gabel BV, Falkovich TN, Semenenko VE (1996). Closed photobioreactors for microalgal cultivation. *Russ J Plant Physiol* 43:131-136
- Vonshak A, Torzillo G, Accolla P, Tomaselli L (1996). Light and oxygen stress in *Spirulina platensis* (cyanobacteria) grown outdoors in tubular reactors. *Physiol Plant* 97:175-179
- Watanabe Y, Hall DO (1996). Photosynthetic production of the filamentous cyanobacterium *Spirulina platensis* in a cone-shaped helical tubular photobioreactor. *Applied Microbiology and Biotechnology* 44:693-698
- Watanabe Y, Hall DO (1996). Photosynthetic CO₂ conversion technologies using a photobioreactor incorporating microalgae energy and material balances. *Energy Convers Management* 37:1321-1326
- Yoshida A, Takagaki Y, Nishimune T (1996). Enzyme immunoassay for phycocyanin as the main component of *Spirulina* color in foods. *Biosci Biotechnol Biochem* 60:57-60
- Blier R, Laliberte G, Delanoue J (1996). Production of the cyanobacterium *Phormidium bohneri* in parallel with eparation of a dairy anaerobic effluent. *Process Biochem* 31:587-593
- Maquieira A, Elmahadi H, Puchades R (1996). Preconcentration and determination of some lanthanide elements with immobilized bacteria by flow injection inductively coupled plasma atomic emission spectrometry. *J Anal Atom Spectr* 11:99-106
- Sallal AKJ (1995). Growth and photosynthetic activities of acclimated cyanobacteria in sewage effluents. *Microbios* 84:97-103
- Sampedro MA, Blanco A, Llama MJ, Serra JL (1995). Sorption of heavy metals to *Phormidium laminosum* biomass. *Biotechnol Appl Biochem* 22(Part 3):355-366

ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*

Send CONTRIBUTIONS to one of the addresses listed below. To SUBSCRIBE, send \$10 U.S. (please, no checks except in U.S. currency) per year to Jeff Elhai, along with your name, telephone, fax, and E-mail numbers (if any), and a brief description of your research interests for inclusion in the next Directory of Cyanobacteriologists. If it is difficult for you to send hard currency, send a note indicating your interest. There is no charge to receive the newsletter electronically, and you may receive the electronic version even weeks earlier than others would receive the printed version. To get on the electronic mailing list, send, in addition to the information mentioned above, the name and model number of printer(s) available to you.

AUSTRALIA/ NEW ZEALAND	Steve Delaney	Department of Biotechnology, University of New South Wales, P.O. Box 1, Kensington, New South Wales AUSTRALIA 2033. TEL: 02-697-2056
AUSTRIA	Georg Schmetterer	Institut fur Physikalische Chemie, Währingerstraße 42, A-1090 Wien TEL: 43-1-31336-1548, E-MAIL: Georg.Schmetterer@UniVie.Ac.At
CANADA	Neil Straus	Dept. of Botany, University of Toronto Toronto, Ontario M5S 1A1. TEL: 416-978-3532/5563, FAX: 416-978-5878, E-MAIL: Straus@Botany.UToronto.Ca
P.R.CHINA	Chao-Tsi Tseng	Centre of Marine Sciences, Department of Biology, Nanjing University, Nanjing. TEL: 637551-2551, FAX: 086025-302728
FRANCE	Nicole Tandeau de Marsac	Physiologie Microbienne, Institut Pasteur, 29 rue du Dr. Roux, 75724 Paris Cedex 15. TEL: 567-46-98, FAX: 40.56.01.25, E-MAIL: NTMarsac@Pasteur.Fr
GERMANY	Wolfgang Lockau	Biochemie der Pflanzen, Fachbereich Biologie, Humboldt-Universität, Chaussestr. 117, D-10115 Berlin. TEL: 49-30-2897-2686, FAX: 49-30-2897-2641
INDIA	Joe Thomas	Biotechnology Division, SPIC Science Foundation, 110 Mount Road, Madras 600 032. TEL: 432342, FAX: 432163
ISRAEL	Elisha Tel-Or	Dept. of Agricultural Botany, The Hebrew University, Rehovot 76100. TEL: 08-481262
ITALY	Mario Tredici	Departimento di Scienze e Tecnologie Alimentari e Microbiologiche. Universita degli Studi di Firenze P.le. delle Cascine 27 51044 Firenze. TEL: 055-352051, FAX: 055-330431, E-MAIL: Tredici@Csm.Fi.Cnr.it
NETHERLANDS	Luuc Mur	Laboratorium voor Microbiologie, Universiteit voor Amsterdam, Nieuwe Achtergracht 127, 1018 WS Amsterdam. TEL: 31-20-525-7056, FAX: 31-20-525-5802, E-MAIL: A417LMur@Horus.Sara.NL
SCANDANAVIA	Olav Skulberg	Norwegian Institute for Water Research, P.O.box 69 Korsvall, N-0808 Oslo 8 NORWAY. TEL: 47 22 185266, FAX: 47 22 185200
U.K.	Tony Walsby	Dept. of Botany, University of Bristol, Bristol BS8 1UG. TEL: 0272-303030
ANYWHERE ELSE	Jeff Elhai	Dept. of Biology, University of Richmond, Richmond Virginia 23173 U.S.A. TEL: 1-804-289-8412, FAX: 1-804-289-8233, E-MAIL Cyano@URVax.URich.Edu