



Jun 1st, 10:00 AM - 10:30 AM

The dynamic nature of functional brain networks of emotional regulation

Sherli Koshy Chenthittayil

University of Connecticut Health Center, koshychenthittayil@uchc.edu

Reinhard C. Laubenbacher

Center for Quantitative Medicine, UConn Health

Paola Vera-Licona

Center for Quantitative Medicine, UConn Health, veralicona@uchc.edu

See next page for additional authors

Follow this and additional works at: <https://scholarscompass.vcu.edu/bamm>

 Part of the [Life Sciences Commons](#), [Medicine and Health Sciences Commons](#), and the [Physical Sciences and Mathematics Commons](#)

<https://scholarscompass.vcu.edu/bamm/2018/friday/3>

This Event is brought to you for free and open access by the Dept. of Mathematics and Applied Mathematics at VCU Scholars Compass. It has been accepted for inclusion in Biology and Medicine Through Mathematics Conference by an authorized administrator of VCU Scholars Compass. For more information, please contact libcompass@vcu.edu.

Presenter Information

Sherli Koshy Chenthittayil, Reinhard C. Laubenbacher, Paola Vera-Licona, Michael Stevens, and Andrew Poppe

Abstract for BAMM

Title: The dynamic nature of functional brain networks of emotional regulation

Numerous psychiatric disorders, including Major Depressive Disorder (MDD) and others are all thought to have underlying abnormalities in emotion regulation. Mostly, fMRI (functional MRI) scans of the patients either in resting state or while they are performing tasks are used to deduce network connectivity. The norm in the inference of neuroimaging network connectivity is to characterize a static representation of connectivity structure. However, such representations mask dynamic variation in the neural response as complex brain system interactions evolve over time. This talk will propose a pipeline for describing some of the dynamic aspects of emotion regulation network connectivity. The pipeline will use probabilistic boolean networks to generate dynamic effective connectivity signatures. The signatures along with clinical data will then be used to group the patients and extract key features that capture variation.