



VCU

Virginia Commonwealth University
VCU Scholars Compass

CyanoNews

1995

CyanoNews (Vol. 11, No. 1, February 1995)

Jeff Elhai

Virginia Commonwealth University, elhaij@vcu.edu

Follow this and additional works at: <http://scholarscompass.vcu.edu/cyanonews>

 Part of the [Bacteriology Commons](#)

© The Author(s)

Downloaded from

<http://scholarscompass.vcu.edu/cyanonews/9>

This Bulletin is brought to you for free and open access by VCU Scholars Compass. It has been accepted for inclusion in CyanoNews by an authorized administrator of VCU Scholars Compass. For more information, please contact libcompass@vcu.edu.

CYANONEWS

Volume 11 Number 1

February 1995

CYANONEWS - a newsletter intended to provide cyanobacteriologists with a forum for rapid informal communication, unavailable through journals. Everything you read in this newsletter is contributed by readers like yourself. Published occasionally, about three times per year.

SUBSCRIPTIONS - \$10 or equivalent/year. (See address label for expiration date). No charge for electronic version.

CONTRIBUTIONS - Expected every couple of years: a new result, an upcoming meeting or a summary of a past meeting, a post-doctoral opening, a new publication, a request for strains, a change of life... something. See last page for addresses you can send news to.

HOW TO FIND OUT MORE ABOUT SOMETHING YOU READ HERE - Each news item contains, prominently displayed, the name of a contact person. A Directory of Cyanobacteriologists is distributed every two years or on request.

INSTRUCTIONS TO AUTHORS - Send news.

COPYRIGHT - This newsletter is not copyrighted and no rights are reserved. You are encouraged to reproduce or to transmit any part of this publication by whatever means at your disposal, no permission required.

NEWS

- * Chromophore spectra made plain
- * Startling glycolipid genes in *hetR* region
- * Plastocyanin works in normally PC-less strain
- * Calcium powers cyanobacterial membranes
- * New extrinsic PSII protein
- * Meeting report: Phototrophic Prokaryotes

ANNOUNCEMENTS

- * Daniel Arnon (1910-1994)
- * Meetings
- * Positions sought, Positions available

LATEST REFERENCES

BULLETIN BOARD*BULLETIN BOARD*BULLETIN BOARD*BULLETIN BOARD*BULLETIN BOARD*BULLETI

Matters Arising

That mammoth project, *THE MOLECULAR BIOLOGY OF CYANOBACTERIA*, edited by Don Bryant, has finally been published, all 28 chapters and 916 pages. The book is divided into four parts: (1) molecular evolution and taxonomy, (2) structural and functional aspects of the photosynthetic apparatus, and (3) biochemical processes, and (4) gene regulation and the phenomena they regulate. It is available at US \$355 (hardbound) or US \$190 (paperback).

CONTACT (North America): Kluwer Academic Publishers Group, Order Dept. P.O. Box 358, Accord Station, Hingham MA 02018-0358 USA.
TEL: 617-871-6600, FAX: 617-871-6528,
E-MAIL: Kluwer@World.Std.Com

CONTACT (elsewhere): Kluwer Academic Publishers Group, Order Dept., P.O. Box 322, 3300 AH Dordrecht, The Netherlands.
TEL: 31-78-524400, FAX: 31-78-524474,
E-MAIL: Services@Wkap.Nl

Gisela Hoschek is offering a novel service. She is recently retired from laboratory work (molecular biology, biochemistry, molecular genetics) but wants to stay connected and active. Her idea is to offer her services to HELP TRANSLATE OR EDIT research papers or grant applications in English written by authors who are not native speakers. She is fluent in German and passable in French.

CONTACT: Gisela Hoschek, 1124 Nardo Road, Encinitas, CA 92024 USA.
TEL: 619-944-4233, E-MAIL: Hoschek@Jeeves.Ucsd.Edu

As seems to happen once every year or two, Peter Wolk is wondering whether any cyanobacteriologist might care to accompany him on a BACKPACKING TRIP in the U.S. Rockies. The trip will occur sometime this summer.

CONTACT: Peter Wolk, 22333cpw@msu.edu or 517-353-2049.

P.K. Singh hopes to use the newsletter as a vehicle for disseminating information about the various COLLECTIONS OF CYANOBACTERIA held throughout the world. As a start, he has described the objectives of the National Facility for Blue-Green Algal Collection (in New Delhi, India) of which he is the Project Director. Its objectives are:

- 1.To act as a national center for cultures of cyanobacteria;
- 2.To conduct research on cyanobacteria, especially the occurrence and distribution of N₂-fixing strains, their isolation, maintenance, and preservation, but also cyanobacterial physiology and genetics;
- 3.To provide advice to farmers in the use of cyanobacterial biofertilizers;
- 4.To organize seminars, conferences, and training sessions;
- 5.To act as a strong center for national research and development;
- 6.To provide advice on policy matters.

CONTACT: National Facility for Blue-Green Algal Collection (Auditorium Complex), Indian Agricultural Research Institute, New Delhi-110012, INDIA. TEL: 91-011-578-8431, FAX: 91-011-575-2006, E-MAIL: Guest%Bic-iari@Dbt.ernet.in

Meetings

The 12th Annual Eastern Regional Photosynthesis Conference is scheduled for 24-26 March, 1995 at Marine Biological Laboratory, Woods Hole, MA, USA. Undergraduates, graduate students, and post-doctoral fellows are especially encouraged to deliver oral presentations. A single fee covering registration, accommodations for two nights, and meals starts at US\$162. Checks should be made payable to City College Bursar c/o Regional Photosynthesis Conference.

CONTACT: Marilyn Gunner, Dept. of Physics, City College of New York,
138th St. and Convent Ave, New York, NY 10031 USA.
TEL: 212-650-5501. FAX: 212-650-550312,
E-MAIL: Gunner@Sci.Cuny.Cuny.Edu

The Third European Workshop on the Molecular Biology of Cyanobacteria is scheduled for 11-14 May, 1995 in Sevilla, Spain. The registration fee will be 25,000 Spanish pesetas, with hotel lodging starting at 18,500 pesetas per person. Some fellowships are available. The deadline for receipt of payment and registration is Feb 28, 1995. These fees may be paid by bank transfer to: Cyanobacterial Workshop, account no. 43-475-527621, Banco Herrero, Calle Rioja, no. 7, E-41001 Sevilla, Spain (remembering to state your name on the bank transfer for identification).

CONTACT: Enrique Flores, Instituto de Bioquímica Vegetal y Fotosíntesis
Universidad de Sevilla-CSIC Facultad de Biología Apartado 1113,
E-41080 Sevilla Spain. FAX: +34-5-462 01 54, EMAIL:cyano@cica.es

The VTH CYANOBACTERIAL MOLECULAR BIOLOGY WORKSHOP will again be on the Pacific Ocean in Asilomar, California U.S.A., 21-25 July, 1995. Registration is U.S. \$50 and housing and meals begin at U.S.\$225. Deadline for abstracts is May 1. Deadline for registration is June 9.

CONTACT: Don Bryant, S-234 Frear Bldg., Dept. of Biochemistry and
Molecular Biology, The Pennsylvania State University, University
Park, PA 16802. TEL: 814-865-1992,
E-MAIL: DAB14@Psum.Psu.Edu

The FIRST INTERNATIONAL CONGRESS ON TOXIC CYANOBACTERIA (BLUE-GREEN ALGAE) is the new descendent of the formerly biannual Nordic Symposia on Toxin-producing Algae. The Congress will be held on the Danish island of Bornholm in the Baltic on 20-24 August 1995. It is planned that the proceedings will be published.

CONTACT: Peter Henriksen, Dept. of Phycology, Botanical Institute,
Ö. Farimagsgade 2 D, DK-1353 Copenhagen K, DENMARK.
TEL: 45-35-32-22-90 or 45-35-32-22-99, FAX: 45-35-32-23-21,
E-MAIL: PHenriks@Bot.Ku.Dk

The 13th International Symposium on Cyanophyte Research will take place in Rome 27 Aug to 3 Sep 1995. The Symposium will focus on taxonomy, extreme environments, biodiversity, cyanobacterial associations with other organisms, and ecophysiology. Registration is 200,000 lira. Meals and hotel accommodations start at 900,000 lira for the nine day symposium.

CONTACT: Patrizia Albertano, Department of Biology, University of Rome
'Tor Vergata', via della Ricerca scientifica, 00133 Rome Italy.
TEL: 39-6-72594345, FAX: 39-6-2023500,
E-MAIL: Albertano@Tovvx1.Ccd.Utovrn.It

The European Society for Photobiology will hold its 6th Congress in Cambridge (Churchill College) from 2nd to 9th September 1995. The congress will have special session on "Carotenoids in Photosynthesis and Medicine" and "Application of protein engineering for the study of light reactions of oxygenic photosynthesis"

CONTACT: Paul Heelis, Faculty of Science, Health and Medical Studies,
The North East Wales Institute, Plas Coch, Mold Road, Wrexham,
Clwyd, LLI 2AW, UK. FAX: 44 (0) 1978 290008, E-MAIL:
Heelis@Newi.Ac.Uk

Positions Offered

POSITION OFFERED: Post-Doc

CONTACT: Bruce Greenberg, Dept. of Biology, University
of Waterloo, Waterloo, Ontario N2L 3G1, CANADA.
TEL: 519-888-4567 x3209, FAX: 519-746-0614,
E-MAIL: Greenber@Biology.Watstar.UWaterloo.CA

RESEARCH: (1) UV-B impact on plants, (2) Photoinduced toxicity of priority pollutants to plants. Both projects will be carried out at the biochemical and cellular levels, with effects on photosynthesis a major interest.

SEND: CV and names of three references.

POSITION OFFERED: Post-Doc

CONTACT: James Yungel, NASA Goddard Space Flight
Center's Wallops Flight Facility in the Airborne
Oceanographic Lidar (AOL) program.
E-MAIL: Hoge@Osb1.Wff.Nasa.Gov or
Yungel@Wff.Nasa.Wff

RESEARCH: Investigate optical properties of phycourobilin and phycoerythrobilin pigments contained in marine phytoplankton as it relates to remote detection of these pigments from laser excited fluorescence spectra and passive ocean color spectra.

SEND: Brief description of experience in related research.

POSITION OFFERED: Post-Doc
CONTACT: H.Y. Yamamoto, HITAHR, University of Hawaii, 3050 Maile Way, Gilmore 202 B, Honolulu, Hawaii 96822, USA
RESEARCH: Biochemistry and mechanism of down regulation of PSII photochemical efficiency by xanthophyll-dependent non-photochemical chlorophyll fluorescence quenching.
REQUIREMENTS: Research experience using isolated chloroplast systems. Experience or knowledge of chlorophyll fluorescence, xanthophyll cycle, carbon-fixation, spectrophotometric methods and pigment-protein separations is highly desirable. Candidate should be self-motivated, able to work independently and accomplishment orientated.
SUPPORT: One year with possible extension for another year.
SEND: CV, letter of application, two confidential letters of recommendation.

POSITION OFFERED: Post-Doc
CONTACT (before March 31): Carl Johnson c/o Susan Golden, Dept. of Biology, Texas A&M University, College Station, TX 77843 U.S.A.
E-MAIL: JohnsonC@Bio.Tamu.Edu
CONTACT (after March 31): Carl Johnson, Dept. of Biology, Box 1812-B, Vanderbilt University, Nashville, TN 37235 U.S.A. E-MAIL: JohnsonC@Vuctrvax.Bitnet
RESEARCH: Study molecular basis of circadian rhythmicity in cyanobacteria, using reporter strain to isolate, clone, and identify genes involved in the circadian clockwork [see Science 266:1233-1236 and Proc Natl Acad Science USA 90:5672-5676].
REQUIREMENTS: Training in current molecular genetic techniques and strong interest in circadian rhythms.
SEND: CV, summary of doctoral dissertation and current research interests, two letters of recommendation.

Positions Sought

POSITION SOUGHT: Post-doc or sabbatical replacement
CONTACT: S.A. Kulasooriya, Dept. of Botany, University of Peradeniya, Peradeniya, SRI LANKA.
FAX: 94-8-32343
TEACHING EXPERIENCE: 28 years at University of Peradeniya. Lectures, laboratory classes, field classes in Introductory Botany, Plant Diversity, Mycology, Microbiology, Soil Biology, Biological Nitrogen Fixation, Soil Fertility.
RESEARCH EXPERIENCE (abridged):
Ph.D., University of London (1971), G.E. Fogg and Peter Fay, advisors on "Heterocyst Differentiation and Nitrogen Fixation in Blue-green Algae". See Proc Royal Soc Lond (1972) 181:31-52. Nitrogen fixation in rice fields. See Ann Bot (1981) 47:31-52.

Sabbatical leave at International Rice Research Institute (IRRI), examining rice field cyanobacteria, especially epiphytic strains. See *Blue-green Algae and Rice*, by PA Roger and SA Kulasooriya (1980), IRRI, Los Baños, and *Soil Sci Plant Nutr* (1981) 27:19-27.
Nitrogen fixation by *Azolla*-cyanobacterial symbiosis
Biological nitrogen fixation and maintenance of soil fertility in sustainable ecosystems. See *Plant Soil* (1991) 135:297-302, *Biol Fert Soil* (1992)14:37-42.
SERVICE (abridged):
Visiting consultant FAO/IAEA Division of Soil Fertility, Irrigation and Crop Production, Vienna, Austria
UNDP Advisory Board on Nitrogen Fixation, IRRI
Chairman, FAO Expert Consultation on Bio and Organic Fertilizers, Bangkok.

TRANSITIONS*TRANSITIONS*TRANSITIONS*TRANSITIONS*TRANSITIONS*TRANSITIONS*TRANSITIONS*T

NANCY FEDERSPIEL has moved... You know all this? You heard long ago that she left U. Idaho for a biotech outfit in California? Well, she's moved again. This time to the Genome Center, with Ron Davis' group, at Stanford University. She hopes someday to return to cyanos.
Genome Center, Dept. of Biochemistry, Stanford University, Stanford CA 94305.
E-MAIL: NFeder@Genome.Stanford.Edu

ZHAO JINDONG, after leaving Don Bryant's lab at Pennsylvania State University, and resting for a while at Applied Biosystems in California, now finds himself in a faculty position at Beijing University, still interested in photosynthetic electron transport.
Dept. of Plant Molecular Biology, College of Life Sciences, Beijing University, Beijing 100871, P.R.CHINA. TEL: 86-1-250-1855, FAX: 86-1-258-5864

P.K. SINGH has left the Indian Institute of Sugarcane Research to take a position as Project Director of the National Facility for Blue-Green Algal Collection [See announcement, this issue].
National Facility for Blue-Green Algal Collection (Auditorium Complex), Indian Agricultural Research Institute, New Delhi-110012, INDIA. TEL: 91-011-578-8431, FAX: 91-011-575-2006,
E-MAIL: Guest%Bic-iari@Dbt.ernet.in

GOVINDJEE hasn't moved but electrons will have to travel a different path to reach him.
E-MAIL: Govindje@aries.scs.uiuc.edu (note only one "e" at end) or (preferably) Gov@Uiuc.Edu. E-mail with enclosures can be sent to Govindjee@Powershare.Life.Uiuc.Edu. FAX: 217-244-7246 (office), and 217-337-6196 (home).

Daniel I. Arnon 1910-1994

Daniel I. Arnon died suddenly of cardiac arrest at the age of 84 on Tuesday, December 20, 1994 in Berkeley, California. At the time of his death, Arnon was an emeritus faculty member at the University of California at Berkeley, where he had spent his entire academic career carrying out his pioneering work on the biochemistry of photosynthesis. With his passing, an era in the field of photosynthesis has ended.

In a series of historical papers in the mid-1950's, Arnon's Berkeley group, which included M. B. Allen and F. R. Whatley, discovered that chloroplasts were capable of synthesizing ATP in the light, in a process Arnon called "photosynthetic phosphorylation" (photophosphorylation) to distinguish it from oxidative phosphorylation. The first type of chloroplast phosphorylation discovered, denoted "cyclic phosphorylation," produced only ATP in the light. This discovery was followed by another revolutionary finding--that both ATP and NADPH could be produced photochemically and that their production was linked to the evolution of oxygen in a series of reactions called "non-cyclic photophosphorylation.". As part of this series of studies, isolated chloroplasts were found to be able to carry out complete photosynthesis in the light, a finding that proved that "cell-free" photosynthesis was possible. In an extensive series of papers with M. Losada and A. Trebst that followed this work, the Arnon group then extended these early observations by showing that the photophosphorylation reactions could generate the ATP and NADPH required for CO₂ assimilation. This was the first demonstration that complete photosynthesis, the process central to life on our planet, could be experimentally obtained outside a living cell. As a result of this work, the field of photosynthesis had been permanently changed: for the first time it was realized that the chloroplast had the complete capacity to carry out the reactions of photosynthesis, whereby light-energy is converted into organic compounds.

The discovery of non-cyclic and cyclic phosphorylation led Arnon to consider the mechanism of these processes. This resulted in K. Tagawa and Arnon identifying and characterizing the iron-sulfur protein, chloroplast ferredoxin in the early 1960s. Several other laboratories had been working with this protein under other names but the Berkeley work clarified the role of this protein in both the cyclic and non-cyclic pathways. Through their study of ferredoxin-NADP⁺ reductase, the enzyme actually involved in NADPH formation, M. Shin and Arnon were able to

define the mechanism of NADP⁺ reduction, and in further work, to present their view that ferredoxin serves as the natural catalyst of the cyclic pathway. In characterizing chloroplast ferredoxin, Tagawa and Arnon had noted that this carrier had a midpoint redox potential more electronegative than the NADPH/NADP⁺ couple, raising the possibility that CO₂ fixation might occur directly through the input of electrons from reduced ferredoxin without utilizing the reduced pyridine nucleotide system. This realization stimulated studies on photosynthetic bacteria which led to the discovery of the reductive carboxylic acid cycle for CO₂ fixation in work with Mike Evans and Bob Buchanan in the mid-1960s. This pathway is independent of the pathway previously demonstrated in higher plants by Melvin Calvin, J. Bassham and A. Benson, also on the UC Berkeley campus.

The 1970s led Arnon and his group to consider mechanisms of electron transfer in chloroplast photosynthesis. Based on his belief of the role of non-cyclic and cyclic phosphorylation in chloroplasts, Arnon proposed a mechanism for electron transfer the ran against the main current in the photosynthetic field: that Photosystem I was involved only in the cyclic pathway and only Photosystem II was linked to the non-cyclic pathway. This view, held in modified form until his death, differed from the widely accepted Z-scheme for electron transport in chloroplasts in which the two photosystems cooperate in transferring electrons from water to NADP⁺. Up to the time of his death, Arnon was still regularly coming to his office in the Department of Plant Biology, writing extensively on his views on photosynthesis.

Arnon was recognized professionally both nationally and internationally. He was a member of the U. S. National Academy of Sciences and academies in Sweden, France and Germany. He was a Guggenheim Fellow with David Keilin in Cambridge, England and Hugo Theorell at the Karolinska Institute in Stockholm, Sweden and a Fulbright Scholar with Otto Warburg in Berlin. In 1973 he was awarded the National Medal of Science for "his fundamental research into the mechanism of green plant utilization of light to produce chemical energy and oxygen and for contributions to our understanding of plant nutrition." In recent years we have seen the loss of major figures in our field: Robin Hill, Bessel Kok and Warren Butler. Equally as significant is the passing of Dan Arnon. His contributions over an almost 50 year period on this field are inestimable.

Richard Malkin, Dept. of Plant Biology, University of California, Berkeley

(Editor's note: While all of us are indebted to Daniel Arnon for changing the way we think about photosynthesis, some may not be aware that he also deserves our remembrance every time we grow a strain in A&A (Allen & Arnon) medium).

Theory Developed for Analysis of Polarization Spectra

In a previous issue of CyanoNews [Volume 10, Number 1, February 1994] ANDREY DEMIDOV reported on his work developing a new theory for analyzing the polarization spectra of complex molecular systems with energy transfer between molecules (chromophores). Molecules can have strongly overlapping spectra. Demidov succeeded in deriving analytical formulae for determination of the polarization spectra (at steady-state) and depolarization kinetics (δ - pulse excitation) in cases of double- and triple-chromophore complexes. The formulae were tested by applying them to C-phycoyanin subunits and monomers, and good agreement with experimental data by Mimuro et al. [Biochim Biophys Acta (1986) 848:155] were found. The results of these investigations have been published (see his references below under PHYCOBILISOMES).

Demidov is now considering the case of higher aggregates - trimers, hexamers, etc. His preliminary results are promising and can be used for quantitative deconvolution of absorption and fluorescence spectra of allophycocyanin trimers. Such deconvolution will provide individual spectra of alpha and beta chromophores. Deconvolution involves absorption, fluorescence, and polarization spectra, i.e. it is based on the spectroscopic approach.

He is looking for someone who may be interested in cooperation on this matter. Cooperation can be in the form of work (preferably) in some particular laboratory having necessary facilities and APC supplies, or in the form of supplying the experimental data.

Demidov can be reached c/o D Andrews, University of East Anglia, School of Chemistry, Norwich, Norfolk NR4 7TJ UK, or by E-mail at A.Demidov@Uea.Ac.Uk

Surprise Glycolipid Biosynthetic Genes in *het* Region

The region of the *Anabaena* PCC 7120 chromosome near *hetN* has already provided a few surprises for those interested in heterocyst differentiation, for example genes that in multicopy induce unscheduled heterocyst differentiation [Black et al (1994) J Bacteriol 176:2282-2292]. CHRIS BAUER tells us that the region still has a few eye-openers left. Chris also noted that a cosmid containing the *hetN* region affected heterocyst differentiation, but what really caught his attention were three genes upstream from *hetN*: *hglB*, *hglC*, and *hglD* (for heterocyst glycolipid).

hglB has already been partially characterized. It contains domains for acyl-carrier protein and NAD(P)H β -ketoacyl reductase similar to those found in polyketide or fatty acid synthases. According to Chris' sequence, *hglC* contains

Plastocyanin Promotes e^- Transport in PC-less Strain

Plastocyanin, a copper-bearing protein, is used by plants and most green algae to donate electrons to Photosystem I. The protein is relatively rare in cyanobacteria, which use cytochrome *c*₅₅₃ instead as the PSI donor. *Synechococcus* PCC 7942 is an example of a cyanobacterium that evidently lacks plastocyanin and the gene, *petE*, that encodes it. DIRK GEERTS and others at Utrecht, in collaboration with Hendrik Schubert and Hans Matthijs, took a *petE* gene from a cyanobacterium, *Anabaena* PCC 7937, that does use plastocyanin and expressed it in *Synechococcus*, wondering whether the strain would make any sense out of it at all. To their surprise, the foreign protein was readily accepted by PSI, and electron flow through PSI was markedly enhanced.

The *petE* gene from *Anabaena* was expressed from an inducible *E. coli* promoter, *P_{irc}*, thereby disconnecting transcription of the gene from its normal regulation by the availability of copper. The gene product was efficiently processed in *Synechococcus* and properly targeted to the thylakoid lumen. Isolated thylakoid membranes from strains expressing *petE* showed up to 2.5-fold higher rates of electron transport than native membranes, and a similar enhancement was evident in whole cells.

The activity of exogenous plastocyanin in *Synechococcus* may have interesting implications regarding the mechanism by which electrons are distributed between photosynthesis and respiration. Plastocyanin nearly abolished the competition between the two systems. These and other results are described in a recently published paper [Geerts et al. (1994) J Biol Chem 269:28068-28075].

acyl/malonyl ACP transferase and β -keto-synthase domains, and *hglD* (only partially sequenced) also contains a β -keto-synthase domain. Inactivation of any of the three genes gave rise to a Fix⁻ phenotype: regularly spaced, ultrastructurally normal heterocysts (as judged by light microscopy) incapable of nitrogen fixation. All three genes, and *hetN* as well, are transcribed from 6 to 12 hours after nitrogen limitation, as seen by Northern time-course blots.

These observations prompted a thin layer chromatography experiment to check for the presence of heterocyst-specific glycolipid in mutants defective in *hglB*, *hglC*, or *hglD*. It turns out that all three mutants fail to produce the lipid, and Chris now believes that the products of these genes are involved in glycolipid biosynthesis.

Calcium Fluxes Can Energize Cyanobacteria

Cyanobacteria have been isolated from fresh, brackish, salty, and extremely saline waters, and many highly mineralized bodies of water are more greatly enriched with Ca^{2+} or Mg^{2+} than with Na^+ [Hammer UT (1986) *Saline like ecosystems of the world*. W. Junk, Dordrecht, p. 126]. IGOR BROWN has been inspired by two ideas regarding the earth's early environment to propose that cyanobacteria living in calcium-enriched waters may use calcium fluxes to couple bioenergetic reactions.

Ancient bodies of water are postulated to have been alkaline with Ca^{2+} as the major cation [Ronov (1964) *Geochem [Moscow]* 8:715], and cyanobacteria are thought to have been amongst their first inhabitants [Zarvazin (1993) *Microbiol [Moscow]* 62:789]. If these two ideas were true, reasoned Brown, then saturation by Ca^{2+} and Mg^{2+} would have prevented the generation of effective levels of $\Delta\mu_{\text{H}^+}$ or $\Delta\mu_{\text{Na}^+}$. On this basis, they have proposed that Ca^{2+} may under some conditions play the role of coupling cation [Brown II (1994) *Biochem [Moscow]* 8:715]. *Gloeobacter violaceus* living on limestone [Rippka (1974) *Arch Microbiol* 100:419] was studied to test this hypothesis.

Brown and Galina Gorbik previously showed that Na^+ can support electrogenic import of extracellular H^+ by *G. violaceus* cells from alkaline medium [Gorbik GP, Brown II (1994) *Int Symp Photosynth Prokar. Abstracts*. Urbino, Italy. 1994. p.25]. Now they report that Ca^{2+} is able to substitute for Na^+ to support growth of the strain under alkaline conditions as well as electrogenic import of extracellular protons. The optimal Ca^{2+} concentration for these phenomena is about 9 mM. *G. violaceus* is not able to grow under alkaline conditions ($\text{pH} \geq 9$) if any BG-11 medium salt containing Na^+ or Ca^{2+} is replaced by a similar K^+ -containing salt. Growth of the strain is normal under alkaline conditions in standard BG-11 (approximately 20 mM Na^+).

On the basis of this and other data [Geisler M et al (1993) *J Mol Biol* 234:1284], Brown and Gorbik suggest that $\Delta\mu_{\text{Ca}}$ may provide energetic coupling in cyanobacterial membranes.

New Extrinsic Proteins Found in Photosystem II

SHEN JIAN-REN reports that his group has found two new extrinsic proteins in purified cyanobacterial photosystem II particles, namely, cytochrome c_{550} and a 12 kDa protein. They have demonstrated that these two extrinsic proteins are required to maintain maximal activity of oxygen evolution in cyanobacterial photosystem II.

VIII INTERNATIONAL SYMPOSIUM ON PHOTOTROPHIC PROKARYOTES - Meeting Report

The triennial International Symposium on Phototrophic Prokaryotes called to the ancient Italian village of Urbino the usual collection of red, green, and blue-green aficionados. The Symposium exhibited the most vigorous competition (dance contest) and youngest convener (Luca Zannoni, age 8) in recent memory but also boasted a variety of interesting talks and poster. The perspectives below are intended to provide a flavor of the meeting; a complete summary of all the varied high points could not possibly fit into a single newsletter. If you want a fuller account of progress in cyanobacteriology, you may have to wait until the IX International Symposium, to be held in 1997 in Vienna, Austria.

Antennae and Reaction Centers

Much of interest was presented concerning antenna systems. Rowe and Griffiths have isolated a gene encoding a protochlorophyllide reductase from *Phormidium laminosum*. It will be interesting to see if this enzyme functions as the light-induced reductase in cyanobacteria. Going slightly further afield, Partensky and LaRoche showed that the N-terminus of the apoprotein of the light-harvesting apparatus from the prochlorophyte *Prochlorococcus* is 82% similar to the CP43' protein (encoded by *isiA*). The authors speculated that *Prochlorococcus* could have descended from cyanobacterial ancestors and had replaced the phycobilisome with a CP43'-like antenna which might have given them an advantage for growth in iron-depleted oceanic areas.

For the noncyanobacterially inclined, Judy Shiozawa and Reiner Feick rekindled the chlorosome debate by presenting evidence that proteins play an important role in chlorosome structure in *Chloroflexus aurantiacus*. Digestion of purified chlorosomes by proteases produced distinct changes in the shape of the chlorosomes. Katsiou and Tadros have cloned a new LH II gene family from *Rhodospseudomonas palustris* which they have named $\alpha\beta_e$ (bringing the total number to five). The β_e subunit is the same as the β_b subunit, but the α_e is very different from the other α subunits. This may allow the

formation of complexes with different absorbance characteristics. Indeed, more than one LH II can be detected in the ICM in vivo by spectroscopic analyses.

An interesting development from Kjaer, Golbeck, and Scheller on green- sulfur bacterial reaction centers was presented. They have isolated reaction centers from *Chlorobium vibrioforme* with two intact Fe-S centers which resemble the higher plant F_A and F_B clusters. The isolated reaction center complex contains 6 polypeptides and supported photoreduction of NADP^+ when ferredoxin and FNR were added. Returning to cyanobacteria, Muhlenhoff, Bryant, Zhao, and Setif presented data on a cyanobacterial PS I complex that had been cross-linked with flavodoxin. Flavodoxin was covalently linked to the PsaC and PsaD proteins and required the PsaE protein in order to bind in the proper orientation. This cross-linked complex could not support electron transport to FNR. However, flavodoxin could be functionally photoreduced from the semi-quinone to the fully reduced form. Wim Vermaas presented comparisons between heliobacterial and cyanobacterial reaction center complexes: an evolutionary model in which PS I and II of cyanobacteria evolved from a homodimeric reaction center, which probably resembled the heliobacterial reaction center.

-- Wendy Schluchter

Ecology

Much work on microbial mat ecology has examined how nutrient availability may influence species composition and distribution. In these complex photosynthetic systems nutrient availability may only play part of the story. Light as an ecological factor had been largely unstudied. Dick Castenholz presented results of a recent examination of how UV and visible light may influence survival strategies of various cyanobacterial groups. This work along with similar studies of deeper-lying *Chloroflexus* species (presented by Beverly Pierson) is providing interesting new insights into the structure of mat communities. It will be interesting in the future to see how field-based studies such as these will dovetail with pure-culture biochemical work on, for example, complementary chromatic adaptation. The role of sulfide and its metabolism by various cyanobacterial species in the laboratory is combined with ongoing detailed field work in the work of Rethmeier et al., to likewise generate a comprehensive picture of the role of sulfide in affecting cyanobacterial photosynthetic activity and distribution.

Newly described species were the focus of several nice presentations. A few that particularly caught my eye were: (1) a beautifully detailed study of a red strain of *Spirulina* subsalsa from a freshwater lake (by Luisa Tomaselli et al.) (2) the description of a *Leptolyngbya* spp. with an eye-spot type structure by Patrizia Albertano and Maria Grilli Caiola, and (3) an intriguing *Phormidium* sp. responsible for killing corals in the Florida Keys which is currently being well-documented in situ utilizing microsensors for making oxygen, sulfide and pH measurements in the field by Laurie Richardson

New advances in taxonomy are being provided by the use of molecular techniques. Research in this area, utilizing these new and still developing technologies, is providing something of an explosion of new information. Annick Wilmotte and Michael Herdman both presented good overviews of what we can and cannot get out of the various phylogenetic tree schemes available along with some important interpretation caveats. These techniques are finally offering us the tools needed to clarify the confusing taxonomic picture of the cyanobacteria that we all know and love.

These taxonomic findings may also have large ecological implications. One such example was new data on the group *Microcoleus chthonoplastes* which is suggesting that this group maintains a high degree of genotypic and phenotypic homology world-wide with important implications for a high degree of specificity for their particular niche habitat.

This meeting also provided a chance for many of us ecologically-inclined souls to hear and see presentations on a somewhat bewildering array of biochemical and molecular topics. In particular the series on reaction centers were particularly interesting even if they sent the majority of ecologists out looking for molecular-speak glossaries. Edification is good for the soul. Especially in surroundings like the Tuscany valley. In conclusion, many thanks to the organizers. It was a great meeting!

-- Lee Prufert-Bebout

Light Receptor and Signal Cascade in Cyanobacteria?

The mechanisms by which cyanobacteria recognize changes in light quality and intensity is thus far incompletely understood. Studies aimed at understanding the signal transduction pathway linking light to light-regulated behavior may proceed profitably down two parallel tracks: analysis of light-regulated genes and comparative studies of photoreceptors.

Susan Golden described the transcriptional regulation of the *psbA* genes of *Synechococcus* PCC 7942, encoding the D1 proteins of photosystem II. It is very interesting that the transcription of a *psbA* gene is regulated by blue light signal. The cis element for the blue light response has been provisionally identified using many mutants carrying deletions in the 5' upstream region of the *psbA* genes. The blue light signal is very likely to be recognized by a specific photoreceptor or photoreceptors in cyanobacterial cells. A mutant defective in the blue light response might provide a clue as to the nature of the cyanobacterial blue light receptor. Franck Chauvat identified sequence elements common to light-regulated promoters of *Synechocystis* PCC 6803.

The mechanisms of signal transduction of light will be gradually solved by the isolation of light-regulated genes and genetic studies of mutants defective in the regulation of their expression by light. Meanwhile, a direct approach to defining the associated photoreceptors have been producing interesting insights. W.D. Hoff presented a photoreceptor of halophilic purple bacteria. They purified the photoactive yellow protein (PYP) and determined the molecular structure of PYP. A photocycle of PYP is similar to that of rhodopsin. However, the chromophore of PYP is not a retinal. The chromophore is surrounded by the apoprotein, and PYP associates with the membrane. The structure of PYP is very different from that of rhodopsin.

Hans Matthijs suggested that a rhodopsin-like receptor acts as a sensor for complementary chromatic adaptation of the cyanobacterium, *Fremyella diplosiphon* (*Calothrix*). They showed that the cyanobacterium contains a retinal. It should be proven whether a photoreceptor homologous to PYP can be found in cyanobacteria or whether cyanobacteria generally contain a retinal. However, it is likely that cyanobacteria contain a photoreceptor similar to the well-known photoreceptors.

-- Toshio Sakamoto

Cyanobacterial Development

We are coming closer to discovering how heterocyst-forming cyanobacteria determine the frequency and spacing of heterocysts along a filament. The results from Jeff Elhai's poster imply that the determining factor for the initiation of heterocyst development may reside in individual cells and not signals from adjacent cells in a filament. He found that long filaments of *Anabaena* containing *luxAB* driven by the *hetR* promoter and filaments sonicated to single cells both expressed the same level of luciferase activity upon induction by nitrogen deprivation. Consistent with this result, an EM survey showed that a single-cell mutant of the same strain responds quite inhomogeneously to nitrogen starvation: only about 5% of its cells produce heterocyst-specific polysaccharide.

From the results of Peter Rowell et al. one can begin to build a model to explain Elhai's results. They found that formazan deposition in *A. cylindrica* filaments incubated with MTT was localized to cell poles and distributed in a pattern along a filament at potential sites of heterocyst development. Thus an apparent differential accumulation of polarly localized respiratory electron transport, possibly laid down as a function of pole age, may have a role in determining which cells are destined to become heterocysts. At sites where intercalary heterocysts will form, two vegetative cells with nearly equal amounts of formazan deposition are found; these two cells must somehow communicate to decide which will generate the daughter cell that differentiates into a heterocyst. Jack Meeks noted that in many Fox⁻ mutants of *Nostoc* ATCC 29133 intercalary heterocyst doublets are common, possibly because of a defect in this cell to cell communication.

Of course akinetes exhibit polarity as well. Sili and Vincenzini presented some beautiful micrographs showing polar germination of *Cyanospira* akinetes.

Bill Buikema and Bob Haselkorn reported obtaining up to 15% heterocysts along a filament by overexpressing *hetR* transcription in *Anabaena* PCC 7120 containing a plasmid with *hetR* behind the copper inducible *petE* promoter. It will

be interesting to see if HetR is a point of control for increasing the frequency of heterocysts in symbiotic systems. Bill Buikema is investigating the green fluorescent protein (GFP) as an alternative reporter to *luxAB* in cyanobacteria. Expression of GFP is easy to detect and has advantages over *luxAB* in not requiring a substrate or oxygen for activity but, unlike *luxAB*, it is apparently toxic at high concentrations. As was repeatedly stressed, *luxAB* can serve as a useful reporter even without a \$140,000 photometer.

Several different sized transcripts per gene, whether due to multiple promoters or processing of larger transcripts, appears to be a common theme in cyanobacteria. For example, Mike Summers reported 16 different transcripts within the 4 gene *zwf* region, encoding glucose-6-phosphate dehydrogenase. As the case with most cyanobacterial transcripts, it is unknown how the levels of the specific mRNAs are regulated. In a poster, Martin Mulligan et al. showed the ubiquity of RNA-binding proteins in cyanobacteria. These proteins are known to have a variety of functions in eukaryotes (including in chloroplasts, where post-transcriptional regulation predominate).

Regarding hormogonia differentiation, I reported that in *Nostoc* ATCC 29133, just 2 bases upstream from a gene involved in decreasing sensitivity to a hormogonia inducing factor, there is a gene with homology to the same family of NAD(P)H-oxidoreductases that includes *hetN*. Perhaps proteins of this family are of use in the production or modification of signals affecting cyanobacterial differentiation. In two posters from Dave Adams' lab, S. Babic reported the isolation and initial characterization of mutants in hormogonium formation and H. Doherty reported cloning *ftsZ* from *A. 7120*; future work will examine whether *ftsZ* expression is regulated early in hormogonium development. Doug Campbell has found that hormogonium differentiation in *Calothrix* is favored by signals that inhibit heterocyst formation and vice versa. The role, if any, of the P_{II} protein (encoded by *glnB*) in a hormogonia/heterocyst differentiation-signaling pathway is still under investigation.

--Mike Cohen

EVOLUTION, SYSTEMATICS, and PROCHLOROPHYTES

- Neilan BA, Cox PT, Hawkins PR, Goodman AE (1994). 16S Ribosomal RNA gene sequence and phylogeny of toxic *Microcystis* sp (cyanobacteria). DNA Sequence 4:333-337
- Schlosser UG (1994). SAG - Sammlung von Algenkulturen at the University of Göttingen - Catalogue of Strains 1994. Bot Acta 107:113-186
- Skulberg OM, Cronberg G (1994). The 12th Symposium of the International Association for Cyanophyte Research. Arch Hydrobiol/Suppl 105, Algological Studies 75:1-9
- Alber BE, Ferry JG (1994). A carbonic anhydrase from the archaeon *Methanosarcina thermophila*. Proc Natl Acad Sci USA 91:6909-6913
- Lazcano A, Miller SL (1994). How long did it take for life to begin and evolve to cyanobacteria? J Mol Evol 39:546-554
- Luttkie A, Maier TL, Schenk HEA (1994). Codon usage adaptation in the ferredoxin-NADP⁺ oxidoreductase of *Cyanophora paradoxa* upon translocation from cyanoplast to nucleus. Gene 146:123-127
- Nelissen B, Wilmotte A, Neefs JM, Dewachter R (1994). Phylogenetic relationships among filamentous helical cyanobacteria investigated on the basis of 16S ribosomal RNA gene sequence analysis. Syst Appl Microbiol 17:206-210
- Nimura K, Yoshikawa H, Takahashi H (1994). Sequence analysis of the third *dnaK* homolog gene in *Synechococcus* sp. PCC 7942. Biochem Biophys Res Commun 201:848-854
- Nimura K, Yoshikawa H, Takahashi H (1994). Identification of *dnaK* multigene family in *Synechococcus* sp. PCC 7942. Biochem Biophys Res Commun 201:466-471
- Schopf JW (1994). Disparate rates, differing fates: Tempo and mode of evolution changed from the Precambrian to the Phanerozoic. Proc Natl Acad Sci USA 91:6735-6742
- Shanklin J, Whittle E, Fox BG (1994). Eight histidine residues are catalytically essential in a membrane-associated iron enzyme, stearyl-CoA desaturase, and are conserved in alkane hydroxylase and xylene monooxygenase. Biochemistry 33:12787-12794
- Simpson GG, Clark G, Brown JWS (1994). Isolation of a maize cDNA encoding a protein with extensive similarity to an inhibitor of protein kinase C and a cyanobacterial open reading frame. Biochim Biophys Acta 1222:306-308
- Vermaas WFJ (1994). Evolution of heliobacteria: Implications for photosynthetic reaction center complexes. Photosynth Res 41:285-294
- Wilmotte A, Neefs JM, Dewachter R (1994). Evolutionary affiliation of the marine nitrogen-fixing cyanobacterium *Trichodesmium* sp strain NIBB 1067, derived by 16S ribosomal RNA sequence analysis. Microbiology Uk 140(Part 8):2159-2164

ECOLOGY and SYMBIOSIS

- Cullen JJ, Neale PJ (1994). Ultraviolet radiation, ozone depletion, and marine photosynthesis. Photosynth Res 39:303-320
- Geider RJ, Laroche J (1994). The role of iron in phytoplankton photosynthesis, and the potential for iron-limitation of primary productivity in the sea. Photosynth Res 39:275-301
- Glibert PM, Bronk DA (1994). Release of dissolved organic nitrogen by marine diazotrophic cyanobacteria, *Trichodesmium* spp. Appl Environ Microbiol 60:3996-4000
- Hammouda OHE, Elsheekh MM (1994). Response of freshwater phytoplanktonic algae *Chlorella kessleri* and *Synechocystis* PCC 6803 to anthelmintic activity of the wild Egyptian plant *Calendula micrantha officinalis*. Arch Environ Contam Toxicol 27:406-409
- Hayashi NR, Peerapornpisal Y, Nishihara H, Ishii M, Igarashi Y, Kodama T (1994). Isolation and cultivation of thermophilic cyanobacteria from hot springs of Northern Thailand. J Ferment Bioeng 78:179-181
- Islam MS, Miah MA, Hasan MK, Sack RB, Albert MJ (1994). Detection of non-culturable *Vibrio cholerae* O1 associated with a cyanobacterium from an aquatic environment in Bangladesh. Trans R Soc Trop Med Hyg 88:298-299
- Lange OL, Budel B, Zellner H, Zotz G, Meyer A (1994). Field measurements of water relations and CO₂ exchange of the tropical, cyanobacterial basidiolichen *Dictyonema glabratum* in a Panamanian rainforest. Bot Acta 107:279-290
- Lorenz MG, Wackernagel W (1994). Bacterial gene transfer by natural genetic transformation in the environment. Microbiol Rev 58:563-602
- Palenik B (1994). Cyanobacterial community structure as seen from RNA polymerase gene sequence analysis. Appl Environ Microbiol 60:3212-3219
- Risatti JB, Capman WC, Stahl DA (1994). Community structure of a microbial mat: The phylogenetic dimension. Proc Natl Acad Sci USA 91:10173-10177
- Suttle CA, Chan AM (1994). Dynamics and distribution of cyanophages and their effect on marine *Synechococcus* spp. Appl Environ Microbiol 60:3167-3174
- Ward DM, Panke S, Kloppel KD, Christ R, Fredrickson H (1994). Complex polar lipids of a hot spring cyanobacterial mat and its cultivated inhabitants. Appl Environ Microbiol 60:3358-3367
- Zavarzin GA, Gerasimenko LM, Zhilina TN (1993). Cyanobacterial Communities in Hypersaline Lagoons of Lake Sivash. Microbiology-Engl Tr 62:645-652
- Canini A, Brandizzi F, Caiola MG (1994). Localization of calcium in the cyanobiont and gonidial zone of *Cycas revoluta* Thunb by microelectrodes, chlorotetracycline, electron spectroscopic imaging and electron energy loss spectroscopy. Protoplasma 179:151-157
- Gantar M, Rowell P, Kerby NW, Sutherland IW (1995). Role of extracellular polysaccharide in the colonization of wheat (*Triticum vulgare* L.) roots by N₂-fixing cyanobacteria. Biol Fertil Soils 19:41-48
- Hill DJ (1994). The nature of the symbiotic relationship in lichens. Endeavour 18:96-103
- Leisner JMR, Bilger W, Czygan FC, Lange OL (1994). Light exposure and the composition of lipophilous carotenoids in cyanobacterial lichens. J Plant Physiol 143:514-519
- Man HM, Silvester WB (1994). Interactions of H₂ and carbon metabolism in moderating nitrogenase activity of the *Gunnera/Nostoc* symbiosis. Arch Microbiol 161:442-444
- Palmqvist K, Samuelsson G, Badger MR (1994). Photobiont-related differences in carbon acquisition among green-algal lichens. Planta 195:70-79
- Schussler A, Mollenhauer D, Schnepf E, Kluge M (1994). *Geosiphon pyriforme*, an Endosymbiotic Association of Fungus and Cyanobacteria - The Spore Structure Resembles That of Arbuscular Mycorrhizal (AM) Fungi. Bot Acta 107:36-45

TOXINS and NATURAL SUBSTANCES

- Bagchi SN, Marwah JB (1994). Production of an algicide from cyanobacterium *Fischerella* species which inhibits photosynthetic electron transport. *Microbios* 79:187-193
- Boukouvalas J, Maltais F, Lachance N (1994). Furanolate-based strategy for sequential 2,3,4-trisubstitution of butenolide: Total synthesis of nostoclidin I and II. *Tetrahedron Lett* 35:7897-7900
- Bruno M, Barbini DA, Pierdominici E, Serse AP, Ioppolo A (1994). Anatoxin-A and a Previously Unknown Toxin in *Anabaena planctonica* from Blooms Found in Lake Mulargia (Italy). *Toxicon* 32:369-373
- Esch H, Hundeshagen B, Schneiderpoetsch H, Bothe H (1994). Demonstration of abscisic acid in spores and hyphae of the arbuscular-mycorrhizal fungus *Glomus* and in the N₂-fixing cyanobacterium *Anabaena variabilis*. *Plant Sci* 99:9-16
- Hemscheidt T, Puglisi MP, Larsen LK, Patterson GML, Moore RE, Rios JL, Clardy J (1994). Structure and biosynthesis of borophycin, a new boeseken complex of boric acid from a marine strain of the blue-green alga *Nostoc linckia*. *J Org Chem* 59:3467-3471
- Kobayashi A, Kajiyama SI, Inawaka K, Kanzaki H, Kawazu K (1994). Nostodione A, a novel mitotic spindle poison from a blue-green alga *Nostoc commune*. *Z Naturforsch C* 49:464-470
- Lawton LA, Edwards C, Codd GA (1994). Extraction and high-performance liquid chromatographic method for the determination of microcystins in raw and treated waters. *Analyst* 119:1525-1530
- Matsuura F, Hamada Y, Shioiri T (1994). Total synthesis of microginin, an angiotensin-converting enzyme inhibitory pentapeptide from the blue-green alga *Microcystis aeruginosa*. *Tetrahedron* 50:11303-11314
- Mori Y, Kawajiri N, Furukawa H, Moore RE (1994). Synthesis and absolute configuration of an isotactic nonamethoxy-1-pentacosene from the blue-green alga *Scytonema ocellatum*. *Tetrahedron* 50:11133-11142
- Paik SG, Carmeli S, Cullingham J, Moore RE, Patterson GML, Tius MA (1994). Mirabimide E, an unusual N-acylpyrrolinone from the blue-green alga *Scytonema mirabile*: Structure determination and synthesis. *J Am Chem Soc* 116:8116-8125
- Pergament I, Carmeli S (1994). Schizotrin A; A novel antimicrobial cyclic peptide from a Cyanobacterium. *Tetrahedron Lett* 35:8473-8476
- Pyo D, Lee M (1994). Chemical analysis of microcystins RR and LR in cyanobacterium using a prepacked cyano cartridge. *Chromatographia* 39:427-430
- Quick J, Saha B (1994). Protein kinase C modulators. Indolactams .2. Alkylation of 4-nitroindole by Grignard reagents. Synthesis of (-)-7-octylindolactam V. *Tetrahedron Lett* 35:8553-8556
- Rudolph Bohner S, Mierke DF, Moroder L (1994). Molecular structure of the cyanobacterial tumor-promoting microcystins. *FEBS Lett* 349:319-323
- Skulberg OM, Underdal B, Utkilen H (1994). Toxic waterblooms with cyanophytes in Norway - current knowledge. *Arch Hydrobiol/Suppl* 105, Algological Studies 75:279-289
- Stratmann K, Belli J, Jensen CM, Moore RE, Patterson GML (1994). Aulosiazole, a novel solid tumor selective cytotoxin from the blue-green alga *Aulosira fertilissima*. *J Org Chem* 59:6279-6281
- Stratmann K, Moore RE, Bonjouklian R, Deeter JB, Patterson GML, Shaffer S, Smith CD, Smitka TA (1994). Welwitindolinones, unusual alkaloids from the blue-green algae *Hapalosiphon webwitschii* and *Westiella intricata*. Relationship to fischerindoles and hapalindoles. *J Am Chem Soc* 116:9935-9942
- Trimurtulu G, Ohtani I, Patterson GML, Moore RE, Corbett TH, Valeriote FA, Demchik L (1994). Total structures of cryptophycins, potent antitumor depsipeptides from the blue-green alga *Nostoc* sp. strain GSV 224. *J Am Chem Soc* 116:4729-4737
- Tsuji K, Naito S, Kondo F, Watanabe MF, Suzuki S, Nakazawa H, Suzuki M, Shimada T, Harada K (1994). A clean-up method for analysis of trace amounts of microcystins in lake water. *Toxicon* 32:1251-1259

TOXINS and NATURAL SUBSTANCES (Physiological Effects)

- Carbis CR, Simons JA, Mitchell GF, Anderson JW, McCauley I (1994). A biochemical profile for predicting the chronic exposure of sheep to *Microcystis aeruginosa*, an hepatotoxic species of blue-green alga. *Res Vet Sci* 57:310-316
- Honkanen RE, Codisoti BA, Tse K, Boynton AL (1994). Characterization of Natural Toxins with Inhibitory Activity Against Serine/Threonine Protein Phosphatases. *Toxicon* 32:339-350
- Li M, Damuni Z (1994). Okadaic acid and microcystin-LR directly inhibit the methylation of protein phosphatase 2A by its specific methyltransferase. *Biochem Biophys Res Commun* 202:1023-1030
- Lu CB, Kumar R, Akita T, Joyner RW (1994). Developmental changes in the actions of phosphatase inhibitors on calcium current of rabbit heart cells. *Pflügers Arch-Eur J Physiol* 427:389-398
- McDougall RJ, Tandy MW (1993). Coccidian/Cyanobacterium-Like Bodies as a Cause of Diarrhea in Australia. *Pathology* 25:375-378
- Nishiwaki R, Ohta T, Sueoka E, Suganuma M, Harada K, Watanabe MF, Fujiki H (1994). Two significant aspects of microcystin-LR: Specific binding and liver specificity. *Cancer Lett* 83:283-289
- Runnegar MT, Kong SM, Zhong YZ, Ge JL, Lu SC (1994). The role of glutathione in the toxicity of a novel cyanobacterial alkaloid cylindrospermopsin in cultured rat hepatocytes. *Biochem Biophys Res Commun* 201:235-241
- Sakagami M, Muratake H, Natsume M (1994). Preparation of alkyl-substituted indoles in the benzene portion .12. enantiospecific synthesis of hapalindole O. *Chem Pharm Bull Tokyo* 42:1393-1398
- Smith CD, Prinsep MR, Caplan FR, Moore RE, Patterson GML (1994). Reversal of multiple drug resistance by tolporphin, a novel cyanobacterial natural product. *Oncol Res* 6:211-218
- Terao K, Ohmori S, Igarashi K, Ohtani I, Watanabe MF, Harada KI, Ito E, Watanabe M (1994). Electron microscopic studies on experimental poisoning in mice induced by cylindrospermopsin isolated from blue-green alga *Umezakia natans*. *Toxicon* 32:833-843
- Yamada N, Murakami N, Kawamura N, Sakakibara J (1994). Mechanism of an early lysis by fatty acids from axenic *Phormidium tenue* (musty odor-producing cyanobacterium) and its growth prolongation by bacteria. *Biol Pharm Bull* 17:1277-1281
- Zhang ZI, Zhao SM, Long FX, Zhang LF, Bai G, Shima H, Nagao M, Lee EYC (1994). A mutant of protein phosphatase-1 that exhibits altered toxin sensitivity. *J Biol Chem* 269:16997-17000

PHYSIOLOGY

- Agrawal SC (1994). Some chemical and biological properties of culture filtrate of *Nostochopsis lobatus*. *Folia Microbiol Prague* 39:133-136
- Aiba H, Mizuno T (1994). A novel gene whose expression is regulated by the response-regulator, SphR, in response to phosphate limitation in *Synechococcus* species PCC 7942. *Mol Microbiol* 13:25-34
- Avendano MD, Valiente EF (1994). Effect of sodium on phosphate uptake in unicellular and filamentous cyanobacteria. *Plant Cell Physiol* 35:1097-1101
- Berkelman T, Garretengele P, Hoffman NE (1994). The *pacL* gene of *Synechococcus* sp. strain PCC 7942 encodes a Ca²⁺-transporting ATPase. *J Bacteriol* 176:4430-4436
- Falkner G, Wagner F, Falkner R (1994). The relation between phosphate uptake and growth of the cyanobacterium *Anacystis nidulans*. *C R Acad Sci [III]* 317:535-541
- Goncharova IG, Gerasimenko LM (1993). Dynamics of Inorganic Phosphorus Consumption by *Microcoleus chthonoplastes* Cells. *Microbiology-Engl Tr* 62:611-615
- Mann NH, Scanlan DJ (1994). The SphX protein of *Synechococcus* species PCC 7942 belongs to a family of phosphate-binding proteins. *Mol Microbiol* 14:595-596
- Singh SS, Tiwari SP, Abraham J, Rai S, Rai AK (1994). Magnetobiological effects on a cyanobacterium, *Anabaena doliolum*. *Electro Magnetobiol* 13:227-235

CIRCADIAN RHYTHM

- Brody S (1994). Circadian rhythms in microorganisms. *Res Microbiol* 145:499-501
- Chou WM, Chou HM, Yuan HF, Shaw JF, Huang TC (1994). The aerobic nitrogen-fixing *Synechococcus* RF-1 containing uncommon polyglucan granules and multiple forms of alpha-amylase. *Curr Microbiol* 29:201-205
- Chow TJ, Tabita FR (1994). Reciprocal light-dark transcriptional control of *nif* and *rbc* expression and light-dependent posttranslational control of nitrogenase activity in *Synechococcus* sp. strain RF-1. *J Bacteriol* 176:6281-6285
- Huang TC, Pen SY (1994). Induction of a circadian rhythm in *Synechococcus* RF-1 while the cells are in a "suspended state". *Planta* 194:436-438
- Ikemoto H, Mitsui A (1994). Diazotrophic synchronous growth of a marine unicellular cyanobacterium, *Synechococcus* sp strain Miami BG 043511, under aerobic and microaerobic/anaerobic conditions. *Microbiology Uk* 140(Part 8):2153-2158
- Kondo T, Tsinoremas NF, Golden SS, Johnson CH, Kutsuna S, Ishiura M (1994). Circadian clock mutants of cyanobacteria. *Science* 266:1233-1236
- Kumazawa S, Mitsui A (1994). Efficient hydrogen photoproduction by synchronously grown cells of a marine cyanobacterium, *Synechococcus* sp Miami BG 043511, under high cell density conditions. *Biotechnol Bioeng* 44:854-858
- Mitsui A, Suda S (1995). Alternative and cyclic appearance of H-2 and O-2 photoproduction activities under non-growing conditions in an aerobic nitrogen-fixing unicellular cyanobacterium *Synechococcus* sp. *Curr Microbiol* 30:1-6
- Rojek R, Harms C, Hebel M, Grimme LH (1994). Cyclic variations of photosynthetic activity under nitrogen fixing conditions in *Synechococcus* RF-1. *Arch Microbiol* 162:80-84
- Sode K, Hatano N, Tataru M (1994). Pseudo-continuous culture of marine recombinant cyanobacteria under a light dark cycle. *Biotechnol Lett* 16:973-976

MEMBRANES & LIPIDS

- Gombos Z, Wada H, Murata N (1994). The recovery of photosynthesis from low-temperature photoinhibition is accelerated by the unsaturation of membrane lipids: A mechanism of chilling tolerance. *Proc Natl Acad Sci USA* 91:8787-8791
- Hitz WD, Carlson TJ, Booth JR, Kinney AJ, Stecca KL, Yadav NS (1994). Cloning of a higher-plant plastid omega-6 fatty acid desaturase cDNA and its expression in a cyanobacterium. *Plant Physiol* 105:635-641
- Los DA, Murata N (1994). Low-temperature induced accumulation of the desaturase gene transcript in *Synechocystis* PCC 6803 results from both acceleration of transcription and increase in mRNA stability. *Russ J Plant Physiol* 41:147-151 ([Engl])
- Norling B, Mirzakhani V, Nilsson F, Morre DJ, Andersson B (1994). Subfractional Analysis of Cyanobacterial Membranes and Isolation of Plasma Membranes by Aqueous Polymer 2-Phase Partitioning. *Anal Biochem* 218:103-111
- Quoc KP, Dubacq JP, Demandre C, Mazliak P (1994). Comparative effects of exogenous fatty acid supplementations on the lipids from the cyanobacterium *Spirulina platensis*. *Plant Physiol Biochem* 32:501-509
- Sakamoto T, Los DA, Higashi S, Wada H, Nishida I, Ohmori M, Murata N (1994). Cloning of omega 3 desaturase from cyanobacteria and its use in altering the degree of membrane-lipid unsaturation. *Plant Mol Biol* 26:249-263
- Sakamoto T, Wada H, Nishida I, Ohmori M, Murata N (1994). Delta 9 acyl-lipid desaturases of cyanobacteria -Molecular cloning and substrate specificities in terms of fatty acids, sn-positions, and polar head groups. *J Biol Chem* 269:25576-25580
- Sato N (1994). Effect of Exogenous Glucose on the Accumulation of Monoglucosyl Diacylglycerol in the Cyanobacterium *Synechocystis* PCC -6803. *Plant Physiol Biochem* 32:121-126
- Stocker A, Netscher T, Ruttimann A, Muller RK, Schneider H, Todaro LJ, Derungs G, Woggon WD (1994). The reaction mechanism of chromanol-ring formation catalyzed by tocopherol cyclase from *Anabaena variabilis* KUTZING (Cyanobacteria). *Helv Chim Acta* 77:1721-1737
- Xu CH, Nejjad A, Belkin S, Boussiba S (1994). Isolation and characterization of the plasma membrane by two-phase partitioning from the alkalophilic cyanobacterium *Spirulina platensis*. *Plant Cell Physiol* 35:737-741

STRESS RESPONSES

- Apte SK, Alahari A (1994). Role of alkali cations (K⁺ and Na⁺) in cyanobacterial nitrogen fixation and adaptation to salinity and osmotic stress. *Indian J Biochem Biophys* 31:267-279
- Dwivedi A, Srinivas UK, Singh HN, Kumar HD (1994). Regulatory effect of external pH on the intracellular pH in alkalophilic cyanobacteria *Microcystis aeruginosa* and *Hapalosiphon welwitschii*. *J Gen Appl Microbiol Tokyo* 40:261-263
- Galinski EA, Truper HG (1994). Microbial behaviour in salt-stressed ecosystems. *FEMS Microbiol Rev* 15:95-108
- Hagemann M, Erdmann N (1994). Activation and pathway of glucosylglycerol synthesis in the cyanobacterium *Synechocystis* sp PCC 6803. *Microbiology Uk* 140(Part 6):1427-1431
- Iyer V, Fernandes T, Apte SK (1994). A role for osmotic stress-induced proteins in the osmotolerance of a nitrogen-fixing cyanobacterium, *Anabaena* sp strain L-31. *J Bacteriol* 176:5868-5870
- Onana B, Jeanjean R, Joset F (1994). Gene *stpA* involved in the establishment of salt tolerance in the cyanobacterium *Synechocystis* PCC 6803. *Russ J Plant Physiol* 41:152-159 ([Engl])
- Potts M (1994). Desiccation tolerance of prokaryotes. *Microbiol Rev* 58:755-805
- Rodriguez R, Guerrero MG, Lara C (1994). Mechanism of sodium/nitrate symport in *Anacystis nidulans* R2. *Biochim Biophys Acta* 1187:250-254
- Bender J, Rodriguez Eaton S, Ekanemesang UM, Phillips P (1994). Characterization of metal-binding bioflocculants produced by the cyanobacterial component of mixed microbial mats. *Appl Environ Microbiol* 60:2311-2315
- Mallick N, Pandey S, Rai LC (1994). Involvement of a cadmium-induced low molecular weight protein in regulating cadmium toxicity in the diazotrophic cyanobacterium *Anabaena doliolum*. *Biomaterials* 7:299-304
- Mallick N, Rai LC (1994). Kinetic Studies of Mineral Uptake and Enzyme Activities of *Anabaena doliolum* Under Metal Stress. *J Gen Appl Microbiol Tokyo* 40:123-133
- Takeshima Y, Takatsugu N, Sugiura M, Hagiwara H (1994). High-level expression of human superoxide dismutase in the cyanobacterium *Anacystis nidulans* 6301. *Proc Natl Acad Sci USA* 91:9685-9689
- Webb R, Troyan T, Sherman D, Sherman LA (1994). MapA, an iron-regulated, cytoplasmic membrane protein in the cyanobacterium *Synechococcus* sp. strain PCC 7942. *J Bacteriol* 176:4906-4913

NITROGEN METABOLISM

- Capone DG, Ferrier MD, Carpenter EJ (1994). Amino acid cycling in colonies of the planktonic marine cyanobacterium *Trichodesmium thiebautii*. *Appl Environ Microbiol* 60:3989-3995
- Dallachiesa M, Mayers SR, Maskell DJ, Nixon PJ, Barber J (1994). An *aroA* homologue from *Synechocystis* sp. PCC 6803. *Gene* 144:145-146
- Floriano B, Herrero A, Flores E (1994). Analysis of expression of the *argC* and *argD* genes in the Cyanobacterium *Anabaena* sp. strain PCC 7120. *J Bacteriol* 176:6397-6401
- Luque I, Flores E, Herrero A (1994). Molecular mechanism for the operation of nitrogen control in cyanobacteria. *EMBO J* 13:2862-2869 ([Corrected 13:5794])
- Mahasneh IA, Mishra AK, Tiwari DN (1994). Transposon-induced mutants of the cyanobacterium *Anabaena* sp PCC 7120 capable of ammonia liberation. *Biotechnol Lett* 16:765-770
- Merritt MV, Sid SS, Mesh L, Allen MM (1994). Variations in the amino acid composition of cyanophycin in the cyanobacterium *Synechocystis* sp. PCC 6308 as a function of growth conditions. *Arch Microbiol* 162:158-166
- Sawa Y, Tani M, Murata K, Shibata H, Ochiai H (1994). Purification and characterization of alanine dehydrogenase from a cyanobacterium, *Phormidium lapideum*. *J Biochem Tokyo* 116:995-1000
- Shakila TM, Rao NS, Bagchi SN (1994). Oxidative and hydrolytic transformations of hydroxylamine compounds in cyanobacteria. *Arch Microbiol* 162:282-285
- Singh S (1994). Inorganic nitrogen control of methylammonium (ammonium) transport activity in the diazotrophic cyanobacterium *Gloeocapsa* sp. *Ind J Exp Biol* 32:427-430
- Singh S, Bisen PS (1994). Evidence for the role of intracellular glutamine level in the regulation of glutamine uptake in the cyanobacterium *Anabaena* 7120. *Curr Microbiol* 29:319-322
- Singh S, Bisen PS (1994). Inhibition of nitrite reductase and urease by arginine and proline in the cyanobacterium *Anabaena cycadeae*. *J Basic Microbiol* 34:401-404
- Singh Y, Kumar HD (1994). Physiological characterization of chlorate-resistant mutants of the cyanobacterium *Spirulina major*. *J Basic Microbiol* 34:345-350
- Stevens SE, Smith RL (1994). Isolation and characterization of five genotypic mutants of chlorate-resistant cyanobacteria unable to utilize nitrate. *Curr Microbiol* 29:311-318

NITROGENASE, HYDROGENASE, and DIFFERENTIATION

- Angeloni SV, Potts M (1994). Analysis of the sequences within and flanking the cyanoglobin-encoding gene, *glnB*, of the cyanobacterium *Nostoc commune* UTEX 584. *Gene* 146:133-134
- Bar E, Telor E (1994). Effect of light and oxygen on nitrogenase activity and dinitrogenase reductase (Fe-protein) content in *Azolla-Anabaena* association. *J Plant Physiol* 144:438-443
- Beesley CE, Smith RJ, Temple SJ, Lea PJ (1994). Cloning and nucleotide sequence of the gene encoding dinitrogenase reductase (*nifH*) from the cyanobacterium *Nostoc* 6720. *Biochim Biophys Acta* 1219:548-550
- Brass S, Westermann M, Ernst A, Reuter W, Wehrmeyer W, Boger P (1994). Utilization of light for nitrogen fixation by a new *Synechocystis* strain is extended by its low photosynthetic efficiency. *Appl Environ Microbiol* 60:2575-2583
- Du CG, Reade JPH, Rogers LJ, Gallon JR (1994). Dinitrogenase reductase ADP-ribosyl transferase and dinitrogenase reductase activating glycohydrolase in *Gloeotheca*. *Biochem Soc Trans* 22:S332
- Janson S, Carpenter EJ, Bergman B (1994). Compartmentalisation of nitrogenase in a non-heterocystous cyanobacterium: *Trichodesmium contortum*. *FEMS Microbiol Lett* 118:9-14
- Misra HS, Tuli R (1994). Uncoupling of photosystems during light dependent dinitrogen fixation by a non-heterocystous cyanobacterium *Plectonema boryanum*. *Indian J Biochem Biophys* 31:310-314
- Rodriguez R, Garcia Gonzalez M, Guerrero MG, Lara C (1994). Ammonium-sensitive protein kinase activity in plasma membranes of the cyanobacterium *Anacystis nidulans*. *FEBS Lett* 350:19-23
- Sanzalvarez S, del Campo FF (1994). Relationship between nitrogen fixation and nitrate metabolism in the *Nodularia* strains M1 and M2. *Planta* 194:339-345
- Hahn D, Kuck U (1994). Biochemical and molecular genetic basis of hydrogenases. *Process Biochem* 29:633-644
- Luo YH, Mitsui A (1994). Hydrogen production from organic substrates in an aerobic nitrogen-fixing marine unicellular Cyanobacterium *Synechococcus* sp strain Miami BG 043511. *Biotechnol Bioeng* 44:1255-1260
- Fernandez-Piñas F, Leganes F, Wolk CP (1994). A third genetic focus required for the formation of heterocysts in *Anabaena* sp. strain PCC 7120. *J Bacteriol* 176:5277-5283
- Frias JE, Flores E, Herrero A (1994). Requirement of the regulatory protein NtcA for the expression of nitrogen assimilation and heterocyst development genes in the cyanobacterium *Anabaena* sp. PCC 7120. *Mol Microbiol* 14:823-832
- Leganes F (1994). Genetic evidence that hepA gene is involved in the normal deposition of the envelope of both heterocysts and akinetes in *Anabaena variabilis* ATCC 29413. *FEMS Microbiol Lett* 123:63-67
- Sili C, Ena A, Materassi R, Vincenzini M (1994). Germination of desiccated aged akinetes of alkaliphilic cyanobacteria. *Arch Microbiol* 162:20-25
- Singh S, Bisen PS (1994). Role of glutamine synthetase activity in the urea regulation of heterocyst and nitrogenase formation in the cyanobacterium *Anabaena cycadeae*. *J Basic Microbiol* 34:191-195
- Wei TF, Ramasubramanian TS, Golden JW (1994). *Anabaena* sp. strain PCC 7120 *ntcA* gene required for growth on nitrate and heterocyst development. *J Bacteriol* 176:4473-4482

CARBON METABOLISM

- Badger MR, Price GD (1994). The role of carbonic anhydrase in photosynthesis. *Annu Rev Plant Physiol*:45369-45392
- Beuf L, Bedu S, Durand MC, Joset F (1994). A protein involved in co-ordinated regulation of inorganic carbon and glucose metabolism in the facultative photoautotrophic cyanobacterium *Synechocystis* PCC 6803. *Plant Mol Biol* 25:855-864
- Chang YY, Iglesias AA, Preiss J (1994). Structure-function relationships of cyanobacterial ADP-glucose pyrophosphorylase - Site-directed mutagenesis and chemical modification of the activator-binding sites of ADP-glucose pyrophosphorylase from *Anabaena* PCC 7120. *J Biol Chem* 269:24107-24113
- Haining RL, McFadden BA (1994). Active-site histidines in recombinant cyanobacterial ribulose-1,5-bisphosphate carboxylase/oxygenase examined by site-directed mutagenesis. *Photosynth Res* 41:349-356
- Li LA, Tabita FR (1994). Transcription control of ribulose bisphosphate carboxylase/oxygenase activase and adjacent genes in *Anabaena* species. *J Bacteriol* 176:6697-6706
- Muller C, Tsuzuki M, Shiraiwa Y, Senger H (1994). Carbon affinity adaptation of *Synechococcus* and its phycocyanin mutant to various CO₂ concentrations and light intensities. *J Photochem Photobiol B-Biol* 26:97-101
- Read BA, Tabita FR (1994). High substrate specificity factor ribulose bisphosphate carboxylase/oxygenase from eukaryotic marine algae and properties of recombinant cyanobacterial rubisco containing 'algal' residue modifications. *Arch Biochem Biophys* 312:210-218

PHOTOSYNTHESIS

- Barber J, Andersson B (1994). Revealing the blueprint of photosynthesis. *Nature* 370:31-34
- Dechazal NM, Smith GD (1994). Characterization of a brown *Nostoc* species from Java that is resistant to high light intensity and UV. *Microbiology Uk* 140(Part 11):3183-3189
- Homer-Dixon JA, Gantt E, Bruce D (1994). Pigment orientation changes accompanying the light state transition in *Synechococcus* sp PCC 6301. *Photosynth Res* 40:35-44
- Marraccini P, Cassierchauvat C, Bulteau S, Chavez S, Chauvat F (1994). Light-regulated promoters from *Synechocystis* PCC 6803 share a consensus motif involved in photoregulation. *Mol Microbiol* 12:1005-1012
- McColl SM, Evans EH (1994). Sidedness in cyanobacterial thylakoid membranes. *Biochem Soc Trans* 22:S94
- Miller AG, Espie GS (1994). Photosynthetic metabolism of cyanate by the cyanobacterium *Synechococcus* UTEX 625. *Arch Microbiol* 162:151-157
- Rouag D, Dominy P (1994). State adaptations in the cyanobacterium *Synechococcus* 6301 (PCC): Dependence on light intensity or spectral composition? *Photosynth Res* 40:107-117
- Sherman DM, Troyan TA, Sherman LA (1994). Localization of membrane proteins in the cyanobacterium *Synechococcus* sp PCC 7942 - Radial asymmetry in the photosynthetic complexes. *Plant Physiol* 106:251-262
- Vangrondelle R, Dekker JP, Gillbro T, Sundstrom V (1994). Energy transfer and trapping in photosynthesis. *Biochim Biophys Acta* 1187:1-65
- Warner KM, Bullerjahn GS (1994). Light-dependent tyrosine phosphorylation in the cyanobacterium *Prochlorothrix hollandica*. *Plant Physiol* 105:629-633

PHOTOSYSTEM I

- Armbrust TS, Odom WR, Guikema JA (1994). Structural analysis of photosystem I polypeptides using chemical crosslinking. *J Exp Zool* 269:205-211
- Fromme P, Schubert WD, Krauss N (1994). Structure of photosystem I: Suggestions on the docking sites for plastocyanin, ferredoxin and the coordination of P700. *Biochim Biophys Acta* 1187:99-105
- Gobets B, Vanamerongen H, Monshouwer R, Kruij J, Rogner M, Vangrondelle R, Dekker JP (1994). Polarized site-selected fluorescence spectroscopy of isolated photosystem I particles. *Biochim Biophys Acta* 1188:75-85
- Kruij J, Bald D, Boekema E, Rogner M (1994). Evidence for the existence of trimeric and monomeric Photosystem I complexes in thylakoid membranes from cyanobacteria. *Photosynth Res* 40:279-286
- Mannan RM, Pakrasi HB, Sonoike K (1994). The PsaC protein is necessary for the stable association of the PsaD, PsaE, and PsaL proteins in the photosystem I complex: Analysis of a cyanobacterial mutant strain. *Arch Biochem Biophys* 315:68-73
- Setif PQY, Bottin H (1994). Laser flash absorption spectroscopy study of ferredoxin reduction by photosystem I in *Synechocystis* sp. PCC 6803: Evidence for submicrosecond and microsecond kinetics. *Biochemistry* 33:8495-8504
- Vanhaeringen B, Dekker JP, Bloemendal M, Rogner M, Vangrondelle R, Vanamerongen H (1994). Simultaneous measurement of electric birefringence and dichroism. A study on photosystem I particles. *Biophys J* 67:411-417
- Woolf VM, Wittmershaus BP, Vermaas WFJ, Tran TD (1994). Resolution of low-energy chlorophylls in photosystem I of *Synechocystis* sp PCC 6803 at 77 and 295 K through fluorescence excitation anisotropy. *Photosynth Res* 40:21-34
- Xu Q, Armbrust TS, Guikema JA, Chitnis PR (1994). Organization of photosystem I polypeptides. A structural interaction between the PsaD and PsaL subunits. *Plant Physiol* 106:1057-1063
- Xu QA, Guikema JA, Chitnis PR (1994). Identification of surface-exposed domains on the reducing side of photosystem I. *Plant Physiol* 106:617-624
- Xu Q, Jung YS, Chitnis VP, Guikema JA, Golbeck JH, Chitnis PR (1994). Mutational analysis of photosystem I polypeptides in *Synechocystis* sp. PCC 6803 - Subunit requirements for reduction of NADP⁺ mediated by ferredoxin and flavodoxin. *J Biol Chem* 269:21512-21518
- Xu Q, Odom WR, Guikema JA, Chitnis VP, Chitnis PR (1994). Targeted deletion of *psaI* from the cyanobacterium *Synechocystis* sp PCC 6803 indicates structural interactions between the PsaJ and PsaF subunits of photosystem I. *Plant Mol Biol* 26:291-302

PHOTOSYSTEM II

- Anbuduraj PR, Mor TS, Ohad I, Shestakov SV, Pakrasi HB (1994). The *ctpA* gene encodes the C-terminal processing protease for the D1 protein of the photosystem II reaction center complex. *Proc Natl Acad Sci USA* 91:8082-8086
- Barber J (1994). Photosystem II: No longer the black box of photosynthesis. *Biochem Soc Trans* 22:313-318
- Burnap RL, Qian M, Shen JR, Inoue Y, Sherman LA (1994). Role of disulfide linkage and putative intermolecular binding residues in the stability and binding of the extrinsic manganese-stabilizing protein to the photosystem II reaction center. *Biochemistry* 33:13712-13718
- Derosé VJ, Mukerji I, Latimer MJ, Yachandra VK, Sauer K, Klein MP (1994). Comparison of the manganese oxygen-evolving complex in photosystem II of spinach and *Synechococcus* sp. with multinuclear manganese model compounds by X-ray absorption spectroscopy. *J Am Chem Soc* 116:5239-5249
- Elanskaya IV, Allakhverdiev SI, Boichenko VA, Klimov VV, Demeter S, Timofeev KN, Shestakov SV (1994). Photochemical characterization of cyanobacterium *Synechocystis* sp. PCC 6803 mutants with impaired photosystem II proteins. *Biochemistry-Engl Tr* 59:929-934
- Gleiter HM, Haag E, Shen JR, Eatonrye JJ, Inoue Y, Vermaas WFJ, Renger G (1994). Functional characterization of mutant strains of the cyanobacterium *Synechocystis* sp. PCC 6803 lacking short domains within the large, lumen-exposed loop of the chlorophyll protein CP47 in photosystem II. *Biochemistry* 33:12063-12071
- Han KC, Shen JR, Ikeuchi M, Inoue Y (1994). Chemical crosslinking studies of extrinsic proteins in cyanobacterial photosystem II. *FEBS Lett* 355:121-124
- Mamedov MD, Beshta OE, Samuilov VD, Semenov AY (1994). Electrogenicity at the secondary quinone acceptor site of cyanobacterial photosystem II. *FEBS Lett* 350:96-98
- Mamedov MD, Lovyagina ER, Verkhovskii MI, Semenov AY, Cherepanov DA, Shinkarev VP (1994). Generation of electric potential difference by Photosystem II from thermophilic cyanobacteria. *Biochemistry-Engl Tr* 59:685-689
- Nishiyama Y, Hayashi H, Watanabe T, Murata N (1994). Photosynthetic oxygen evolution is stabilized by cytochrome *c₅₅₀* against heat inactivation in *Synechococcus* sp. PCC 7002. *Plant Physiol* 105:1313-1319
- Nixon PJ, Diner BA (1994). Analysis of water-oxidation mutants constructed in the cyanobacterium *Synechocystis* sp. PCC 6803. *Biochem Soc Trans* 22:338-343
- Putnam-Evans C, Bricker TM (1994). Site-directed mutagenesis of the CP47 protein of photosystem II: Alteration of the basic residue (448)R to (448)G prevents the assembly of functional photosystem II centers under chloride-limiting conditions. *Biochemistry* 33:10770-10776

- Raval MK, Ramaswamy NK, Nair PM (1994). Mechanism of Mn-II oxidation by the extrinsic 33 kDa protein of photosystem II. *Plant Sci* 98:141-150
- Shen GZ, Vermaas WFJ (1994). Mutation of chlorophyll ligands in the chlorophyll-binding CP47 protein as studied in a *Synechocystis* sp. PCC 6803 photosystem I-less background. *Biochemistry* 33:7379-7388
- Shestakov SV, Anbudurai PR, Stanbekova GE, Gadzhiev A, Lind LK, Pakrasi HB (1994). Molecular cloning and characterization of the *ctpA* gene encoding a carboxyl-terminal processing protease -Analysis of a spontaneous photosystem II-deficient mutant strain of the cyanobacterium *Synechocystis* sp. PCC 6803. *J Biol Chem* 269:19354-19359
- Soitamo AJ, Zhou G, Clarke AK, Oquist G, Aro EM, Gustafsson P (1994). Over-production of the D1 protein of photosystem II reaction centre in the cyanobacterium *Synechococcus* sp PCC 7942. *Plant Mol Biol* 26:709-721
- Spiller H, Stallings W, Tu CK, Gunasekaran M (1994). Dependence of H⁺ exchange and oxygen evolution on K⁺ in the marine cyanobacterium *Synechococcus* sp strain UTEX 2380. *Can J Microbiol* 40:257-265
- Srivastava M, Bhaya D, Bose S (1994). Changes in the antenna size of photosystem I and photosystem II in *Synechococcus* sp strain PCC 7942 grown in the presence of SANDOZ 9785 - A photosystem II inhibitor. *Photosynth Res* 41:303-313
- Srivastava M, Mohanty P, Bose S (1994). Alterations in the excitation energy distribution in *Synechococcus* PCC 7942 due to prolonged partial inhibition of Photosystem II. Comparison between inhibition caused by (a) presence of PS II inhibitor, (b) mutation in the D1 polypeptide of PS II. *Biochim Biophys Acta* 1186:1-11
- Tommos C, Madsen C, Styring S, Vermaas W (1994). Point-mutations affecting the properties of tyrosine(D) in photosystem II. Characterization by isotopic labeling and spectral simulation. *Biochemistry* 33:11805-11813
- Tsinoremas NF, Schaefer MR, Golden SS (1994). Blue and red light reversibly control *psbA* expression in the cyanobacterium *Synechococcus* sp. strain PCC 7942. *J Biol Chem* 269:16143-16147
- Tyystjarvi T, Aro EM, Jansson C, Maenpaa P (1994). Changes of amino acid sequence in PEST-like area and QEEET motif affect degradation rate of D1 polypeptide in photosystem II. *Plant Mol Biol* 25:517-526

PHYCOBILISOMES and CAROTENOIDS

- Bekasova OD, Sineshchekov VA, Brykina GD, Sineshchekova EV, Grishina LE (1994). Minor components in the pigment system of *Nostoc muscorum* and *Mastigocladus laminosus*. *Biochemistry-Engl Tr* 59:779-787
- Bhalerao RP, Lind LK, Gustafsson P (1994). Cloning of the *cpcE* and *cpcF* genes from *Synechococcus* sp PCC 6301 and their inactivation in *Synechococcus* sp PCC 7942. *Plant Mol Biol* 26:313-326
- Casey ES, Grossman A (1994). In vivo and in vitro characterization of the light-regulated *cpbB2A2* promoter of *Fremyella diplosiphon*. *J Bacteriol* 176:6362-6374
- Demidov AA (1994). Fluorescence polarization of triple-chromophore complexes with energy transfer. *Appl Optics* 33:6303-6306
- Demidov AA (1994). Quantitative calculations of fluorescence polarization and absorption anisotropy kinetics of double- and triple-chromophore complexes with energy transfer. *Biophys J* 67:2184-2190
- Demidov AA (1994). Determination of fluorescence polarization of double chromophore complexes. *J Theor Biol* 170:355-358
- Demidov AA, Borisov AY (1994). Computer simulation of exciton jumping statistics and energy flow in C-phycoyanin of algae *Agmenellum quadruplicatum* in the presence of traps. *Photochem Photobiol* 60:46-52
- Fairchild CD, Glazer AN (1994). Nonenzymatic bilin addition to the gamma subunit of an apophycocerythrin. *J Biol Chem* 269:28988-28996
- Garnier F, Dubacq JP, Thomas JC (1994). Evidence for a transient association of new proteins with the *Spirulina maxima* phycobilisome in relation to light intensity. *Plant Physiol* 106:747-754
- Gindt YM, Zhou JH, Bryant DA, Sauer K (1994). Spectroscopic studies of phycobilisome subcore preparations lacking key core chromophores: Assignment of excited state energies to the L_{cm}, β₁₈ and α_{AP-B} chromophores. *Biochim Biophys Acta* 1186:153-162
- Glazer AN, Gindt YM, Chan CF, Sauer K (1994). Selective disruption of energy flow from phycobilisomes to Photosystem I. *Photosynth Res* 40:167-173
- Gottschalk L, Lottspeich F, Scheer H (1994). Reconstitution of an allophycocyanin trimer complex containing the C-terminal 21-23 kDa domain of the core-membrane linker polypeptide L_{cm}. *Z Naturforsch C* 49:331-336
- Maccoll R, Lam I, Choi CY, Kim J (1994). Exciton splitting in phycoerythrin 545. *J Biol Chem* 269:25465-25469
- Schneider S, Jager W, Prenzel CJ, Brehm G, Sai PSM, Scheer H, Lottspeich F (1994). Photophysics of phycoerythrocyanins from the cyanobacterium *Westiellopsis prolifica* studied by time-resolved fluorescence and coherent anti-Stokes Raman scattering spectroscopy. *J Photochem Photobiol B-Biol* 26:75-85
- Skibinski A, Planner A (1994). Spectral Properties of *Mastigocladus laminosus* Phycobilisomes Embedded in Poly(vinyl Alcohol) Films. *J Photochem Photobiol B-Biol* 23:213-223
- Sobczyk A, Bely A, Demarsac NT, Houmard J (1994). A phosphorylated DNA-binding protein is specific for the red-light signal during complementary chromatic adaptation in cyanobacteria. *Mol Microbiol* 13:875-885
- Szalontai B, Gombos Z, Csizmadia V, Bagyinka C, Lutz M (1994). Structure and interactions of phycocyanobilin chromophores in phycocyanin and allophycocyanin from an analysis of their resonance Raman spectra. *Biochemistry* 33:11823-11832
- Westermann M, Ernst A, Brass S, Boger P, Wehrmeyer W (1994). Ultrastructure of cell wall and photosynthetic apparatus of the phycobilisome-less *Synechocystis* sp. strain BO 8402 and phycobilisome-containing derivative strain BO 9201. *Arch Microbiol* 162:222-232
- Yamazaki T, Nishimura Y, Yamazaki I, Hirano M, Matsuura K, Shimada K, Mimuro M (1994). Energy migration in allophycocyanin-B trimer with a linker polypeptide: Analysis by the principal multi-component spectral estimation (PMSE) method. *FEBS Lett* 353:43-47
- Zhao JQ, Zhu JC, Jiang LJ (1994). Computer Simulation on Kinetics of Primary Process in Photosynthesis 2. Energy Transfer in the beta-Subunits and Monomers in C-Phycocyanins. *Sci China Ser B* 37:831-841
- Cunningham FX, Sun ZR, Chamovitz D, Hirschberg J, Gantt E (1994). Molecular structure and enzymatic function of lycopene cyclase from the cyanobacterium *Synechococcus* sp strain PCC 7942. *Plant Cell* 6:1107-1121
- Hennig M, Grimm B, Jenny M, Muller R, Jansonius JN (1994). Crystallization and preliminary X-ray analysis of wild-type and K272A mutant glutamate 1-semialdehyde aminotransferase from *Synechococcus*. *J Mol Biol* 242:591-594
- Martinez Ferez I, Fernandez Gonzalez B, Sandmann G, Vioque A (1994). Cloning and expression in *Escherichia coli* of the gene coding for phytoene synthase from the cyanobacterium *Synechocystis* sp. PCC 6803. *Biochim Biophys Acta* 1218:145-152
- Mayer SM, Rieble S, Beale SI (1994). Metal requirements of the enzymes catalyzing conversion of glutamate to δ-aminolevulinic acid in extracts of *Chlorella vulgaris* and *Synechocystis* sp. PCC 6803. *Arch Biochem Biophys* 312:203-209
- Schreiber U (1994). New emitter-detector-cuvette assembly for measuring modulated chlorophyll fluorescence of highly diluted suspensions in conjunction with the standard PAM fluorometer. *Z Naturforsch C* 49:646-656

ELECTRON TRANSPORT and BIOENERGETICS

- Caffrey MS (1994). Strategies for the study of cytochrome c structure and function by site-directed mutagenesis. *Biochimie* 76:622-630
- Diaz A, Navarro F, Hervas M, Navarro JA, Chavez S, Florencio FJ, Delarosa MA (1994). Cloning and correct expression in *E. coli* of the *petJ* gene encoding cytochrome *c₆* from *Synechocystis* 6803. *FEBS Lett* 347:173-177
- Malakhov MP, Wada H, Los DA, Semenenko VE, Murata N (1994). A new type of cytochrome *c* from *Synechocystis* PCC 6803. *J Plant Physiol* 144:259-264
- Mamedov MD (1994). Effect of thylakoid lipids on the activity of cytochrome *bf* complex. *Biochemistry-Engl Tr* 59:625-627
- Meyer TE, Tollin G, Cusanovich MA (1994). Protein interaction sites obtained via sequence homology. The site of complexation of electron transfer partners of cytochrome *c* revealed by mapping amino acid substitutions onto three-dimensional protein surfaces. *Biochimie* 76:480-488
- Ortega JM, Hervas M, Delarosa MA, Losada M (1994). Redox properties of cytochrome *b₅₅₉* in photosynthetic membranes from the cyanobacterium *Synechocystis* sp PCC 6803. *J Plant Physiol* 144:454-461
- Peschek GA, Obinger C, Sherman DM, Sherman LA (1994). Immunocytochemical localization of the cytochrome *c* oxidase in a cyanobacterium, *Synechococcus* PCC 7942 (*Anacystis nidulans*). *Biochim Biophys Acta* 1187:369-372
- Schmetterer G, Alge D, Gregor W (1994). Deletion of cytochrome *c* oxidase genes from the cyanobacterium *Synechocystis* sp. PCC 6803: Evidence for alternative respiratory pathways. *Photosynth Res* 42:43-50
- Cartagena E, Bes MT, Gomez Moreno C, Peleato ML (1994). Purification and characterization of ferredoxin-NADP⁺ reductase from the green alga *Chlorella fusca*. *Physiol Plant* 91:645-650
- Geerts D, Schubert H, Devrieze G, Borrias M, Matthijs HCP, Weisbeek PJ (1994). Expression of *Anabaena* PCC 7937 plastocyanin in *Synechococcus* PCC 7942 enhances photosynthetic electron transfer and alters the electron distribution between photosystem I and cytochrome *c* oxidase. *J Biol Chem* 269:28068-28075
- Gomez Moreno C, Bes MT (1994). Structural requirements for the electron transfer between a flavoprotein and viologens. *Biochim Biophys Acta* 1187:236-240
- Gomez Moreno C, Medina M, Hurley JK, Cusanovich MA, Markley JL, Cheng H, Xia B, Chae YK, Tollin G (1994). Protein engineering for the elucidation of the mechanism of electron transfer in redox proteins. *Biochem Soc Trans* 22:796-800
- Hurley JK, Medina M, Gomez Moreno C, Tollin G (1994). Further characterization by site-directed mutagenesis of the protein-protein interface in the ferredoxin/ferredoxin: NADP⁺ reductase system from *Anabaena*: Requirement of a negative charge at position 94 in ferredoxin for rapid electron transfer. *Arch Biochem Biophys* 312:480-486
- Medina M, Gomez Moreno C, Cammack R (1994). ESR and ENDOR characterization of flavodoxin from *Anabaena* sp. PCC 7119. *Biochem Soc Trans* 22:S371
- Navarro JA, Hervas M, Pueyo JJ, Medina M, Gomezmoreno C, Delarosa MA, Tollin G (1994). Laser flash-induced photoreduction of photosynthetic ferredoxins and flavodoxin by 5-deazariboflavin and by a viologen analogue. *Photochem Photobiol* 60:231-236
- Poncelet M, Cassierchauvat C, Chauvat F (1994). Sequence of the flavodoxin-encoding gene from the cyanobacterium *Synechocystis* PCC 6803. *Gene* 145:153-154
- Razquin P, Schmitz S, Fillat MF, Peleato ML, Bohme H (1994). Transcriptional and translational analysis of ferredoxin and flavodoxin under iron and nitrogen stress in *Anabaena* sp. strain PCC 7120. *J Bacteriol* 176:7409-7411
- Vermaas WFJ (1994). Molecular-genetic approaches to study photosynthetic and respiratory electron transport in thylakoids from cyanobacteria. *Biochim Biophys Acta* 1187:181-186
- Bakels RHA, Vanwalraven HS, Vanwielenk JE, Vanderzwetdegraaff I, Krenn BE, Krab K, Berden JA, Kraayenhof R (1994). The effect of sulfite on the ATP hydrolysis and synthesis activity of membrane-bound H⁺-ATP synthase from various species. *Biochem Biophys Res Commun* 201:487-492
- Brown II, (1994). Is Ca²⁺ the third coupling ion? (Hypothesis). *Biochem (Moscow)* 59:1321-1323
- Kanamaru K, Kashiwagi S, Mizuno T (1994). A copper-transporting P-type ATPase found in the thylakoid membrane of the cyanobacterium *Synechococcus* species PCC 7942. *Mol Microbiol* 13:369-377
- Mozeelaar R, Stal LJ (1994). Fermentation in the unicellular cyanobacterium *Microcystis* PCC 7806. *Arch Microbiol* 162:63-69
- Phung LT, Ajlani G, Haselkorn R (1994). P-type ATPase from the cyanobacterium *Synechococcus* 7942 related to the human Menkes and Wilson disease gene products. *Proc Natl Acad Sci USA* 91:9651-9654
- Sand O, Petersen IM, Jorgen J, Iversen L (1994). Purification and some properties of glyceraldehyde 3-phosphate dehydrogenase from *Synechococcus* sp. *Anton Leeuwenhoek Int J Gen M* 65:133-142
- Steinmann D, Lill H, Junge W, Engelbrecht S (1994). Over-production, renaturation and reconstitution of delta and epsilon subunits from chloroplast and cyanobacterial F-1. *Biochim Biophys Acta* 1187:354-359
- Wernergrune S, Gunkel D, Schumann J, Strotmann H (1994). Insertion of a "chloroplast-like" regulatory segment responsible for thiol modulation into Γ -subunit of F0F1-ATPase of the cyanobacterium *Synechocystis* 6803 by mutagenesis of *atpC*. *Mol Gen Genet* 244:144-150
- Vanderstaay GWM, Staehelin LA (1994). Biochemical characterization of protein composition and protein phosphorylation patterns in stacked and unstacked thylakoid membranes of the prochlorophyte *Prochlorothrix hollandica*. *J Biol Chem* 269:24834-24844

MOLECULAR GENETICS, EPISOMES, AND METABOLISM OF MACROMOLECULES

- Chemeresyuk NN, Elanskaya IV (1994). Cloning and Expression of Hordein B1-Gene of Barley (*Hordeum vulgare* L.) in cyanobacterium *Synechocystis* sp. PCC 6803 and *Escherichia coli*. *Genetika* 30:1141-1145
- Sarma TA, Singh R (1994). Isolation and Characterization of Temperature-Sensitive Mutants of Cyanophage-N-1. *Acta Virol* 38:11-16
- Tsinoremas NF, Kutach AK, Strayer CA, Golden SS (1994). Efficient gene transfer in *Synechococcus* sp. strains PCC 7942 and PCC 6301 by interspecies conjugation and chromosomal recombination. *J Bacteriol* 176:6764-6768
- Biniszkiewicz D, Cesnaviciene E, Shub DA (1994). Self-splicing group I intron in cyanobacterial initiator methionine tRNA: Evidence for lateral transfer of introns in bacteria. *EMBO J* 13:4629-4635
- Fernandez-Piñas F, Wolk CP (1994). Expression of *luxCD-E* in *Anabaena* sp can replace the use of exogenous aldehyde for in vivo localization of transcription by *luxAB*. *Gene* 150:169-174
- Houmar J (1994). Gene transcription in filamentous cyanobacteria. *Microbiology Uk* 140(Part 3):433-441
- Pascal A, Vioque A (1994). Sequence and structure of the RNA subunit of RNase P from the cyanobacterium *Pseudoanabaena* sp. PCC 6903. *Biochim Biophys Acta* 1218:463-465
- Schyns G, Sobczyk A, Demarsac NT, Houmar J (1994). Specific initiation of transcription at a cyanobacterial promoter with RNA polymerase purified from *Calothrix* sp. PCC 7601. *Mol Microbiol* 13:887-896
- Tan XL, Varughese M, Widger WR (1994). A light-repressed transcript found in *Synechococcus* PCC 7002 is similar to a chloroplast-specific small subunit ribosomal protein and to a transcription modulator protein associated with σ^{34} . *J Biol Chem* 269:20905-20912
- Soper BW, Reddy KJ (1994). Identification of a nuclease and host restriction-modification in the unicellular, aerobic nitrogen-fixing cyanobacterium *Cyanothece* sp. *J Bacteriol* 176:5565-5570

- Yang XY, Daniel H, McFadden BA (1994). A facile method to study DNA synthesis in the cyanobacterium *Synechocystis* PCC 6803. *Curr Microbiol* 29:171-175
- Yang XY, Daniell H, McFadden B (1994). In vitro replication of cyanobacterial plasmids from *Synechocystis* PCC 6803. *Plasmid* 32:195-207
- Malakhov MP, Semenenko VE (1994). Codon usage in genes of cyanobacterium *Synechocystis* PCC 6803. *Russ J Plant Physiol* 41:141-146 ([Engl])
- Welsh PL, Johnson DR, Zhang YS, Breitenberger CA (1994). *Synechocystis* sp. PCC 6803 *fusB* gene, located outside of the *str* operon, encodes a polypeptide related to protein synthesis factor EF-G. *Plant Mol Biol* 25:735-738
- Kim M, Choi YK (1994). A new *Synechococcus* cyanophage from a reservoir in Korea. *Virology* 204:338-342
- Koltukova NV, Kadyrova GK, Mendzhul MI, Muradov MM (1993). Effect of Cyanophage A-1 Reproduction on Proteolysis in the Cells of *Anabaena variabilis*. *Microbiology-Engl Tr* 62:627-629
- Singh S, Bhatnagar A, Kashyap AK (1994). Energetics of cyanophage N-1 multiplication in the diazotrophic cyanobacterium *Nostoc muscorum*. *Microbios* 78:259-265

APPLIED CYANOBACTERIOLOGY

- Colwell FS, Pryfogle PA, Lee BD, Bishop CL (1994). Use of a cyanobacterium as a particulate tracer for terrestrial subsurface applications. *J Microbiol Meth* 20:93-101
- Maquieira A, Elmahadi HAM, Puchades R (1994). Immobilized cyanobacteria for on-line trace metal enrichment by flow injection atomic absorption spectrometry. *Anal Chem* 66:3632-3638
- Megharaj M, Madhavi DR, Sreenivasulu C, Umamaheswari A, Venkateswarlu K (1994). Biodegradation of Methyl Parathion by Soil Isolates of Microalgae and Cyanobacteria. *Bull Environ Contam Toxicol* 53:292-297
- Swain N, Rath B, Adhikary SP (1994). Growth response of the cyanobacterium *Microcystis aeruginosa* to herbicides and pesticides. *J Basic Microbiol* 34:197-204
- Windhovel U, Geiges B, Sandmann G, Boger P (1994). Engineering Cyanobacterial Models Resistant to Bleaching Herbicides. *Pestic Biochem Physiol* 49:63-71
- Hayashi O, Katoh T, Okuwaki Y (1994). Enhancement of antibody production in mice by dietary *Spirulina platensis*. *J Nutr Sci Vitaminol* 40:431-441
- Skulberg OM (1994). Oscillatorial cyanoprokaryotes and their application for algal culture technology. *Arch Hydrobiol/Suppl* 105, *Algological Studies* 75:265-278
- Alhasan RH, Sorkhoh NA, Albader D, Radwan SS (1994). Utilization of hydrocarbons by cyanobacteria from microbial mats on oily coasts of the Gulf. *Appl Microbiol Biotechnol* 41:615-619
- Bockris JO, Bhardwaj RC, Tennakoon CLK (1994). Electrochemistry of waste removal - A review. *Analyst* 119:781-789
- Kuritz T, Wolk CP (1995). Use of filamentous cyanobacteria for biodegradation of organic pollutants. *Appl Environ Microbiol* 61:234-238

ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*

Send CONTRIBUTIONS to one of the addresses listed below. To SUBSCRIBE, send \$10 U.S. (please, no checks except in U.S. currency) per year to Jeff Elhai, along with your name, telephone, fax, and E-mail numbers (if any), and a brief description of your research interests for inclusion in the next Directory of Cyanobacteriologists. If it is difficult for you to send hard currency, send a note indicating your interest. There is no charge to receive the newsletter electronically, and you may receive the electronic version even weeks earlier than others would receive the printed version. To get on the electronic mailing list, send, in addition to the information mentioned above, the name and model number of printer(s) available to you.

AUSTRALIA/Steve Delaney	Department of Biotechnology, University of New South Wales, P.O. Box 1, Kensington, New South Wales AUSTRALIA 2033. (Tel) 02-697-2056
NEW ZEALAND	
AUSTRIA	Georg Schmetterer Institut für Physikalische Chemie, Währingerstraße 42, A-1090 Wien (Tel) 43-1-31367-2555, (Email) A8422dad@awiuni11
CANADA	Neil Straus Dept. of Botany, University of Toronto Toronto, Ontario M5S 1A1. (Tel) 416-978-3532/5563, (Fax) 416-978-5878, (E-mail) Straus@Botany.UToronto.Ca
P.R.CHINA	Chao-Tsi Tseng Centre of Marine Sciences, Department of Biology, Nanjing University, Nanjing. (Tel) 637551-2551, (Fax) 086025-302728
FRANCE	Nicole Tandeau de Marsac Physiologie Microbienne, Institut Pasteur, 29 rue du Dr. Roux, 75724 Paris Cedex 15. (Tel) 567-46-98, (Fax) 40.56.01.25, (Email) NTMarsac@Pasteur.Fr
GERMANY	Wolfgang Lockau Biochemie der Pflanzen, Fachbereich Biologie, Humboldt-Universität, Invalidenstr. 42, 10 115 Berlin. (Tel) 30-2897-2686, (Fax) 30-2897-2641
INDIA	Joe Thomas Biotechnology Division, SPIC Science Foundation, 110 Mount Road, Madras 600 032. (Tel) 432342, (Fax) 432163
ISRAEL	Elisha Tel-Or Dept. of Agricultural Botany, The Hebrew University, Rehovot 76100. (Tel) 08-481262
ITALY	Mario Tredici Departimento di Scienze e Tecnologie Alimentari e Microbiologiche. Università degli Studi di Firenze P.le. delle Cascine 27 51044 Firenze. (Tel) 055-352051, (Fax) 055-330431, (E-mail) Tredici@Cisma.Fi.Cnr.it
NETHERLANDS	Luuc Mur Laboratorium voor Microbiologie, Universiteit voor Amsterdam, Nieuwe Achtergracht 127, 1018 WS Amsterdam. (Tel) 31-20-525-7056, (Fax) 31-20-525-5802, (E-mail) A417LMur@Horus.Sara.NL
SCANDANAVIA	Olav Skulberg Norwegian Institute for Water Research, P.O. box 69 Korsvall, N-0808 Oslo 8 NORWAY. (Tel) 47 22 185266, (Fax) 47 22 185200
U.K.	Tony Walsby Dept. of Botany, University of Bristol, Bristol BS8 1UG. (Tel) 0272-303030
ANYWHERE ELSE	Jeff Elhai Dept. of Biological Sciences, Florida International Univ., University Park, Miami FL 33199 USA. (Tel) 305-348-3584. (Fax) 305-348-1986, (E-mail) Cyano@Servax.Fiu.Edu